



REPUBLIC OF ZAMBIA
 Ministry of Agriculture and
 Ministry of Fisheries and Livestock



ZAMBIA FOOD BALANCE SHEETS REPORT 2019 – 2023

May 2025



AFRICAN DEVELOPMENT BANK GROUP
 GROUPE DE LA BANQUE AFRICAINE
 DE DEVELOPPEMENT

TABLE OF CONTENTS

LIST OF TABLES	v
LIST OF FIGURES	viii
ABBREVIATIONS AND ACRONYMS	ix
FOREWORD	xi
ACKNOWLEDGEMENT	xii
EXECUTIVE SUMMARY	xiii
CHAPTER 1: INTRODUCTION, AND CONCEPTS AND DEFINITIONS	1
1.1 INTRODUCTION	2
1.1.1. What is a Food Balance Sheet?	2
1.1.2. Importance of the Food Balance Sheet Statistics	2
1.1.3. Food Balance Sheet Compilation in Zambia	2
1.2. CONCEPTS AND DEFINITIONS	3
1.2.1. Supply and Utilization Accounts and FBS Components	3
1.2.2. Additional Variables	8
1.2.3. FBS Derived Indicators	8
CHAPTER 2: APPROACH AND DATA SOURCES	12
2.0. CHAPTER 2 OVERVIEW	13
2.1. APPROACH	13
2.1.1. Development of Roadmap	13
2.1.2. Funding mobilization	13
2.1.3. Designing of the FBS Compilation Tool	14
2.1.4. Setting up of a Technical Working Group	14
2.1.5. Data Collection	15
2.1.6. National Training and SUA Compilation Workshop	16
2.1.7. Generation of Preliminary FBS Results	16
2.1.8. Validation of Preliminary FBS Results 2019 – 2023	16
2.2. DATA SOURCES	16
2.2.1. Crops sector	16
2.2.2. Livestock sector	18
2.2.3. Import and Export Data	18
2.2.4. Stock Variation	18

2.2.5. Feed	18
2.2.6. Seed	18
2.2.7. Loss	18
2.2.8. Tourist Food	19
2.2.9. Food Processing	19
2.2.10. Food	19
2.2.11. Fisheries Sector	19
CHAPTER 3: ANALYSIS OF FBS RESULTS	20
3.0. CHAPTER 3 OVERVIEW	21
3.1. FOOD SUPPLY PER CAPITA PER YEAR	21
3.2. DIETARY ENERGY SUPPLY PER CAPITA PER DAY	24
3.2.1. DES per capita per day from vegetal products	25
3.2.2. DES per capita per day from animal products	27
3.3. DAILY PER CAPITA PROTEINS	28
3.4. DAILY PER CAPITA FATS	31
3.5. SUPPLY OF MINERALS AND VITAMINS PER CAPITA PER DAY	32
3.5.1. Supply of minerals per capita per day	33
3.5.2. Supply of vitamins per capita per day	41
3.6. SELF-SUFFICIENCY RATIO (SSR)	49
3.7. IMPORT DEPENDENCY RATIO (IDR)	51
3.8. FOOD LOSS INDEX (FLI)	53
3.8.1. Food Loss Percentage and Food Loss Index	54
3.9. PREVALENCE OF UNDERNOURISHMENT (POU)	55
3.9.1. Evolution of the Minimum Dietary Energy Requirement	55
3.9.2. Evolution of the Prevalence of Undernourishment	55
3.9.3. Evolution of the Population Undernourished (in millions)	56
3.10. COMPARISON OF SELECTED INDICATORS PRODUCED BY THE COUNTRY'S FBS PROCESS VS FAOSTAT RESULTS	56
3.10.1. Comparison of country generated results with FAO results of DES, protein and fats supply	57
3.10.2. Comparison of country generated results with FAO results of Prevalence of Undernourishment	59
CHAPTER 4: CONSTRAINTS, LESSONS LEARNT AND RECOMMENDATIONS	60
4.1. CONSTRAINTS	61
4.2. LESSONS LEARNT	61

4.3. CONCLUSION AND RECOMMENDATIONS	62
REFERENCES	64
ANNEXES	66
ANNEX 1 – METHODOLOGY FOR ESTIMATING FOOD LOSS INDEX (FLI)	67
ANNEX 2 – METHODOLOGY FOR ESTIMATING PREVALENCE OF UNDERNOURISHMENT (POU)	69
ANNEX 3 - TERMS OF REFERENCE OF THE FBS THEMATIC TECHNICAL WORKING GROUPS (FBS_TTWG)	73
ANNEX 4 – COMPOSITION, MEMBERSHIP AND ROLE OF FBS THEMATIC TECHNICAL WORKING GROUP (FBS_TTWG)	74
ANNEX 5 - TERMS OF REFERENCE OF THE FBS CORE TEAM	75
ANNEX 6 – COMPOSITION, MEMBERSHIP AND ROLE OF FBS CORE TEAM	76
ANNEX 7 - TERMS OF REFERENCE OF THE FBS TECHNICAL WORKING GROUP FOR FOOD BALANCE SHEETS COMPILATION (FBS_TWG)	77
ANNEX 8 – COMPOSITION, MEMBERSHIP AND ROLE OF FBS TECHNICAL WORKING GROUP (FBS_TWG)	78
ANNEX 9: ZAMBIA FBS DETAILED RESULTS – SUPPLY OF CALORIES, PROTEINS AND FATS (2019 – 2023)	79
ANNEX 10: ZAMBIA FBS DETAILED RESULTS – SUPPLY OF MINERALS AND VITAMINS (2019 – 2023)	109

LIST OF TABLES

TABLE 1:	POU THRESHOLDS AND LEVELS OF UNDERNOURISHMENT INTENSITY ..	11
TABLE 2:	FOOD SUPPLY PER CAPITA PER YEAR (KG) OF GROUPS OF VEGETAL PRODUCTS	22
TABLE 3:	FOOD SUPPLY PER CAPITA PER YEAR (KG) OF SELECTED VEGETAL PRODUCTS	23
TABLE 4:	FOOD SUPPLY PER CAPITA PER YEAR (KG) OF ANIMAL PRODUCTS	23
TABLE 5:	COMPARISON OF ZAMBIA'S FOOD SUPPLY PER CAPITA PER YEAR FOR SELECTED FOOD GROUPS WITH AVERAGE SUPPLY OF A NEIGHBORING COUNTRY AND GLOBALLY	24
TABLE 6:	CONTRIBUTION OF VEGETAL AND ANIMAL PRODUCTS TO TOTAL DES (KCAL/CAP/DAY)	25
TABLE 7:	CONTRIBUTION OF GROUPS OF VEGETAL PRODUCTS TO DES PER CAPITA PER DAY (KCAL)	25
TABLE 8:	DAILY PER CAPITA PROTEINS SUPPLY BY FOOD PRODUCT	28
TABLE 9:	CONTRIBUTION (%) OF GROUP OF VEGETAL PRODUCTS TO TOTAL DAILY PER CAPITA PROTEINS (GRAMS) SUPPLY OF VEGETAL PRODUCTS	29
TABLE 10:	CONTRIBUTION OF CEREALS AND PULSES PRODUCTS TO DAILY PER CAPITA PROTEINS (GRAMS) OF THEIR RESPECTIVE GROUPS	30
TABLE 11:	CONTRIBUTION OF TYPES OF OIL CROPS TO DAILY PER CAPITA PROTEINS (GRAMS)	30
TABLE 12:	CONTRIBUTION OF ANIMAL PRODUCTS TO DAILY PER CAPITA PROTEINS (GRAMS) OF THE ANIMAL PRODUCTS GROUP	30
TABLE 13:	DAILY PER CAPITA FATS SUPPLY (GRAMS)	31
TABLE 14:	CONTRIBUTION OF TYPES OF ANIMAL PRODUCTS TO DAILY PER CAPITA FATS (GRAMS) OF THE ANIMAL PRODUCTS GROUP	32
TABLE 15:	SUPPLY OF CALCIUM PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	33
TABLE 16:	SUPPLY OF CALCIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	33
TABLE 17:	SUPPLY OF CALCIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	34
TABLE 18:	SUPPLY OF IRON PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	35
TABLE 19:	SUPPLY OF IRON PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	35
TABLE 20:	SUPPLY OF IRON PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	35
TABLE 21:	SUPPLY OF MAGNESIUM PER CAPITA PER DAY (MILLIGRAMS) BY MAIN FOOD GROUPS	36
TABLE 22:	SUPPLY OF MAGNESIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	36

TABLE 23: SUPPLY OF MAGNESIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	37
TABLE 24: SUPPLY OF PHOSPHORUS PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE FOOD GROUPS	37
TABLE25: SUPPLY OF PHOSPHORUS PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	38
TABLE 26: SUPPLY OF PHOSPHORUS PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	38
TABLE27: SUPPLY OF POTASSIUM PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	39
TABLE 28: SUPPLY OF POTASSIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	39
TABLE 29: SUPPLY OF POTASSIUM PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	39
TABLE 30: SUPPLY OF ZINC PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	40
TABLE 31: SUPPLY OF ZINC PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	41
TABLE32: SUPPLY OF ZINC PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	41
TABLE 33: SUPPLY OF RIBOFLAVIN PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	42
TABLE 34: SUPPLY OF RIBOFLAVIN PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	42
TABLE 35: SUPPLY OF RIBOFLAVIN PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	43
TABLE 36: SUPPLY OF THIAMIN PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	43
TABLE 37: SUPPLY OF THIAMIN PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	44
TABLE 38: SUPPLY OF THIAMIN PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	44
TABLE 39: SUPPLY OF VITAMIN A RAE PER CAPITA PER DAY (MICROGRAMS) BY MAIN TYPE OF FOOD GROUPS	45
TABLE 40: SUPPLY OF VITAMIN A RAE PER CAPITA PER DAY (MICROGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	45
TABLE 41: SUPPLY OF VITAMIN A RAE PER CAPITA PER DAY (MICROGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	46
TABLE 42: SUPPLY OF VITAMIN C PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	46
TABLE 43: SUPPLY OF VITAMIN C PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	47
TABLE 44: SUPPLY OF VITAMIN C PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	47

TABLE 45: SUPPLY OF VITAMIN PP PER CAPITA PER DAY (MILLIGRAMS) BY MAIN TYPE OF FOOD GROUPS	48
TABLE 46: SUPPLY OF VITAMIN PP PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	48
TABLE 47: SUPPLY OF VITAMIN PP PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF ANIMAL FOOD PRODUCTS	48
TABLE 48: SUPPLY OF FOLATE (VIT B-9) PER CAPITA PER DAY (MILLIGRAMS) BY TYPE OF VEGETAL FOOD PRODUCTS	49
TABLE 49: SELF SUFFICIENCY RATIO (%) FOR SELECTED GROUPS OF VEGETAL PRODUCTS	50
TABLE 50: SELF SUFFICIENCY RATIO (%) FOR SELECTED ANIMAL PRODUCTS GROUP	51
TABLE 51: IMPORT DEPENDENCY RATIO (%) FOR COMMODITY GROUPS OF VEGETAL PRODUCTS	52
TABLE 52: IMPORT DEPENDENCY RATIO (%) FOR SELECTED ANIMAL PRODUCTS GROUP	53
TABLE 53: FOOD LOSS PERCENTAGES OVER TIME BY COMMODITY TYPE	54
TABLE 54: COMPARISON OF COUNTRY GENERATED RESULTS WITH FAO RESULTS OF DES, PROTEINS AND FATS SUPPLY	57
TABLE 55: COMPARISON OF POPULATION ESTIMATES USED BY THE COUNTRY FBS PROCESS WITH FAOSTAT ESTIMATES	57
TABLE 56: COMPARISON OF PRODUCTION DATA ('000 TONNES) OF SELECTED COMMODITIES: COUNTRY VS FAO	58
TABLE 57: COMPARISON OF FOOD LOSS DATA ('000 TONNES) OF SELECTED COMMODITIES: COUNTRY VS FAO	59
TABLE 58: COMPARISON OF POU (%) RESULTS: FAO VS COUNTRY	59

LISTE DES GRAPHIQUES

FIGURE 1:	INSTITUTIONAL/GOVERNANCE STRUCTURE FOR FBS COMPILATION SYSTEM IN ZAMBIA	15
FIGURE 2:	DIETARY ENERGY SUPPLY PER CAPITA PER DAY (KCAL)	25
FIGURE 3:	CONTRIBUTION (%) OF TYPES OF CEREALS TO THE TOTAL CALORIES OF CEREALS GROUP	26
FIGURE 4:	CONTRIBUTION (%) OF TYPES OF STARCHY ROOTS COMMODITIES TO THE TOTAL CALORIES OF STARCHY ROOTS	26
FIGURE 5 :	CONTRIBUTION (%) OF VEGETABLE OIL COMMODITIES TO THE TOTAL CALORIES OF VEGETABLE OILS	27
FIGURE 6:	CONTRIBUTION (%) OF TYPES OF ANIMAL PRODUCTS TO THE TOTAL CALORIES (KCAL) OF ANIMAL PRODUCTS GROUP	27
FIGURE 7:	CONTRIBUTION (%) OF THE DIFFERENT TYPES OF MEAT TO DES PER CAPITA PER DAY (KCAL) OF THE MEAT PRODUCTS GROUP	28
FIGURE 8 :	CONTRIBUTION (%) OF MAIN FOOD GROUPS TO TOTAL DAILY PER CAPITA PROTEINS SUPPLY	29
FIGURE 9:	CONTRIBUTION (%) OF MAIN FOOD GROUPS TO THE TOTAL DAILY PER CAPITA FATS	31
FIGURE 10 :	CONTRIBUTION (%) OF SUB-GROUPS OF VEGETAL PRODUCTS TO DAILY PER CAPITA FATS OF THE VEGETAL PRODUCTS GROUP	32
FIGURE 11:	SELF-SUFFICIENCY RATIO FOR VEGETAL AND ANIMAL PRODUCTS ...	50
FIGURE 12 :	SELF-SUFFICIENCY RATIO FOR SELECTED CEREAL PRODUCTS	51
FIGURE 13:	IMPORT DEPENDENCY RATIO FOR VEGETAL AND ANIMAL PRODUCTS GROUPS	52
FIGURE 14:	FOOD LOSS INDEX OVER TIME	54
FIGURE 15:	EVOLUTION OF MDER IN ZAMBIA	55
FIGURE 16:	EVOLUTION OF POU IN ZAMBIA (2019 – 2023)	56
FIGURE 17:	EVOLUTION OF POPULATION UNDERNOURISHED IN ZAMBIA (2019 – 2023)	56

ABBREVIATIONS AND ACRONYMS

Abbreviation/Acronym	Definition
AfDB	African Development Bank
CBE	Customs Bills Entry
CBS	Cereal/Tubers Balance Sheets
CFS	Crop Forecasting Survey
COMESA	Common Market for Eastern and Southern Africa
CPC	Central Product Classification
DAZ	Dairy Association of Zambia
DES	Dietary Energy Supply
DRC	Democratic Republic of Congo
FAO	Food and Agriculture Organization of the United Nations
FBS	Food Balance Sheets
FBS_TWG	Food Balance Sheets Technical Working Group
FBS_TTWG	Food Balance Sheets Thematic Technical Working Group
FLI	Food Loss Index
FLP	Food Loss Percentage
GDP	Gross Domestic Product
GSARS	Global Strategy to Improve Agriculture and Rural Statistics
HA	Hectare
HS	Harmonized System
IDR	Import Dependency Ratio
Kg	Kilogram
mcg	Micrograms
MDER	Minimum Dietary Energy Requirement
MFL	Ministry of Fisheries and Livestock
mg	Milligrams
MoA	Ministry of Agriculture
MT	Metric Ton
NASS	National Agricultural Statistical System
NSMC	National Stocks and Monitoring Committee
PHS	Post-Harvest Survey
PoU	Prevalence of Undernourishment
RAE	Retinol Activity Equivalent
RALS	Rural Agricultural Livelihoods Survey
SCCI	Seed Control and Certification Institute
SDGs	Sustainable Development Goals
SPARS	Strategic Plan for Agricultural and Rural Statistics
SSP	Sector Strategic Plan

Abbreviation/Acronym	Definition
SSR	Self-Sufficiency Ratio
SUA	Supply Utilization Accounts
TA	Technical Assistance
ToRs	Terms of Reference
UNPD	UN Population Division
ZamStats	Zambia Statistics Agency
ZRA	Zambia Revenue Authority

Foreword

The Ministry of Agriculture of Zambia has been producing the Cereal/Tuber Balance Sheet since 2001, focusing on key staples such as maize, wheat, rice, sorghum, millet, potatoes, and cassava. However, stakeholders, including the Government, have called for the inclusion of non-cereal and tuber staple foods that are vital to the country's food security. This report addresses those concerns. As an essential decision-making tool, the comprehensive Food Balance Sheets (FBS) enable a complete analysis of the national food security situation by providing critical data on the availability, supply, and utilization of food resources. This information is crucial for assessing food sufficiency and evaluating the dietary energy, protein, fat and micronutrients content accessible to the population, all of which inform policies aimed at enhancing nutrition and food security.

This report represents the first comprehensive Food Balance Sheets for Zambia. With support from the African Development Bank (AfDB), and under its fifth Statistical Capacity Building Program executed by the Common Market for Eastern and Southern Africa (COMESA) Secretariat, the country now boasts of a detailed FBS report covering the years 2019–2023. This significant advancement, led by the Ministry of Agriculture in collaboration with the Ministry of Fisheries and Livestock, and the Zambia Statistics Agency (ZAMSTATS), marks a transformative moment in the nation's agricultural data landscape.

The comprehensive FBS not only quantifies food supply but also provides a clearer understanding of Zambia's ability to sustain itself. It highlights areas of dependence on imports and offers insights into progress toward two of the Sustainable Development Goals (SDGs), namely those related to reducing undernourishment and food loss.

This initiative underscores Zambia's commitment to strengthening its agricultural statistics systems and enhancing food security for all. We extend our gratitude to the African Development Bank for its technical and financial assistance, as well as to all stakeholders whose collaborative efforts have made this significant achievement possible.

Rueben R. Phiri Mtolo, MP
Minister of Agriculture

Eng. Peter C. Kapala, MP
Minister of Fisheries and Livestock

Acknowledgement

The Ministry of Agriculture, the Ministry of Fisheries and Livestock, and the Zambia Statistics Agency are pleased to present the very first comprehensive Food Balance Sheets report covering the years 2019-2023. This report provides an in-depth analysis of food supply and utilization patterns in the country, based on the compilation of Supply and Utilization Accounts (SUA) for food commodities. It adheres to international statistical standards and aligns with the framework of the Global Strategy for Improving Agriculture and Rural Statistics (GSARS).

We would like to express our heartfelt gratitude to everyone who contributed to this project. We extend special thanks to the African Development Bank (AfDB), through the Director of Statistics Department (Dr. Babatunde Samson Omotosho) and the Manager of the Statistical Capacity Building Division (Mr. Ben Paul Mungyereza), as well as the AfDB Country Manager in Zambia (Mr. Raubil Olaniyi Durowoju), for their timely and positive response to our request for technical and financial assistance, respectively. We particularly appreciate the expertise of Mr. Vincent Ngendakumana, Chief Agriculture Statistician at AfDB, whose guidance was crucial during the compilation process.

We also want to acknowledge the AfDB international consultant, Mr. Salou Bande, whose hands-on training and mentorship significantly empowered the Technical Working Group (TWG) throughout this initiative. Additionally, our gratitude goes to Dr. Chewe Nkonde, the AfDB national consultant, for his commitment and collaboration with the TWG, which contributed to the successful completion of this report.

Special thanks to the Common Market for Eastern and Southern Africa (COMESA) for their great contribution to the development of the Roadmap, within the implementation of Phase 5 of the Statistical Capacity Building Program of the Bank, and their involvement throughout the process of FBS compilation.

At the national level, the development of the Comprehensive Food Balance Sheet and the production of this report were overseen by a dedicated TWG, led by the Ministry of Agriculture. We sincerely appreciate all TWG members listed in the Annex of this report, as well as all stakeholders who provided vital data and insights throughout the process.

Through these collaborative efforts, we have produced a comprehensive resource that enhances our understanding of food supply dynamics in Zambia.

John Mulongoti
Permanent Secretary
Ministry of Agriculture

Eng. Himba Cheelo
Permanent Secretary
Ministry of Fisheries and Livestock

Sheila S. Mudenda (Ms.)
Acting Statistician General
Zambia Statistics Agency

EXECUTIVE SUMMARY

1. Introduction

The Food Balance Sheet (FBS) is a detailed record of food supply and utilization of a given country over a specified period, compiled using rigorous analytical and statistical methods. The food supply, encompassing domestic production, imports, and stock changes, must equal total utilization, which includes exports, post-harvest losses, livestock feed, seed use, tourist consumption, food processing, food consumption, industrial use, and residual uses. The FBS is compiled for every food product consumed in a country, with all derived products captured through the Supply Utilization Accounts (SUA).

The compilation of the FBS provides a framework for deriving key indicators essential for decision-making in the agricultural sector and food systems of a country. These indicators include assessments of nutritional quality and dietary composition trends, the Self-Sufficiency Ratio (SSR), the Import Dependency Ratio (IDR), the Food Loss Index (FLI), and the Prevalence of Undernourishment (PoU).

Guided by the Strategic Plan for Agriculture and Rural Statistics (SPARS), Zambia aims to enhance its National Agricultural Statistics System (NASS), including prioritizing the development of comprehensive Food Balance Sheets (FBS) to monitor national food security policies and track progress towards achievement of related sustainable development goals (SDGs). This report is the outcome of Zambia's first-ever comprehensive FBS compiled using international guidelines developed under the Global Strategy to Improve Agricultural and Rural Statistics (GSARS). The FBS compilation for Zambia was conducted with technical and financial assistance from the African Development Bank (AfDB) and covers the period 2019 – 2023.

2. Approach and Data Sources

After the country sought technical and financial assistance from AfDB, the compilation of the Zambia FBS (2019 – 2023) began with development of a roadmap to guide the process. The roadmap proposed the institutional governance structure, key activities to be undertaken, resources required and timelines for completing all activities. Building on the existing framework of the Cereal/Tubers Balance Sheets, a multi-sectoral Food Balance Sheets Thematic Technical Working Group (FBS_TTWG) was established to technically coordinate the process in accordance with the GSARS guidelines. The key institutions involved included the Ministry of Agriculture (MoA), the Ministry of Fisheries and Livestock (MFL), and the Zambia Statistics Agency (ZamStats).

Data used in this report were collected using basic data sheets in Microsoft Excel format. The sources of data to compile the FBS included the Census of Population and Housing, Crop Forecasting Surveys (CFS), Post-Harvest Surveys (PHS), Rural Agricultural Livelihoods Surveys (RALS), Livestock and Fisheries Surveys, as well as administrative data from various institutions such as the Dairy Association of Zambia (DAZ), the Ministry of Tourism, and the Zambia Revenue Authority (ZRA). The main tools used to compile the FBS were the FBS compilation tool, the FBS formatting tool and the Trade Data Mapping Tool (TDMT). To be able to generate the nutrition indicators, the Zambia Food Composition Tables report was used as a source of conversion factors for computation of the indicators. Where data was missing, estimates were generated using appropriate formulas and data imputation approaches as stipulated in the GSARS guidelines.

3. Key Findings

The FBS results and other derived indicators for Zambia, for the review period 2019-2023, are summarized below:

3.1. Food Supply per capita per year (Kg)

This indicator measures the total amount of food available (Kg) for human consumption in a country or region in a year, divided by the total population. It is expressed in kilograms of food per capita per year.

The average annual per capita food supply for selected groups of vegetal products (plant-based foods) was 125.4 kg for cereals, 198.3 kg for starchy roots, 22.3 kg for vegetables, 3.3 kg for pulses, and 12 kg for fruits. Cereal supply increased from 117.8 kg in the base year to 130.3 kg in 2023. Starchy roots declined from 218.3 kg in 2019 to 182.9 kg in 2023, with a sharp drop from 220 kg in 2020 to 201.3 kg in 2021, primarily due to reduced supplies of potatoes and cassava products. Vegetables experienced a decline, notably from 27.1 kg in 2019 to 22.6 kg in 2020, mainly due to the reduced supply of tomatoes and its products. Fruits supply exhibited a U-shaped trend, decreasing from 13.1 kg in 2019 to 11 kg in 2021, then rising to 12.5 kg in 2023.

In terms of animal products, the annual per capita food supply was 8.7 kg for meat, 5 kg for milk, 0.8 kg for eggs, and 8.5 kg for fish. In general, the supply of animal products trended upwards or remained the same compared to the baseline year, except for eggs, which declined.

The average food supply per capita per year estimates for Zambia derived from the FBS results were compared to FBS results for Tanzania¹ (2014-2017) and to global estimates to establish the country's performance in terms of food supply relative to the region and the rest of the world. For Tanzania, average FBS results (2014-2017) on food supply per capita per year was 134 kg for cereals, 99 kg for roots and tubers, 69 kg for fruits, 47 kg for vegetables, 27 kg for pulses, 13 kg for meat products, 7 kg for fish and seafood, 35 kg for dairy products, and 1 kg for eggs (United Republic of Tanzania, 2019). The global average food supply per capita per year stands at 152 kg for cereals, 64 kg for roots and tubers, 95 kg for fruits, 114 kg for vegetables, 15 kg for pulses, 43 kg for meat products, 120 kg for dairy products, 18 kg for fish and seafood, and 10 kg for eggs (Roser, 2013; FAO, 2024).

When compared to results from Tanzania, Zambia's food supply per capita per year was only higher for starchy roots and fish & seafood. Moreover, the average food supply per capita per year in Zambia during the review period was lower than global estimates for all the selected food products except for starchy roots. This suggests that Zambia has a lot to do to enhance food supply per capita per year if the country wants to be at pace with some countries within the region and the rest of the world.

3.2. Dietary Energy Supply per capita per day

Dietary Energy Supply (DES) is a measure of the total amount of energy from food available per capita per day. It is expressed in kilocalories per capita per day.

¹ Tanzania is a neighbouring country where a similar TA was provided by AfDB to compile and generate FBS for 2014-2017 reference years.

Zambia's DES fluctuated from a peak of 2,384 kcal in 2021 to a low of 2,310 kcal in 2022 during the study period. Vegetal products consistently contributed 95.4% of total DES, with cereals and starchy roots contributing 48.7% and 22.8% respectively to the vegetal products DES. Among animal products, meat contributed 53%, followed by milk (17.5%) and fish (17%) to the animal products DES.

The average DES per capita per day was 2,340 kcal and this was sufficient to meet requirements by life stage as recommended by the World Health Organization. The recommended DES per capita per day is 550-700 kcal for infants (0-6 months), 700-900 kcal for Infants (7-12 months), 1,000-1,400 kcal for children (1-3 years), 1,400-1,600 kcal for children (4-6 years), 2,000-2,800 kcal for male adolescents, 1,800-2,200 kcal for female adolescents, and 1,800-2,200 kcal for moderately active adults (WHO, 2004).

3.3. Daily proteins supply per capita

Daily proteins supply per capita is the average amount of protein supply per person per day expressed in grams.

Vegetal products were the main source of proteins, contributing about 86% of daily per capita protein supply. Cereals contributed an average of 26.8 g per capita per day of proteins which represented about 63.2% of total daily per capita proteins supply from vegetal products. This was followed by oil crops which contributed an average of 8 g (18.8%), starchy roots about 4.6 g (10.8%), pulses 2 g (4.8%) and vegetables 1 g (2.4%). Animal sourced proteins contributed far less to daily per capita protein supply, contributing only 14%. The main sources of animal-based proteins were meat (3.6 g), fish and seafood (2.5 g), and milk (0.8 g).

Put together, the overall daily per capita supply of proteins in Zambia was, on average, about 49.4 g during the period 2019-2023. Compared with the FAO/WHO/UNU (2007) recommended intake rates of proteins per capita per day of 56 g (for a sedentary adult weighing 70 kg) and 80-120 g (for an active adult weighing 70 kg), the average daily per capita supply for Zambia fell short in terms of meeting proteins requirements for the adult population.

3.4. Daily fats supply per capita

Daily fat supply per capita is the average amount of fats supply per person per day expressed in grams.

From 2019 to 2023, daily fat supply per capita in Zambia rose by 18.3%, climbing from 48 g to 56.8 g. This increase was primarily driven by vegetal products, which saw a rise of 8 g per capita from 2019 to 2023.

Over 98% of vegetal products' daily fat supply per capita was from vegetable oils (48%), oil crops (26%) and cereals (24%). The top three contributors to animal products' daily fat supply per capita were meat (56.8%), animal fats (16.7%) and milk (16.7%).

The average fat supply per capita per day in Zambia, during the review period, was 51.7g. This was within the WHO (2018) recommended daily fats intake rate for adults with a sedentary lifestyle (44-77 g/day) but was below that for adults with a lifestyle that is moderate (55-90 g/day) or active (66-100g).

3.5. Supply of Minerals and Vitamins per capita per day

Minerals and vitamins play a crucial role in supporting bodily functions. Therefore, it is essential that food available in a country can meet the daily supply of these important nutrients on a per capita basis. A diet rich in minerals and vitamins helps maintain optimal health, prevents deficiencies, and reduces risk of chronic diseases like anemia and cardiovascular diseases. This comprehensive FBS compilation included estimation of supply of minerals and vitamins from all vegetal and animal products for the review period 2019 – 2023.

The minerals that were the focus of this study were six: Calcium, Iron, Magnesium, Phosphorus, Potassium and Zinc. In terms of vitamins, the ones considered were also six: Vitamin B2 (Riboflavin), Vitamin B1 (Thiamin), Vitamin A, Vitamin C, Vitamin B3 (Vitamin PP) and Vitamin B9 (Folate). The supply of each micronutrient was expressed as the average amount of supply per person per day in milligrams or micrograms. For all the 12 micronutrients, the main sources were vegetal products. The main findings that emerged from analysis of micronutrient supply per capita per day were as follows:

3.5.1. Supply of calcium per capita per day

The average calcium supply per capita per day was about 324 mg during the review period. Calcium supply decreased from 341 mg in 2019 to 295 mg in 2022, but rebounded to 328 mg in 2023. The vegetal products supplying the most calcium were starchy roots (64.5%), with cereals and vegetables contributing an additional 25.2%. The supply of calcium from animal products was mainly from milk, which accounted for 88.6% of animal products sourced calcium.

Based on the recommended calcium intake rates by the Institute of Medicine (1997), the average daily per capita supply of calcium in Zambia was only sufficient for infants who require calcium levels ranging between 200-300 mg/day. For other life stage groups such as children, adolescents, adults, pregnant women and breastfeeding women, the recommended potassium intake was two to three times more than the average daily supply per capita of calcium computed in this report.

3.5.2. Supply of iron per capita per day

The average daily per capita supply of iron in Zambia was 12.7 mg. The iron supply per capita per day for Zambia did not fluctuate that much during the review period. Cereals were the main source of iron supply per capita per day, accounting for 46.1% of iron sourced from vegetal products. The other products that made a meaningful contribution to vegetal sourced iron were starchy roots (36.8%), vegetables (7.5%) and oil crops (7.3%). Meat accounted for the largest share of iron from animal sourced food products contributing 59.7%. Offals and eggs correspondingly provided 21.4% and 14.4% of iron, while milk and animal fats together contributed about 4.5%.

The average supply of iron per capita per day of 12.7 mg was sufficient to meet the Institute of Medicine (2001) requirements for infants (0.27-11 mg), children (7-10 mg), male adolescents (11 mg) male adults (8 mg) but not female adolescents (15 mg) and female adults (18 mg). These results corroborate the findings from the Zambia Demographic Health Survey report of 2018 confirming iron deficiency among women of reproductive age in Zambia.

3.5.3. Supply of magnesium per capita per day

The average supply of magnesium per capita per day was about 362.1 mg for the entire review period from the two main food groups. Results also show that the daily magnesium supply did not deviate much from the average daily supply per capita across the five years. Over 98% of magnesium was from vegetal products of which cereals contributed 56.9%, starchy roots 25.6%, and oil crops 11.5%. The supply of magnesium per capita per day from animal food products mainly came from meat (66.4%) and milk (24.8%). Offals, eggs and animal fats contributed about 4.3%, 4.2% and 0.3% respectively to the daily per capita supply of magnesium.

The FBS results for Zambia imply that the Institute of Medicine (1997) recommended magnesium daily intake of 300-400 mg was met given the average supply per capita per day of magnesium of 362.1 mg.

3.5.4. Supply of phosphorus per capita per day

Results show that the average supply of phosphorus per capita per day in Zambia (2019-2023) was 848.6 mg. During the reporting period, phosphorus supply per capita per day dropped by 6 mg from 2019 to 2020, but subsequently increased steadily, reaching the highest level of 875 mg in 2023. Like other minerals, phosphorus was mainly sourced from vegetal products which contributed 93.3% of total phosphorus supply per capita per day. Among vegetal products, cereals were the main source of phosphorus (62.1%), and the other key contributors were starchy roots (20.9%) and oil crops (11.4%). About 86% of animal sourced phosphorus was from meat (61.1%) and milk (24.9%).

Based on the results, the average supply of phosphorus per capita of 848.6 mg was sufficient to meet the Institute of Medicine (1997) recommended daily intake of phosphorus for infants (100-300 mg) and children (480-640 mg) but not for adolescents and adults whose magnesium per capita per day intake rates collectively range between 1,000-1,400 mg.

3.5.5. Supply of potassium per capita per day

The average supply of potassium per capita per day was 1,920 mg. Results show that daily potassium supply per capita declined from 1,978 mg in 2019 to 1,811 mg in 2022, representing 8% reduction in the supply. However, there was an increase in daily potassium supply per capita by 6% from 2022 to 2023. About 95.7% of potassium was sourced from vegetal food products with starchy roots, cereals and oil crops being the main sources of daily supply of potassium per capita in this category. Collectively, the three products accounted for 87.7% of vegetal sourced daily potassium supply per capita. The main sources of daily potassium supply from animal products were meat (67.5%) and milk (23.8%), while offals, eggs and animal fats contributed only 8.7% collectively.

In terms of meeting dietary requirements, the average potassium supply per capita per day of 1,920 mg was only sufficient to meet the Institute of Medicine (2005) recommended dietary allowances for infants (400-1,000 mg) and not the other life stage groups. For other life stage groups such as children (3,000-3,800 mg), adolescents (3,800 mg), adults (2,800-3,400 mg), pregnant women (4,700 mg) and breastfeeding women (5,100 mg), the recommended potassium intake rates for each group were more than the average daily supply potassium per capita.

3.5.6. Supply of zinc per capita per day

The average supply of zinc per capita per day was 6.43 mg over the entire review period for the two main food groups. Results also show that daily zinc supply per capita increased by a modest 4.9% between the base year (2019) and the last year in the series (2023). Vegetal products contributed 90.64% to the zinc supply per capita per day. Within the vegetal products category, cereals, starchy roots and oil crops contributed a combined 97.2% of zinc supply per capita per day while meat accounted for 78.9% of zinc supply in the animal products group.

The average supply of zinc per capita of 6.43 mg was sufficient to meet the Institute of Medicine (2001) recommended daily intake of zinc for infants (2-3 mg) and children less than eight years (3-5 mg). However, the zinc daily intake requirements for children above nine years (8 mg), adolescents (9-11 mg) and adults (8-12 mg) were not met.

3.5.7. Supply of Riboflavin per capita per day

The average supply of Riboflavin (vitamin B-2) per capita per day was 0.59 mg during the period under review. The results show that the daily Riboflavin supply per capita remained the same between the base year (2019) and the last year in the series (2023). Vegetal products were the main source of riboflavin contributing about 85.9% of the riboflavin supply per capita per day. Among vegetal products, the main contributors of riboflavin were cereals (47.2%), starchy roots (23.7%), vegetables (12.8%) and oil crops (8.1%). For animal food products, the three main sources of daily supply were milk (44.3%), meat (33.8%) and offals (12.6%).

Based on the FBS results for Zambia (2019-2023), the average daily supply of riboflavin of 0.59 mg per capita was only sufficient to meet the Institute of Medicine (1998) recommended daily intake of riboflavin for infants (0.3-0.5 mg) and children (0.5-0.6 mg) and not adolescents (0.9-1.3 mg) and adults at different life stages (1.1-1.6 mg).

3.5.8. Supply of Thiamin per capita per day

The average supply of Thiamin per capita per day was 1.26 mg during the period under review. Results show that daily Thiamin supply per capita did not vary significantly from the average throughout the reporting period. Vegetal products were the main source of supply of thiamin, contributing about 95.29% to its daily supply per capita. Cereals, starchy roots and oil crops were the main sources of daily supply of thiamin per capita in the vegetal food products category, collectively accounting for 92.2%. For animal food products, the main sources of daily thiamin supply were meat (78.6%) and milk (11.9%).

On average, Thiamin supply per capita during the review period met the Institute of Medicine (1998) recommended requirements for all life stage groups (0.2-1.2 mg) in Zambia except for pregnant (1.4 mg) and breast feeding women (1.4 mg).

3.5.9. Supply of vitamin A per capita per day

During the review period, the average supply of vitamin A per capita per day was 134.5 mcg. Results show that daily vitamin A supply per capita steadily increased except between 2021 to 2022 when it dropped from 144.27 to 123.71 mcg. Vegetal products contributed about 59.63% of vitamin A

daily supply whereas animal products contributed 40.37%. Starchy roots, vegetables and cereals contributed 49.7%, 26.5% and 19.4% respectively to daily supply of vitamin A per capita in the vegetal food products category. The main sources of animal sourced daily vitamin A supply per capita were offals (68.3%), milk (16.9%) and eggs (10.6%).

According to the Institute of Medicine (2001), the recommended dietary allowance for vitamin A ranges between 400-900 mcg for all life stage groups. On average, vitamin A supply per capita during the review period was below the recommended dietary allowance for all life stages.

3.5.10. Supply of vitamin A per capita per day

The average supply of vitamin C per capita per day was 104.5 mg during the period under review. Results show that daily vitamin C supply per capita reduced by 13% from 2019 to 2022 but increased by 6% from 2022 to 2023. Vegetal products were the main source of supply of vitamin C, contributing to about 99.65% while the contribution of animal products was negligible. Vegetables were the main source of daily per capita vitamin C supply within the vegetal food products category, contributing about 71.2%. Other significant contributors to per capita Vitamin C supply included starchy roots (15.6%), pulses (7.2%) and fruits (5.9%). For animal food products, vitamin C supply per capita was mainly from offals (46.1%), milk (36.9%) and meat (17.0%).

The recommended dietary allowance for vitamin C across different life stage groups ranges between 60 and 90 mg per capita per day (Institute of Medicine, 2000). Results in this report indicate that the average daily supply of vitamin C per capita in Zambia exceeded the required daily intake.

3.5.11. Supply of vitamin PP per capita per day

The average supply of Vitamin PP per capita per day was 10.59 mg during the period under review. Results show that daily Vitamin PP supply per capita reduced by 7.3% from the base year to 2020 but increased steadily from 2020 to 2023. Vegetal products provided the most vitamin PP, contributing 92.49% to the daily supply per capita. Fruits contributed the most (95.5%) to vitamin PP from vegetal products while meat was the main source of vitamin PP derived from animal products.

Vitamin PP supply per capita during the review period was, on average, above the Institute of Medicine (1998) recommended requirements for infants (2-4 mg) and children (6-8 mg), but was insufficient for other groups such as adolescents (12-16 mg), adult men (16 mg), adult women (14 mg), pregnant women (18 mg) and breast feeding women (17 mg).

3.5.12. Supply of Folate per capita per day

Folate per capita per day in Zambia from 2019-2023 was, on average, about 6.91 mg. Results show that daily Folate supply per capita reduced by 28% from the base year to 2023. Folate was only sourced from vegetal products with the only contributor being vegetables.

The recommended dietary allowance of Folate by the Institute of Medicine (1998) is lowest in infants (0.065-0.08 mg) and highest in pregnant women (0.6 mg). The average Folate supply per capita during the review period was more than adequate for the Zambian population at all life stages.

3.6. Self-Sufficiency Ratio

The Self-Sufficiency Ratio (SSR) compares the magnitude of a country's agricultural production to its domestic utilization. For Zambia's FBS results (2019-2023), the overall SSR was lowest in 2019 which stood at 101.40% and highest in 2021 at 120.2%. When disaggregated by main food groups, vegetal products' SSR was lowest in 2019 and 2020 at 101.7% and highest in 2021 at 120.6%. Several vegetal products had SSR greater than 100% with the sugar and sweeteners food group recording a SSR of 248.8%. However, there were a few other vegetal food products that had SSR average below 100 such as vegetable oils (45.4%), vegetables (97.2%), fruits (86.3%) and alcoholic beverages (92.7%). The SSR for animal products was lowest in 2022 (90.5%) and highest in 2023 (99.9%). Whereas the overall SSR implies that the country was self-sufficient, disaggregated data of the two main food groups demonstrates that self-sufficiency did not cut across all food products.

3.7. Import Dependency Ratio (IDR)

The Import Dependency Ratio (IDR) compares the magnitude of a country's imports to its domestic utilization. The Zambia FBS results show that the minimum IDR for vegetal products was 5.5% recorded in 2022 and 2023, and the maximum was 8.3% in 2021. For animal products, the minimum and maximum IDR were 10.8% (2021) and 33.8% (2022) respectively. Overall, the IDR during the reporting period when animal and vegetal products were combined ranged between 6 and 8.4%. According to FAO (2017), the IDR results for Zambia entail that the country generally had a low dependency rating (which indicates self-sufficiency in production) except for animal products in 2022 when the IDR had a moderate dependency rating of 33.8% (which indicates some reliance on imports).

3.8. Food Loss Index (FLI)

The trend of FLI for Zambia is mainly explained by the level of losses of 3 commodities: potatoes, sweet potatoes and rice. The global situation of losses has improved in 2020 as compared to the base year with a drop of the index by 3.3%. An upward trend is observed from 2021 to 2023 due to the increase of losses for the same 3 commodities, but the impact was not enough to bring the FLI to its base year level. Despite efforts in keeping losses below the base year level, the FLI fell short of achieving the SDG target 12.3, which aims to halve food losses along the supply chain.

3.9. Prevalence of Undernourishment (PoU)

The prevalence of undernourishment (PoU) indicator estimates the proportion of the population whose habitual food consumption is insufficient to provide the dietary energy levels required to maintain a normal, active and healthy life. According to the results generated for this report, the PoU in Zambia ranged between 27.3% and 29.8%, with the highest in 2022 and the lowest in 2021. Literature indicates that PoU levels between 25% and 35% signify a high prevalence of undernourishment, highlighting a significant risk within the population. The PoU results for Zambia suggest that the country was off-track in achieving SDG target 2.1 during the review period².

² SDG 2.1 aims at ending hunger and ensuring access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round.

3.10. Comparison of selected indicators produced by the country's FBS process vs FAOSTAT results

Comparison was made between results generated through the FBS compilation process conducted by the country (process undertaken to generate this report), and those generated by FAO that are available through the FAOSTAT website and its annual publication "The State of Food Security and Nutrition in the World". The four indicators compared were Dietary Energy Supply per capita per day, supply of proteins per capita per day, supply of fats per capita per day, and Prevalence of Undernourishment (PoU). For the first three indicators, results generated by the FAO were only available up to 2022. Therefore, a four-year period from 2019-2022 was used to compare the two sources of FBS data. The PoU results available from FAO were moving averages for the periods 2019 – 2021 and 2020 – 2022. To facilitate comparison between the country and FAO PoU results, adjustments were made to the country generated results by computing averages that aligned with the periods used for the FAO moving averages.

The average DES generated through the country FBS process was 127.72 kcal per capita per day higher than that generated by FAO. Similarly, the average protein supply per capita per day from the country FBS was 5.75 g greater than the FAO figures. In addition, the average fat supply per capita per day for the country results exceeded the FAO results by 5 g. For the period 2019-2021, the difference between the PoU generated by FAO and that generated by the country was of 2.2 percentage points. The difference reduced to 0.9 percentage points during the period 2020-2022.

The difference in data used by the two sources of FBS results, for example, population, production and food loss, contributed to the disparity in results of the four indicators. Despite the disparity, the interpretation of the results from the two sources was the same across the four indicators. Therefore, the validity of the country FBS results was strengthened.

4. Constraints

In the process of compiling the Zambia FBS results for the period 2019-2023, a few constraints were encountered that somewhat threatened the effective and timely delivery of a comprehensive FBS. The first constraint was the availability of data needed to populate SUA basic data files for sectors not captured by nationwide surveys. The second constraint arose from delays in gaining access to data due to busy schedules or data confidentiality concerns of those holding the information. Another major constraint was the challenge imposed by the timing of other work commitments for members of the FBS_TWG, which affected their participation in the capacity-building workshop.

5. Lessons Learnt

Despite the constraints highlighted above, the comprehensive FBS compilation was successfully completed, and three lessons were learned from the entire process. First, the establishment of the FBS_TTWG was an important part of the process, as it ensured that all the sectors were represented for the successful compilation of the SUA basic data. With support from the international and national consultants, the team was able to address some of the data challenges, which in turn improved the accuracy of data submitted in the SUA basic data files. Second, the challenges posed by data inconsistencies, missing data and slow response from those responsible for providing data signaled to the FBS_TWG group the need to begin the process of data collection in a timely manner. Third, the compilation of the comprehensive FBS has expanded the number of indicators that can be captured for effective policy decision making.

6. Conclusion and Recommendations

The MoA, MFL and ZamStats successfully compiled a comprehensive FBS for the period 2019 – 2023 with technical and financial assistance from the AfDB. This unprecedented achievement will significantly contribute to establishing a solid foundation for the country to generate key indicators that would be useful to key actors in both the private and public sectors. This is particularly vital for promoting investments aimed at enhancing the food security situation on a consistent basis, improve health outcomes for the Zambian population, positioning the country on a trajectory toward self-sufficiency in key commodities, and achieving relevant SDG targets before 2030.

To ensure that this process of FBS compilation is carried out sustainably, the following recommendations, both that are expected to engender efficiency in the compilation process and those intended to be a catalyst for policy action, are herewith proposed:

- i. Members of the FBS_TWG who missed the training, particularly on the use of the FBS compilation tool, need to undergo training to ensure that more staff are exposed to the tool. With minimal support from AfDB, this training can be conducted by those who attended the entire session on the use of FBS Compilation Tool.
- ii. The FBS_TWG should be expanded to include additional strategic partners that could aid in data compilation. This should encompass various commodity associations and policy think tanks.
- iii. The Cereal and Tuber Balance Sheet (CBS) should not be completely abandoned as it serves as an early warning tool for the staple food security position by forecasting surpluses or deficits of key commodities such as maize, rice, wheat and cassava. Therefore, both the comprehensive FBS and the CBS should be conducted simultaneously, as they provide essential information for decision-making in the short, medium and long term.
- iv. To bridge the gap of missing data for the compilation of the FBS, it is recommended that the CFS, PHS and other relevant surveys include modules to capture data on some of the missing information. Further, there is a need to strengthen collaboration with organizations that collect data relevant to the FBS process to mitigate delays in data access.
- v. Despite the relatively favorable high DES, the food insecurity continues to be a major concern due to the high prevalence of undernourishment in the country. This disparity calls for deeper analysis and policy action to work toward achieving SDG Target 2.1 by 2030.
- vi. In this report, some other important micronutrients, such as iodine and vitamin B12, were not included because Zambia does not yet have the necessary conversion factors. Future FBS reports should incorporate analyses and results of micronutrients relevant to Zambia once these conversion factors become available.
- vii. In the same vein, certain food products, such as fish and seafood, were not included in the estimates of the daily supply of some micronutrients due to lack of relevant conversion factors for the calculations. Therefore, it is recommended that once these conversion factors become available, future FBS reports should include the computations of the contributions of fish and seafood to the daily supply of calcium and iron, respectively.
- viii. FBS results for Zambia (2019-2023) estimated average daily supply of iron per capita in Zambia to be 12.7 mg. While this amount was sufficient for infants, children, male adolescents and adult men, the daily supply of iron per capita in Zambia was below the Institute of Medicine (2001) recommended daily intake rates of iron for adolescent females (15 mg) and adult women (18 mg). There is need to enhance implementation of policy actions to help address iron deficiency across various demographics in Zambia, especially for adolescent females and adult women.



CHAPTER 1: INTRODUCTION, AND CONCEPTS AND DEFINITIONS

1.1 Introduction

1.1.1 What is a Food Balance Sheet?

A country's Food Balance Sheet (FBS) is a comprehensive record of food supply and utilization during a specified reference period compiled using rigorous analytical and statistical methods. The total supply of a given food product comprises domestic production, quantities imported, and the amount of the product that is either added to or taken from stocks. Total utilization, on the other hand, includes quantities exported, losses along the supply chain, quantities used for livestock feed, amount for seed use, food consumption by tourists, food processing, food consumed by the residents, industrial use, and residual uses. By implication, total supply from all sources must equal the quantities allocated to all sources of total utilization.

Following set guidelines, FBS compilation is carried out for every food product consumed within a country with all derived products (captured in Supply Utilization Accounts (SUA)) converted to the primary product. Once this is complete, the primary commodity equivalent balances of all food products are then combined into a single overall FBS from which various statistics are generated to inform decision making at national level.

1.1.2 Importance of the Food Balance Sheet Statistics

The FBS are crucial in assessing a country's resilience vis-à-vis the food security status of its population. This is key for evidence-based planning and for monitoring progress toward achieving targets such as Sustainable Development Goal Target 2.1: ***By 2030, to end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round.***

The FBS compilation provides a framework for deriving key indicators that are critically important

for decision-making, particularly in a country's agricultural sector and food systems. Some of the indicators derived from the FBS include: (i) indicators for assessing the quality of nutrition and dietary composition evolution over time, (ii) food production self-sufficiency and food imports dependency ratios, (iii) the Food Loss Index (FLI), and (iv) the prevalence of undernourishment. Equipped with these indicators, key stakeholders can assess resilience in the food supply chain and take prompt remedial actions if needed. In other words, these metrics produced at the commodity or aggregate level, constitute valuable information for decision-makers in the agricultural sector, assisting them identify gaps in food supply and better orient public and private investments.

1.1.3 Food Balance Sheet Compilation in Zambia

Zambia has embarked on improving its National Agricultural Statistics System. This has been enabled through the first Strategic Plan for Agricultural and Rural Statistics of Zambia (SPARS_ZAM 2019-2023), which provided an overall strategic direction for strengthening the National Agricultural Statistical System (NASS) in the country. Additionally, the recent Sector Strategic Plan for Statistics (SSP 2022-2026) includes FBS as one of the priority activities to monitor the national food security policies and track against related SDGs.

1.1.3.1 Justification of AfDB Technical Assistance to Zambia for FBS Compilation

In 2017, new guidelines on the approach to be used for compiling SUA/FBS were developed under the Global Strategy to Improve Agricultural and Rural Statistics. These guidelines are predicated on the Global Strategy's three foundational pillars: (i) produce a minimum set of core data; (ii) better integrate agriculture into the national statistical systems; and (iii) improve governance and statistical capacity building. The guidelines represent the latest innovations in both the imputation of missing data and the balancing of food commodity accounts.

To date, Zambia has been compiling Cereal/Tubers Balance Sheets (CBS) and has yet to migrate to a more comprehensive Food Balance Sheets (FBS) compilation framework due to lack of adequate capacity. In this regard, the Ministry of Agriculture (MoA), in collaboration with the Zambia Statistics Agency (ZamStats) and the Ministry of Fisheries and Livestock (MFL), has formed a national tripartite partnership to establish a robust, upgraded and sustainable comprehensive Food Balance Sheets compilation system for Zambia.

The national tripartite partnership has sought technical and financial assistance from the African Development Bank (AfDB) to improve the current CBS compilation system, by improving and upgrading it to a Food Balance Sheets compilation system that complies with international standards and guidelines. The technical assistance has focused on the following areas: (i) building capacity of national staff in using the new FBS compilation guidelines and related tools (FBS Compilation Tool, Trade Data Mapping Tool, and FBS Formatting Tool), (ii) training national FBS team in deriving related SDGs indicators, namely the Food Loss Index and the Prevalence of Undernourishment, (iii) compiling SUA for the years 2019 to 2023 and producing FBS results for the same period, including related SDGs indicators, and (iv) producing and publishing a comprehensive report that details the methodology used and presents the analyzed results.

1.1.3.2 Institutional Framework for FBS Compilation

The key institutions that will coordinate and ensure sustainable compilation and production of FBS statistics in Zambia are MoA, ZamStats and MFL. This is due to the strategic roles these three institutions play in the collection, management and analysis of data relevant to FBS compilation. MoA operates two data supply systems: (i) survey data which is collected through empirical sampling and estimation procedures, and (ii) administrative data collected by staff as part of their routine work. The survey data mainly comes

from the Crop Forecasting Survey (CFS) and the Post-Harvest Survey (PHS). ZamStats is the sole entity responsible for the publication of official statistics in Zambia, providing mechanisms for coordination, collection, processing, storage, use, management and presentation of statistical data. MFL has the mandate to deliver credible and reliable quality fisheries and livestock statistics for evidence-based policy-making, ultimately enhancing user satisfaction.

To effectively implement the FBS compilation, a structure has been formerly set up comprising of staff from the institutions. To this end, a core team has been nominated from the three institutions to lead the process of collecting SUA basic data, compiling Food Balance Sheets and securing the related database. In addition, a FBS Technical Working Group (FBS_TWG) has also been put in place to review FBS results generated by the core team. The composition of the FBS_TWG is designed to include SUA/FBS basic data providers, and users to ensure ownership, covering crops, livestock, fisheries and cross-cutting areas as thematic sub-groups of FBS_TWG. Thereafter, the FBS results is presented to the National Stocks and Monitoring Committee (NSMC), comprising other public and private sector stakeholders, for technical validation. To conclude the process, the results will be adopted by the MoA and MFL through their respective Permanent Secretaries, and by ZamStats through the Statistician General.

1.2 Concepts and Definitions

The process of compiling FBS cannot be undertaken without a thorough understanding of the definitions of related key components. Based on the guidelines for FBS compilation, this section provides working definitions of the SUA/FBS components, additional variables needed to estimate per capita nutrient availability, and other indicators derived from the FBS.

1.2.1 Supply and Utilization Accounts and FBS Components

The various components defined in this section presented below:
make up the Supply Utilization identity as

$$\text{Production} + \text{Imports} - \Delta\text{Stocks} = \text{Exports} + \text{Food} + \text{Feed} + \text{Seed} + \text{Tourist Food} + \text{Food} + \text{Industrial Use} + \text{Loss} + \text{Residual Use} \quad \text{Equation 1}$$

1.2.1.1. Production



This refers to all production quantities of a given agricultural commodity within a given country, including both commercial and non-commercial agricultural production (such as that from home gardens or subsistence agriculture).

This component includes crops, livestock, and fisheries. The component comprises the production of primary and processed products. The production of primary products is reported at the farm-gate level, so that it does not include harvest loss. The quantity of processed products for a given commodity refers to the volumes of output obtained after the transformation of that commodity.

1.2.1.2. Imports and Exports



The general definition of imports and exports cover both goods and services. However, in the framework of the FBS, this coverage is restricted to goods.

An import refers to a product brought into a given country from an external source. It is the transboundary flow of goods destined for a given final destination country that add to the total supply of goods available in that country. Exports can be understood as transboundary flow of goods from a given country of origin. It is the transboundary flow of goods from a given country of origin that takes away from the total availability of goods in that country.

It is important to underline that re-export, which refers to goods that enter and exit a given country without any type of transformation, should be added to exports. It should be noted that imports and exports estimates should endeavor to cover both official and unofficial trade flows.

1.2.1.3. Stocks



Stocks are defined as the aggregate total of products allocated to storage for later use. In the case of FBS, the stocks variation is considered and not the quantities of stocks themselves. It comprises changes in stocks occurring during the reference period at all levels from production to retail level. Stock variation is defined as closing stocks minus opening stocks in a given year. Stock change may be positive (when we add to stock) or negative (when we remove from stock).

1.2.1.4. Food Availability



In the context of the FBS, food availability refers to quantities of any substance, whether raw, processed or semi-processed (including drinks) available for human consumption during a given reference period at the retail level by the country's resident population. For this reason, any waste (and/or loss) that occurs at the retail or consumer levels is included in this quantity, since that food was technically available for human consumption.

1.2.1.5. Food Processing



Food processing refers to quantities of a food product that are directed toward a manufacturing process and are then transformed into a different edible commodity. Food processing quantities are linked to the production of derived commodities through extraction rates.

1.2.1.6. Feed



Feed is defined as all quantities of commodities both domestically produced and imported that are available for feeding livestock.

1.2.1.7. Seed




Seed is defined as any quantity of a commodity set-aside for reproductive purposes. This can include seed for sowing, plants for transplanting, eggs for hatching, and fish used as bait. For crops, seed use each year t is a function of a seeding rate and a sown area in the following year, $t+1$.

Seed use $(MT)_t = \text{Seed rate } (MT/HA) * \text{Sown area } (HA)_{t+1}$ Equation 2

where MT is metric ton and HA is hectare

1.2.1.8. Loss



Food loss refers to the quantities of a product that leave the supply chain and are not diverted to other uses. Loss results from an involuntary activity and can occur at any node of the supply chain after the harvest and up to (but excluding) the retail/consumption stage.

1.2.1.9. Tourist Food



Tourist food refers to food that is available for consumption by non-resident visitors in a given country during the course of their stay. This variable is expressed in net terms in the FBS (as food available for consumption by incoming visitors minus food that would have been consumed by residents who have travelled to other countries).

1.2.1.10. Industrial Use



Industrial use is defined as any quantity of a given food product used in some non-food transformation or manufacturing process, including products used in biofuels, cosmetics, detergents, or paints.

1.2.1.11. Residual and other uses

Residual and other uses can, in most cases, be defined as the combined imbalance and accumulated error in the supply – utilization equation. As such, this category is computed ex-post as a balancing item and is not independently estimated. If all other utilizations within the equation are accounted for, and there is no measurement error, then the residual would be calculated as zero.

1.2.2 Additional Variables

The supply and utilization components described above cover all aspects of the basic identity. However, using the FBS Tool, some additional variables are needed to estimate per capita nutrient availability. These include the following.

1.2.2.1 Population

This is defined according to the UN Population Division's (UNPD) definition as, "de facto population in a country, area or region as of 1 July of the year indicated." This definition includes not only citizens, but also all other residents.

1.2.2.2 Extraction rates

These are parameters that reflect the loss in weight during the conversion of a given primary product to the derived product. Extraction rates are typically expressed as a percentage and are calculated as the amount (by weight) of the derived product that is produced using a given amount of input product.

1.2.2.3 Processing shares

In the context of the FBS, processing shares are percentages of the amount of a given commodity that are thought to be dedicated to a specific transformation process. They are often necessary for the composition of FBS because goods can be processed into a range of derived products, and the input used to produce these derived goods is seldom known with certainty. As such, shares can be applied to the amount of a good sent for processing to calculate the volume of input into a given transformation process. An extraction rate can then be applied to those inputted quantities to derive a production estimate.

1.2.3 FBS Derived Indicators

While analyzing the food situation of a country, one of the important aspects is to know how much of the available domestic food supply has been imported and how much comes from the

country's domestic production. There are two (2) indicators used to measure these aspects; The Self-Sufficiency Ratio (SSR) and the Import Dependency Ratio (IDR). These indicators are used to portray the capacity of a country to feed its people based on its own production and/or food imports from other countries.

1.2.3.1 Self-Sufficiency Ratio (SSR)

This indicator compares the magnitude of a country's agricultural production to its domestic utilization. It is computed using the formula:

$$SSR = \frac{Production}{(Production + Imports - Exports - \Delta Stock)} \times 100 \quad \text{Equation 3}$$

The minimum value for the SSR is zero. SSR is not expected to have negative values for the simple reason that none of the involved variables (production, import and domestic supply) can be negative. However, SSR can be more than 100%. When the SSR is more than 100%, it means that the production is higher than the domestic use. In this case, the surplus represents the proportion of net exports and/or transfers to stocks.

Computing SSR at an aggregate level, which involves heterogeneous products (e.g. grand total, vegetal products group, and animal product group), requires the weight of such products to be converted first in a standard and homogeneous unit, such as caloric contents.

1.2.3.2 Import Dependency Ratio (IDR)

This indicator compares the magnitude of a country's imports to its domestic utilization. It is computed using the formula below:

$$IDR = \frac{Imports}{(Production + Imports - Exports - \Delta Stock)} \times 100 \quad \text{Equation 4}$$

The minimum value for IDR is zero. Like SSR, IDR is not expected to have negative values for the simple reason that none of the involved variables (production, import and domestic supply) can be negative.

1.2.3.3 Food Loss Index (FLI)

The SDG that speaks to issues of food loss is SDG 12: **Ensure sustainable consumption and production patterns**. Of specific focus is Target 12.3 which envisions that **“By 2030, to halve per capita global food waste at the retail and consumer levels and reduce food losses along production and supply chains, including post-harvest losses, food loss percentages by commodity and in aggregate by country”**. The Food Loss Index (FLI) is the indicator used to measure and monitor food losses along the supply chain, from production to retail level. The purpose of this index is to allow policy makers to look at the positive and negative trends in food loss over time. Analyzing the trend (versus the level) helps monitoring the food supply system to improve efficiency against food losses.

The steps for compiling the FLI from FBS data are as follows:

- i. Select basket of commodities;
- ii. Compile Food Loss Percentages (FLP) for a given year;
- iii. Compile the FLI as a ratio of FLP in current period to FLP in base year; and
- iv. Interpret the results.

The selection of the basket of commodities is based on the international dollar value of the commodity in the base year. The default selection criterion used at international level is to select 10 priority commodities as follows:

- a. Compile value of production for every commodity;
- b. Group commodities by category and rank them; and
- c. Select the top two crops per category/commodity group.

The 10 commodities should be within the five main headings, with two commodities per heading:

- iv. Cereals & Pulses
- v. Fruits & Vegetables
- vi. Roots & Tubers and Oil-Bearing crops
- vii. Animal Products
- viii. Fish and Fish Products

The Food Loss Percentage (FLP) over the commodity basket in a given year t is computed as follows:

$$FLP_t = \frac{\sum_j L_{jt} * (q_{jt_0} * p_{jt_0})}{\sum_j (q_{jt_0} * p_{jt_0})} \quad \text{Equation 5}$$

Where:

- L_{jt} = loss percentage (estimated or observed) for commodity j in year t
 t_0 = the base year
 q_{jt_0} = production plus imports for commodity j in base year
 p_{jt_0} = international dollar price for commodity j in the base year

The loss percentage for each commodity was obtained from local sources, mainly the Ministry of Agriculture and the Zambia Statistics Agency. The percentages were validated during meetings of the technical working group prior to the generation of the FBS results.

In addition to the FBS results, the computation of FLI requires data on commodity prices. The loss percentage for a commodity j in a given year t is computed as the quantity of loss for that commodity in year t, divided by the sum of production and imports of the same commodity in the year t.

The FLP is the average percentage of supply that does not reach the retail stage. It gives the average level of losses and these help countries to assess the magnitude of the problem relative to other countries or in the international context. The FLP helps one to assess a country's food system efficiency and summarizes the magnitude of the problem.

The FLI is computed as a ratio of Food Loss Percentage (FLP) in the current period to the FLP in the base period multiplied by 100, as per the formula below:

$$FLI_t = \frac{FLP_t}{FLP_{t0}} \times 100 \quad \text{Equation 6}$$

The FLI shows how much losses move from the baseline value equal to 100 in the base year, thus it reveals trends in efficiency over time. For example, if the FLP changes from 20% in the base period (set at 100) to 15% in the current period, the FLI will return a value of 75 in the current year, meaning that there has been an efficiency gain of 25 percentage points in the food system, hence a higher share of total supply reaches the retail stage undamaged.

More details on the methodology used are presented in Annex 1.

1.2.3.4 Prevalence of Undernourishment (PoU)

According to FAO, undernourishment is defined as a **situation in which an individual's usual food intake is insufficient to provide the minimum dietary energy intake necessary for a normal, healthy and active life**. The Prevalence of Undernourishment (PoU) is an estimate of the proportion of the population whose habitual food consumption is insufficient to provide the dietary energy levels that are required to maintain a normal active and healthy life. It is expressed as a percentage of the population that is undernourished or food deprived. The undernourished or food deprived are those individuals whose food intake falls below the minimum level of dietary energy requirements.

The PoU is an indicator used for monitoring progress towards achievement of SDG Target 2.1, which is stated as **“By 2030, end hunger and ensure access by all people, in particular the poor and people in vulnerable situations, including infants, to safe, nutritious and sufficient food all year round.”** The indicator is useful in identifying national and global trends in population-level undernourishment.

The computation of the PoU is based on the calculation of four key parameters for a country: the average amount of habitual daily per capita food consumption (the food available for human consumption is used as a proxy), the level of inequality in access to food, the asymmetry in the distribution of habitual per capita consumption and the minimum dietary energy requirements of the population under analysis.

This indicator is defined within a probability distribution framework as follows:

$$P(U) = P(x < MDER) = \int f(x|DEC, CV, Skew)dx \quad \text{Equation 7}$$

Where:

- P(U) is the proportion of undernourished in total population;
- DEC is the average of the distribution of habitual daily per capita dietary energy consumption in the population;
- CV is the coefficient of variation of the distribution of habitual daily per capita dietary energy consumption in the population;
- Skew is the skewness that characterize the asymmetry of the distribution of habitual daily per capita dietary energy consumption in the population; and
- MDER is the minimum dietary energy requirements of the population.

This indicator ranges from 0% (no undernourished population) to 100% (the entire population is undernourished). Within a given country, a higher value of this indicator means that more people suffer from undernourishment (food deprivation). Table 1 shows five thresholds of PoU and the corresponding interpretation of level of undernourishment intensity.

Table 1: PoU thresholds and levels of undernourishment intensity

PoU Thresholds	Level of PoU intensity
< 5%	Very low
5 – 14.9%	Moderately low
15 – 24.9%	Moderately high
25 – 34.9%	High
35% and over	Very high

More details on the methodology used are presented in Annex 2.



CHAPTER 2: APPROACH AND DATA SOURCES

2.0. Chapter 2 Overview

This chapter presents the methodology used to compile the Zambia FBS results for the period 2019 – 2023. The methodology adheres to the new guidelines for FBS compilation established within the framework of the Global Strategy to Improve Agricultural and Rural Statistics (GSARS). Key activities undertaken by the national FBS Team in Zambia (comprising TWG_FBS members from MoA, MFL and ZamStats) are also highlighted. The Zambia FBS Team received significant support from the National Consultant hired by the AfDB, who worked under the guidance of an International Consultant and the Chief Agriculture Statistician from the AfDB. The chapter also outlines data collection methods used to compile the SUA and generate FBS results.

2.1. Approach

This section outlines the activities undertaken to compile the Zambia FBS, starting with the development of the roadmap to guide the process, mobilizing required funding for the implementation of the roadmap, putting in place a governance structure to implement the process, conducting national training workshops facilitated by the AfDB International Consultant, right through to compiling SUAs, generating, validating and analyzing FBS results.

2.1.1. Development of Roadmap

Zambia currently has an existing Cereal/Tubers Balance Sheets system. However, the country has recognized the need to improve and upgrade this system to a more comprehensive Food Balance Sheets (FBS) system, with the aim of covering all food commodities and meeting international standards for such undertakings. In 2023, the country requested Technical Assistance (TA) from AfDB and the Common Market for East and Southern Africa (COMESA) to compile a comprehensive FBS. In response to this request, AfDB in collaboration with COMESA organized a joint TA mission from 2nd to 13th October 2023. This mission included

Mr. Vincent Ngendakumana (Chief Agriculture Statistician at AfDB), Mr. Salou Bande (AfDB/COMESA Consultant) and Ms. Ngawo Banda (Agriculture Statistician, Statistics Unit, COMESA Secretariat).

The mission met with key stakeholders to discuss and agree on the best approach to upgrade to a comprehensive FBS system in Zambia. These consultations culminated into the development of a roadmap to support the process. The objective of the roadmap was to outline a clear series of activities to improve and upgrade the existing CBS compilation system to a comprehensive SUAs and FBS compilation system for Zambia. Specifically, the roadmap was put in place to:

- i. Recommend and outline activities to be carried out for FBS compilation;
- ii. Define the required governance/ institutional mechanism that would ensure the sustainability of a robust SUA/FBS compilation system for Zambia;
- iii. Develop a realistic timetable for the execution of all outlined activities; and
- iv. Identify the necessary resources required to ensure a successful implementation of the identified activities.

2.1.2. Funding mobilization

To successfully implement activities as outlined in the roadmap, particularly those related to national workshops, TWG_FBS meetings and dissemination of the FBS results, the country requested financial support from AfDB Country Office in Zambia. In fact, the Ministry of Agriculture noted that FBS compilation activities are closely aligned to the objectives, outcomes and outputs of the Chiansi Smallholder Outgrower Support Project, specifically under Sub-component 2.3: Knowledge Management, Monitoring and Evaluation in relation to food security in Zambia, requested and obtained a no objection to utilize USD77,044 from this Project to implement the roadmap activities for upgrading of the CBS to Food Balance Sheets compilation system for Zambia. This amount was estimated during the roadmap mission.

2.1.3. Designing of the FBS Compilation Tool

The FBS Compilation Tool has been designed by the AfDB and adapted to the specificities of the country. This Tool is based on the standard/international guidelines for FBS compilation, developed under the GSARS. Like the FBS guidelines, the Tool does not account for fishery products. In addition, the Tool cannot map Harmonized System (HS) codes to Central Products Classification (CPC) codes. Despite these shortcomings, it is a user-friendly Tool that facilitates the imputation of missing data using models explained in the guidelines and the generation of Food Balance Sheets for a given year. To address the issues not handled by the Tool, the Technical Working Group performed the following activities:

- Used Microsoft Excel to compile separate fisheries data and generate FBS results
- Mapped HS codes to CPC using Trade Data Mapping Tool and thereafter, uploaded the files to the Tool.

2.1.4. Setting up of a Technical Working Group

To facilitate the compilation of comprehensive Food Balance Sheets (FBS) in Zambia, the Cereals/Tubers compilation system has undergone improvement/upgrading. Additionally, the current institutional framework has been updated to include other relevant producers of basic data and key users of FBS data, while adhering to the requirements of international standards and guidelines for the FBS compilation process. Figure 1 shows the Institutional framework for FBS compilation in Zambia. Beginning from the base of the structure, the composition of the FBS compilation is as follows:

- **Thematic Technical Working Groups for FBS (FBS_TTWG)** – responsible for data collection. Each FBS_TTWG is coordinated by a FBS_TTWG Focal Point who consolidates data submitted by their FBS_TTWG. Each FBS_TTWG Focal

Point reports to the FBS national Focal Point. The ToRs for the FBS_TTWG are presented in Annex 3, whereas Annex 4 provides the composition of FBS_TTWG.

- **FBS Core Team** – includes a total of five members (two from MoA, one from MFL and two from ZamStats). The FBS national Focal Point is drawn from the MoA to deal with day-to-day FBS work. The FBS Core Team is also responsible for regularly coordinating capacity building initiatives for other institutions involved in the Food Balance Sheets compilation process. The ToRs for the FBS Core Team are presented in Annex 5, and its composition is provided in Annex 6.
- **FBS Technical Working Group (FBS_TWG)** – reports to the National Stocks Monitoring Committee (NSMC) on this subject. The FBS_TWG is responsible for reviewing and validating the technical aspects of the FBS results, including intermediate deliverables such as the FBS preliminary results and related SDGs, as well as the final results. All FBS_TTWG Focal Points, FBS Core Team members, as well as other relevant staff from the MoA, MFL and Zambia Statistics Agency shall be part of this Technical Working Group, based on recommendation by their respective focal points. The FBS_TWG is chaired by the Head of Agricultural Statistics in MoA and co-chaired by his/her equivalent from ZamStats, each reporting to the Permanent Secretary of MoA and ZamStats Statistician General, respectively. In their absence, the FBS_TWG is co-chaired by the FBS Focal Point and his/her alternate from ZamStats. The adoption of FBS results is the responsibility of the Permanent Secretaries of MoA and MFL, and ZamStats SG. The ToRs for the FBS_TWG are presented in Annex 7, and its composition is provided in Annex 8.




Figure 1: Institutional/governance structure for FBS compilation system in Zambia

2.1.5. Data Collection

The data collection of SUA/FBS basic data commenced immediately after the roadmap mission conducted by AfDB and COMESA. Each member of the FBS_TWG was tasked to capture data to feed into FBS templates designed to collect SUA basic data for the 2019 – 2023 reference period. The templates were designed to capture data on production (crops and livestock), trade, food for human consumption, feed ratios, seed rates, extraction rates, prices, nutritional values, anthropometric data and relevant other data.

The main sources of data included survey and administrative data from key ministries and other institutions that collect data of relevance to the FBS compilation process. Members were requested to document the data sources, methodologies used to process the data prior to filling in the templates, and to identify any data gaps or inconsistencies. Further, members were tasked to consult with relevant key stakeholders, including producers and users of the data,

to ensure that the process was coherent and transparent.

2.1.6. National Training and SUA Compilation Workshop

In March and April 2024, a 13-day national training workshop on FBS compilation was held in Zambia. The main objective of the workshop was to train the FBS_TWG on the methodology for FBS compilation and on the use of the FBS Compilation Tool. The workshop was facilitated by Mr. Salou Bande, an International Consultant from the AfDB, and was attended by the national consultant, as well as FBS_TWG members from MoA, MFL and ZamStats. The training workshop was divided in two parts. The first part included presentations on various topics, such as: (i) an introduction to FBS; (ii) FBS methodological framework; and (iii) FBS components: production, trade, stock changes, food, food processing, tourist food, feed, seed, loss, industrial use, residual and other uses. At the end of each presentation, workshop participants were given

exercises to consolidate their understanding of concepts covered.

The second part of the training focused on trade data mapping and processing, Food Loss Index (FLI), Prevalence of Undernourishment, as well as on the use of various tools, including the FBS Compilation Tool, Trade Data Mapping Tool and FBS Formatting Tool. During the training, participants were able to compile data for all SUA components and generate preliminary results for the FBS. Further, the Food Loss Index (FLI) and the Prevalence of Undernourishment (PoU) indicators were also computed. Participants also learnt how to compile fisheries data outside the system as the tool, in its current format, cannot be used for that purpose.

2.1.7. Generation of Preliminary FBS Results

After the national training, the core team, with support from the national consultant and guidance from the international consultant, generated preliminary results in a phased manner beginning with the 2019 – 2020 period and later addressing the 2021 – 2023 reference period. The FBS Compilation Tool is a country specific application (cannot be used to compile FBS for another country) written in R, using ‘Shiny’ package. The generation of FBS preliminary results was conducted for each of the five years using the FBS Compilation Tool. The standard templates for each SUA components, including other required data such as gross domestic product (GDP), population, elasticity, calorie conversion factors and nutrient factors, extraction rates, were imported into the Tool. Then, the SUAs were balanced, standardized and aggregated, to ensure that supply was always equal to utilization for each FBS year. Once SUA standardization and aggregation was completed, a balanced FBS was generated by converting all commodities into their primary equivalent. Detailed preliminary results of supply and utilization at aggregate level were generated from which all the nine key indicators of interest were derived: (i) food supply per capita per year; (ii) dietary energy supply per capita per day; (iii)

daily per capita proteins; (iv) daily per capita fats; (v) supply of vitamins and minerals; (vi) self-sufficiency ratio; (vii) import dependence ratio; (viii) food loss index; and, (ix) prevalence of undernourishment.

2.1.8. Validation of Preliminary FBS Results 2019 – 2023

The validation of the preliminary FBS results was conducted at two levels. First, the core team conducted quality checks to ensure that the results were logical and within feasible limits. Second, the FBS_TWG held a validation workshop to ensure that the preliminary results generated were vetted by a wider group beyond the core team that actively participated in generating the results. At both stages, it was agreed that the preliminary results looked feasible and could be taken to the next stage of deeper analysis and interpretation for the FBS report.

2.2. Data Sources

This section describes SUA basic data sources used to generate the FBS preliminary results. The main sources of data were official surveys, administrative records and past thematic reports. Data for each thematic group was compiled with a focus on quality. In instances where data was missing, experts provided estimates using related data series and their knowledge of the subject matter. Details of the data compilation process for each FBS component are presented below.

2.2.1. Crops sector

Crop production data was mainly obtained from the Crop Forecasting Surveys (CFS) for the period 2010 to 2023. For each primary crop commodity considered, area harvested (hectares), quantity produced (tonnes) and yield (tonnes per hectare) were compiled and entered in the crops SUA basic data file in Excel. Only crops relevant to Zambia were captured in the files. The commodities with data presented in other units were converted into required standard units. For example, quantities captured

in kilograms were converted to tonnes by using the conversion factor of $1 \text{ tonne} = 1000 \text{ kilograms}$. For area measurements captured in acres, the conversion factor used was $1 \text{ hectare} = 2.471 \text{ acres}$.

National level production data for fruits and vegetables was only available for three waves of the Rural Livelihoods Surveys (2012, 2015 and 2019) conducted by the Indaba Agricultural Policy Research Institute in collaboration with MoA and ZamStats. To generate FBS results of the period under review (2019 – 2023), production data of fruits and vegetables was compiled as follows:

- A. Production data for 2019 was obtained from 2019 RALS.
- B. Production data for 2020 – 2023 were estimated using a step-by-step process as outlined below:

- a. Estimation of production using the supply and utilization relationship

$$Production + Import - Export = Food + Loss$$

$$\Rightarrow Production = Food + Loss + Export - Import \quad \text{Equation 8}$$

- b. In equation 8, export and import are known but food is unknown. Based on a strong assumption that per capita consumption is stable over the years, the following identity was formulated

$$\frac{Food_{2019}}{Population_{2019}} = \frac{Food_{2020}}{Population_{2020}} = \frac{Food_{2021}}{Population_{2021}} = \frac{Food_{2022}}{Population_{2022}} = \frac{Food_{2023}}{Population_{2023}} \quad \text{Equation 9}$$

- c. From equation 9, a series of equations were developed which allowed for computation of food in each year

$$Food_{2020} = \frac{Food_{2019} * Population_{2020}}{Population_{2019}} \quad \text{Equation 10}$$

$$Food_{2021} = \frac{Food_{2020} * Population_{2021}}{Population_{2020}} \quad \text{Equation 11}$$

$$Food_{2022} = \frac{Food_{2021} * Population_{2022}}{Population_{2021}} \quad \text{Equation 12}$$

$$Food_{2023} = \frac{Food_{2022} * Population_{2023}}{Population_{2022}} \quad \text{Equation 13}$$

- d. Based on the standard loss ratio for fruits and vegetables estimated at 0.1, the loss in each year is estimated as

$$Loss = 0.1 * (production + Import) \quad \text{Equation 14}$$

- e. Replacing the loss component in equation 9 by equation 15, production for 2020, for example, becomes

$$Production_{2020} = Food_{2020} + 0.1 * (production_{2020} + Import_{2020}) + Export_{2020} - Import_{2020} \quad \text{Equation 15}$$

- f. Collecting like terms, production in 2020 simplifies to the equation

$$Production_{2020} = \frac{Food_{2020} - 0.9 * Import_{2020} + Export_{2020}}{0.9}$$

$$\text{Equation 16}$$

- g. Replacing the food component in equation 17 by equation 11, production in 2020 was estimated as follows

$$Production_{2020} = \frac{\frac{Food_{2019} * Population_{2020}}{Population_{2019}} - 0.9 * Import_{2020} + Export_{2020}}{0.9} \quad \text{Equation 17}$$

- h. The same logic was applied to the remaining years giving the general formula for fruits and vegetables production

$$Production_{it} = \frac{\frac{Food_{i(t-1)} * Population_{it}}{Population_{i(t-1)}} - 0.9 * Import_{it} + Export_{it}}{0.9} \quad \text{Equation 18}$$

where $(production)_{it}$ is the quantity of production of fruit/vegetable i in year t ($Food)_{i(t-1)}$ is the quantity of fruit/vegetable i available for human consumption in year $t-1$, $Population_{it}$ is the population in year t , $Population_{i(t-1)}$ is the population in year $t-1$, 0.9 is a coefficient derived when accounting for food losses in the supply chain (10% food loss for fruits and vegetables was used in this estimation), $(Import)_{it}$ is the quantity of fruit/vegetable i imported in year t , and $(Export)_{it}$ is the quantity of fruit/vegetable i imported in year t .

2.2.2. Livestock sector

Data on the number of live animals was obtained from surveys and administrative data sources. For missing years, the FBS_TTWG on livestock used the statistical mean. Proxy numbers for live animal exports were calculated using net weight and average live weight based on the Technical Conversion Factors, for example, 309 kg was used for cattle.

Data on milk and milking animals were sourced from the Dairy Association of Zambia (DAZ) and the Ministry of Fisheries and Livestock. A close analysis of the data revealed that the figures provided by DAZ were too low since they only captured data from members of the association. As a result, Census, Survey and Administrative data were used for the years 2019 to 2023, as they more accurately reflected the national situation. Where data was missing, the TWG applied average values for imputation.

Due to a lack of data on the number of laying chickens, estimates were based on the number of eggs produced annually, assuming an average of 300 eggs per chicken. To compute the production of eggs in metric tonnes, the average weight for an egg was estimated at 52 grams.

2.2.3. Import and Export Data

ZamStats compiles the International Merchandise Trade Statistics through the External Trade Unit. Import and export data were sourced from customs data and relevant surveys, including enterprise and individual surveys. The Department of Customs and Excise of the Zambia Revenue Authority (ZRA) was the major source of International Trade Merchandise data. This data was collected through Customs Bills of Entry (CBE), which are completed by both importers and exporters, and in some cases, by Clearing Agents, with verification carried out by Customs Officials. Enterprise Surveys involve obtaining data on key commodities such as copper, cobalt, cut flowers, tobacco and fresh vegetables. These surveys are particularly useful when it is difficult to obtain information directly from ZRA

regarding the final destination of exports and their actual realized values at the time of export. Individual surveys focus on small-scale cross-border trade, aiming to capture informal trade around customs offices, which, by nature, is not recorded by customs. Trade data initially coded in Harmonised system (HS) classification was processed and mapped to Central Products Classification (CPC) by the TWG using the Trade Data Mapping Tool (TDMT).

2.2.4. Stock Variation

The stock variation data was generated from the CFS data by subtracting the opening stocks of the previous agricultural marketing season from the closing stocks of the current year.

2.2.5. Feed

The feed data was computed by multiplying total maize production by feed ratios. The feed ratios were obtained from the Cereals/Tubers Balance Sheets produced annually from the CFS data. The main commodity for feed was maize.

2.2.6. Seed

The data on seeds (in tonnes) was computed by multiplying area planted (in hectares) by the seed rates (Kg/ha), using area planted data from the CFS data for the period 2010 to 2023. The seed rates used were based on recommendations by the Seed Control and Certification Institute (SCCI) of Zambia.

2.2.7. Loss

Losses were estimated by multiplying production by loss ratios. In the case of Zambia, losses are considered from storage to consumption and range from two to five percent of production. Losses occurring during harvest, transportation from field to homestead, and during shelling and packaging are not included due to difficulties associated with estimating these downstream losses. In the absence of country-level estimates of loss ratios, standard loss ratios for commodities such as fruits and vegetables were used.

2.2.8. Tourist Food

This variable is expressed in net terms in the FBS compilation tool. It is calculated by finding the difference between the consumption of incoming tourists and the consumption of residents as tourists in other countries. The input data used for the imputation includes the number of visitors, length of visits, and the historical available of calories in both the home and destination countries. For each commodity, estimates are calculated by first multiplying the number of tourist days by the average amount of that commodity consumed daily, and then subtracting from this value the product of the number of outgoing tourist days and the average amount of that commodity consumed daily. The data sources for tourist food are immigration authorities and national tourism offices. These institutions provide the most detailed information available on visitor arrivals and departures, including data differentiated by country of origin, the numbers of day visitors and overnight visitors, and the average length of stay for overnight visitors.

2.2.9. Food Processing

Food processing refers to the quantities of food products that are directed toward a manufacturing process and are then transformed into different edible commodities. Food processing quantities are linked to the production of derived commodities through extraction rates. For Zambia, estimates on food processing of some commodities were calculated by applying the extraction rate to quantities of production of derived commodities, using data from the CFS conducted between 2019 and 2023. For some (e.g., production of refined sugar, beer, etc.) data was obtained from the Industrial Outputs Unit of ZamStats.

2.2.10. Food

Food availability, in the FBS setting, refers to quantities of any substance, whether raw, processed or semi-processed (including beverages) that are available for human

consumption during a given reference period at the retail level for the country's resident population. It includes any loss or waste at consumer level. Food availability is estimated by modelling the current year's availability based on levels from the previous year, while adjusting for changes in income, population, and overall trends in food availability.


The equation used to estimate food availability in a given year t is

$$Food_t = \frac{Population_t}{Population_{t-1}} * Food_{t-1} * (1 + \phi) \quad \text{Equation 19}$$

where $Food_t$ is food available in year t , $Population_t$ is the population in year t , $Population_{t-1}$ is the population in the year before year t , $Food_{t-1}$ was the amount of food available in the year before t and ϕ is the historical trend in food consumption estimated from a regression on the historical food availability data series.

2.2.11. Fisheries Sector

Fish production estimates were sourced from administrative data collected from the provinces. The production figures included all fish species from both aquaculture and capture fisheries. Data on imports and exports were extracted from the ZamStats excel data set and aggregated according to the various types of fish and fish products listed in the FBS template. Most of the marine species recorded as exports, were imported and in transit to the Democratic Republic of Congo (DRC).



CHAPTER 3: ANALYSIS OF FBS RESULTS

3.0 Chapter 3 Overview

In chapter three, the FBS results for Zambia for the review period 2019–2023 are presented and analyzed, starting with the food supply per capita per year (kg) indicator. Next, several nutritional indicators are unpacked and analyzed including dietary energy supply per capita per day, daily protein supply per capita, daily fat supply per capita, and daily supply per capita of six minerals and six vitamins. The FBS results for Zambia on food supply per capita per year of nine selected food products are compared with averages at global level and a neighboring country, Tanzania, to evaluate the country's performance relative to other countries. To assess how Zambia performed in terms of meeting the nutritional needs of its population, the nutritional indicators are compared with recommended dietary allowances available in the literature. To understand how the country fared over the five-year period under review in terms of domestic production and import dependence, the self-sufficiency and import dependence ratios are analyzed and interpreted. Furthermore, the two SDG related indicators—FLI and PoU—are estimated and interpreted to help track the country's performance regarding the achievement of related set SDG targets. The chapter concludes with a validation of the FBS results by comparing them with the FAOSTAT estimates for Zambia.

Results are not only presented at food group level (vegetal and animal products) but have been disaggregated at food product level to give readers a clearer understanding of which products contributed most to a particular indicator. Where such disaggregation is not presented in this chapter, readers are encouraged to review the detailed FBS results presented in Annex 9 and 10.

3.1. Food Supply per capita per year

The food supply per capita per year is a measure of the quantity of food available for human consumption per person per year. Measured in kilograms (kg), this indicator is useful in projecting whether supply of different food products can meet demand for food in a population. Table 2 shows the contribution of various vegetal products (plant-based products) in terms of food supply per capita per year (kg). On average, the food supply per capita per year for vegetal products such as cereals, starchy roots, vegetables, and fruits was at 125.4kg, 198.3kg, 22.3kg, and 12kg, respectively. In terms of trends, cereal supply per capita per year marginally increased by 1.2 kg from 2019 to 2020 but a higher increase was observed from 2020 to 2021 when cereal supply per capita increased from 119kg to 129.9kg, representing a 9% increase. On the other hand, per capita supply of starchy roots exhibited a marginal upward trend at the beginning of the reference period, increasing from 218.3kg to 220kg. However, it then reduced for two consecutive years, with the biggest drop observed between 2021 and 2022, when the supply dropped by 16%. Although vegetables supply per capita per year showed a downward trend during the review period, the decline was marginal for most of the years, particularly during the period 2020 to 2023. Lastly, fruits supply per capita had a U-shaped trend in that supply reduced from 2019 to 2021 but then increased from 2021 to 2023. The results highlight the trends of food supply for different food groups and demonstrate that food supply per capita was not the same across the 12 groups of vegetal products.

Table 2: Food supply per capita per year (kg) of groups of vegetal products

	2019	2020	2021	2022	2023	Average
Cereals (excl. beer)	117.8	119.0	129.9	129.9	130.3	125.4
Starchy roots	218.3	220.0	201.3	168.8	182.9	198.3
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	18.7	18.4	16.6	16.7	14.8	17.0
Pulses	3.5	3.3	2.8	3.1	3.9	3.3
Treenuts	0.1	0.2	0.1	0.2	0.2	0.2
Oilcrops	12.9	12.9	13.5	15.2	15.3	14.0
Vegetable oils	7.3	7.2	8.7	7.7	9.0	8.0
Vegetables	27.1	22.6	20.9	20.6	20.2	22.3
Fruits (Excluding Wine)	13.1	12.1	11.0	11.5	12.4	12.0
Stimulants	0.1	0.2	0.1	0.1	0.1	0.1
Spices	0.1	0.1	0.1	0.1	0.1	0.1
Alcoholic beverages	49.1	47.0	47.3	49.2	53.4	49.2

The disaggregated results of selected vegetal products reported in Table 3 indicate that maize and its products had the largest average supply per capita per year, amounting to 105.1 kg. In addition, the supply of maize and its products steadily increased during the reporting period, particularly between 2020 and 2021. Wheat and its products had the second largest average supply per capita per year, at approximately 13.7 kg. Rice and its products averaged about 5.3 kg, with a trend indicating an increase in supply per capita per year. The two cereals considered indigenous to Zambia, sorghum and millet, averaged around 0.5 kg to 0.6 kg per capita per year during the review period. This relatively low supply per capita for sorghum and millet demonstrates the challenges that remain in promoting these indigenous crops as alternatives to maize and its products.

The per capita annual supply of starchy roots was generally dominated by cassava and its products, with an average supply of 185.7 kg per capita per year. The supply of cassava per capita decreased from 2019 to 2022 but thereafter increased from 2022 to 2023. Conversely, the supply of sweet potatoes increased between 2019 and 2021, resulting in an 83% increase in the per capita annual supply. Although there was a reduction in the supply of sweet potatoes per capita per year by 4.6 kg (42.6% reduction) from 2021 to 2022, supply rebounded by 4.7 kg (a 76% increase) from 2022 to 2023. Among the fruits category, the largest supply was in the “fruits, other and products” category, which averaged about 7.8 kg per capita. Although the FBS results for Zambia did not disaggregate the “fruits, other & products” subgroup to maintain uniformity with other countries in the presentation of standard tables generated using the FBS tool, this category was dominated by mangoes and guavas.

Table 3: Food supply per capita per year (kg) of selected vegetal products

	2019	2020	2021	2022	2023	Average
Cereals (excl. beer)	117.8	119.0	129.9	129.9	130.3	125.4
Maize and products	99.7	99.8	108.8	108.8	108.6	105.1
Wheat and products	12.7	12.7	13.7	14.7	14.7	13.7
Rice & Prod (Milled Equivalent)	4.1	4.9	6.3	5.4	6.0	5.3
Millet and products	0.5	1.0	0.4	0.4	0.9	0.6
Sorghum and products	0.8	0.6	0.5	0.4	0.1	0.5
Starchy roots	218.3	220.0	201.3	168.8	182.9	198.3
Potatoes and products	4.3	5.2	5.2	3.2	3.3	4.2
Cassava and products	208.0	207.1	185.2	159.4	168.7	185.7
Sweet potatoes	5.9	7.7	10.8	6.2	10.9	8.3
Fruits (Excluding Wine)	13.1	12.1	11.0	11.5	12.4	12.0
Oranges, Tang-Mand & Prod.	1.9	1.2	0.8	0.9	1.1	1.2
Lemons, Limes and products	0.2	0.2	0.3	0.2	0.2	0.2
Citrus Fruit nes & prod	0.1	0.2	0.2	0.2	0.2	0.2
Bananas	1.2	1.2	1.2	1.2	1.2	1.2
Apples and products	0.4	0.5	0.6	0.6	0.9	0.6
Pineapples and products	0.6	0.5	0.5	0.6	0.6	0.6
Grapes and products (excl wine)	0.5	0.1	0.1	0.1	0.2	0.2
Fruits, Other & Products	8.2	8.2	7.3	7.7	7.9	7.8

Table 4 highlights the contribution of six animal products to food supply per capita per year in kilograms. On average, the annual food supply per capita for meat, milk, eggs and fish was 8.7 kg, 5 kg, 0.8 kg, and 8.5 kg, respectively. The meat supply per capita per year declined between 2019 and 2020 but trended upwards from 2020

to 2023. The milk supply per capita exhibited a U-shaped trend, decreasing from 2019 to 2021 and then increasing from 2021 to 2023. The supply of eggs per capita decreased from 1 kg in 2019 to 0.6 kg in 2023. The supply of fish per capita per year increased from 2019 to 2022 but marginally dropped from 2022 to 2023.

Table 4: Food supply per capita per year (kg) of animal products

	2019	2020	2021	2022	2023	Average
Meat	8.5	8.0	8.1	9.5	9.6	8.7
Offals	0.8	0.7	0.8	0.8	0.8	0.8
Animal fats	0.3	0.3	0.3	0.3	0.3	0.3
Milk - Excluding Butter	5.9	4.6	3.0	4.9	6.4	5.0
Eggs	1.0	0.9	0.9	0.6	0.6	0.8
Fish & sea food	7.9	8.0	8.7	9.0	8.9	8.5

To conclude this section, results for the average food supply per capita per year for Zambia for nine selected vegetal and animal groups were compared with global estimates and a neighboring country that has undertaken a similar comprehensive FBS process. In this report comparison was made with Tanzania which undertook this process for the period 2013 - 2017. Table 5 shows that the average food supply per capita per year in Zambia during the review period was lower than global estimates for all the selected food products, except for starchy

roots for which the difference in the supply per capita per year was 198.3kg. When compared to results from Tanzania, Zambia's food supply per capita per year was only higher for starchy roots and fish & seafood. For the other seven products, Tanzania had a higher food supply per capita per year. These results suggest that Zambia has a lot to do to enhance food supply per capita per year if the country hopes to keep pace with other countries in the region and the rest of the world.

Table 5: Comparison of Zambia's food supply per capita per year for selected food groups with average supply of a neighboring country and globally

Food products	Average food supply per capita per year for Zambia (kg)	Average global food supply per capita per year (kg) a	Average food supply per capita per year for Tanzania (kg)b
Cereals	125.4	152	134
Starchy roots	198.3	64	99
Fruits	12	95	69
Vegetables	22.3	114	50
Pulses	3.3	15	27
Meat	8.7	43	13
Fish & seafood	8.5	18	7
Milk & its products	5	120	35
Eggs	0.8	10	1

3.2 Dietary Energy Supply per capita per day

2019 to 2023. The trend for DES per capita per day showed fluctuations, ranging from a low of 2,310 kcal (recorded in 2022) to a high of 2,384 kcal (in 2021).

Figure 2 shows the Dietary Energy Supply (DES) per capita per day in kilocalories for Zambia from




Figure 2: Dietary Energy Supply per Capita per Day (Kcal)

Table 6 presents the percentage contributions of vegetal and animal products to the total daily per capita DES from 2019 to 2023. Vegetal products were the largest contributor to total DES accounting for approximately 96% of DES while animal products contributed the other 4%.

Table 6: Contribution of Vegetal and Animal products to total DES (Kcal/cap/day)

Year	Vegetal products (Kcal)	Animal products (Kcal)
2019	2,223 (95.7%)	99 (4.3%)
2020	2,228 (96.2%)	89 (3.8%)
2021	2,302 (96.5%)	82 (3.5%)
2022	2,215 (95.9%)	95 (4.1%)
2023	2,258 (95.4%)	108 (4.6%)

3.2.1. DES per capita per day from vegetal products

Table 7 shows the contributions of various groups of vegetal products to daily per capita DES for the period from 2019 to 2023. Cereals accounted for 49% of the total vegetal products,

providing an average of 1,094 Kcal per capita per day. The second highest group was starchy roots, which accounted for an average share of 23% (equivalent to an average of 512 Kcal per capita per day), followed by vegetable oils, contributing an average share of 8.6%.

Table 7: Contribution of Groups of Vegetal Products to DES per capita per day (Kcal)

	2019	2020	2021	2022	2023	Average	%
Cereals (excl. beer)	1030	1040	1133	1132	1136	1094	48.7
Starchy roots	564	568	521	436	473	512	22.8
Sugar & Sweeteners	173	177	163	163	125	160	7.1
Pulses	31	30	26	28	34	30	1.3
Treenuts	1	1	1	1	1	1	0.0
Oilcrops	147	145	152	169	169	156	7.0
Vegetable oils	178	174	211	187	217	193	8.6
Vegetables	21	19	18	18	18	19	0.8
Fruits (Excluding Wine)	21	19	20	21	23	21	0.9
Spices	1	1	1	1	1	1	0.0
Alcoholic beverages	54	52	53	56	59	55	2.4
Miscellaneous	2	2	2	3	2	2	0.1
Total	2223	2228	2302	2215	2258	2245	100.0

A closer look at the “cereals” food group reveals that maize accounted for the largest share (86.7%) within the group (Figure 3), indicating that it was the main contributor to the daily DES per capita for the cereals group. Wheat and

rice contributed 9.4% and 3%, respectively, to the DES per capita per day for cereals group. Sorghum and millet collectively accounted for 0.9% of the calories from the cereals group.




Figure 3: Contribution (%) of types of cereals to the total calories of Cereals group

For starchy roots, cassava contributed the most calories to this food group during the period under review, accounting for 93%, followed by sweet potatoes at 5.1% (Figure 3). Potatoes

and products accounted for the lowest share of calories in the starchy group, at 1.6%.




Figure 4: Contribution (%) of types of starchy roots commodities to the total calories of Starchy roots

Figure 5 shows that soya bean oil was the dominant commodity in the vegetable oils group, contributing an average share of 55% to the DES per capita per day from vegetable oils. The

second main commodity was palm oil with an average share of 27% to the DES per capita per day from the vegetable oils group, followed by sunflower seed oil at 10%.




Figure 5: Contribution (%) of Vegetable oil commodities to the total calories of Vegetable oils

3.2.2. DES per capita per day from animal products

Figure 6 shows that during the period under review, the “meat” group accounted for the highest share at 53%, followed by milk at 17.5% and fish at 17%.

With regards to DES per capita per day from animal products,




Figure 6: Contribution (%) of types of animal products to the total calories (kcal) of Animal products Group

From the meats group, Figure 7 shows that pig meat was the main contributor to the DES per capita per day, accounting for 35.5%, followed by

bovine meat at 32.2% and poultry meat in third place at 25.5%.




Figure 7: Contribution (%) of the different types of meat to DES per Capita per day (Kcal) of the meat products Group

To conclude this section on DES, the average DES was compared with recommendations for different stage groups. The average DES per capita per day was 2,340 kcal and this was sufficient to meet requirements by life stage as recommended by the World Health Organization. The recommended DES per capita per day is 550-700 kcal for infants (0-6 months), 700-900 kcal for Infants (7-12 months), 1,000-1,400 kcal for children (1-3 years), 1,400-1,600 kcal for children (4-6 years), 2,000-2,800 kcal for male adolescents, 1,800-2,200 kcal for female adolescents, and 1,800-2,200 kcal for moderately active adults (WHO, 2004).

3.3. Daily per capita proteins

Daily per capita protein measures the total amount of protein in food available for consumption per person per day. It is measured in grams and varies based on factors such as age, gender, weight and activity level. Results show that the overall daily per capita protein supply in Zambia averaged about 49.4g during the period from 2019 to 2023 (Table 8). The results reveal a steady increase in the daily per capita protein supply from 47.7 grams in 2019 to 52.3 grams in 2023. Table 78 also shows a steady increase in daily per capita protein supply from both vegetal and animal products during the review period.

Table 8: Daily Per Capita Proteins supply by food productl)

	2019	2020	2021	2022	2023	Average
Daily per capita Proteins (grams)	47.7	47.8	48.6	50.7	52.3	49.4
From Vegetal products	41.4	41.4	43.0	43.0	43.7	42.5
From Animal products	6.4	6.4	5.6	7.7	8.7	6.9

According to results presented in Figure 8, vegetal products were the main source of proteins in Zambia, accounting for 86.0% of the

daily per capita protein supply, whereas animal products accounted for only 14.0%.




Figure 8: Contribution (%) of main food groups to total daily per capita proteins supply

Table 9 depicts the various types of vegetal products and their respective contributions to Zambia's total daily per capita proteins supply of the group of vegetal products. Cereals contributed an average of 63.2% of total daily

per capita proteins supply, equivalent to 26.8g, followed by oilcrops, which contributed 18.8% (8g). Starchy roots contributed 10.8% (4.6g), while pulses and vegetables contributed about 4.8% and 2.4%, respectively.

Table 9: Contribution (%) of Group of Vegetal products to total daily per capita proteins (grams) supply of vegetal products

	2019	2020	2021	2022	2023	Average	%
Cereals (excl. beer)	26.3	26.3	27.0	27.0	27.6	26.8	63.2
Starchy roots	5.0	5.0	5.0	4.0	4.0	4.6	10.8
Pulses	2.1	2.1	2.0	2.0	2.0	2.0	4.8
Oilcrops	7.0	7.0	8.0	9.0	9.0	8.0	18.8
Vegetables	1.0	1.0	1.0	1.0	1.0	1.0	2.4
Total	41.4	41.4	43.0	43.0	43.7	42.5	100.0

Table 10 shows that maize and its products (84.7%) were the main contributors to daily per capita protein supply in the cereals group, followed by wheat and its products at 11.5%. In

the pulses group, dry beans (70.2%) were the main contributors while other pulses accounted for 29.8%.

Table 10: Contribution of Cereals and Pulses products to daily per capita proteins (grams) of their respective Groups

Cereals and Pulses	2019	2020	2021	2022	2023	Average	%
Cereals							
Wheat and products	3.2	3.2	3.0	3.0	3.1	3.1	11.5
Maize and products	22.1	22.1	23.0	23.0	23.5	22.7	84.7
Rice & Prod (Milled Equivalent)	1.1	1.1	1.0	1.0	1.0	1.0	3.8
Total	26.3	26.3	27.0	27.0	27.6	26.8	100.0
Pulses							
Beans, Dry & Products	2.1	1.1	1.0	1.0	2.0	1.4	70.2
Peas, Dry & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	0.0	1.1	1.0	1.0	0.0	0.6	29.8
Total	2.1	2.1	2.0	2.0	2.0	2.0	100.0

Among the oil crops, soya beans (37.5%) was the main contributor, whereas groundnuts, rape seed and mustard seed contributed 30% and 32.5%, respectively (Table 11). Cassava was the only crop from the starchy roots category which contributed to the daily per capita proteins supply during the period under review.

Table 11: Contribution of types of oil crops to daily per capita proteins (grams)

	2019	2020	2021	2022	2023	Average	%
Soyabeans & Products	3.0	3.0	3.0	3.0	3.0	3.0	37.5
Groundnuts (Shelled Eq)	2.0	2.0	2.0	3.0	3.0	2.4	30.0
Sunflower seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustardseed	2.0	2.0	3.0	3.0	3.0	2.6	32.5
Total	7.0	7.0	8.0	9.0	9.0	8.0	100.0

Table 12 shows the contribution of animal products to daily per capita protein supply. Meat (51.9%), fish and sea food (36.6%), and milk (11.5%) were the only animal products that contributed to the protein supply during the period under review.

Table 12: Contribution of Animal products to daily per capita proteins (grams) of the animal products Group

	2019	2020	2021	2022	2023	Average	%
Meat	3.0	3.0	3.0	4.0	5.0	3.6	51.9
Offals	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Milk - Excluding Butter	1.0	1.0	0.0	1.0	1.0	0.8	11.5
Eggs	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish & sea food	2.4	2.4	2.6	2.7	2.7	2.5	36.6
Total	6.4	6.4	5.6	7.7	8.7	6.9	100

In terms of recommended daily protein intake, a sedentary adult weighing 70kg needs about 56g of protein per day, while an active adult with a similar weight need about 80g – 120 g (FAO/WHO/UNU, 2007). The FBS results indicate that, for both sedentary and active persons, the average daily protein supply per capita was lower than the recommended levels.

3.4. Daily per capita fats

The daily per capita fat intake refers to the average amount of fat consumed per person

per day. Like daily per capita protein, it is usually measured in grams (g) and varies based on age, gender, weight and activity level. Results from the Zambia FBS for the review period (2019 – 2023) suggest that daily per capita fat supply steadily increased, as shown in Table 13. The daily per capita supply increased by 19% from 48 grams in 2019 to 56.8 grams in 2023. The increase can be attributed largely to vegetal products, whose per capita fat supply increased by eight grams, while the supply from animal products increased by only one gram.

Table 13: Daily Per Capita Fats supply (grams)

	2019	2020	2021	2022	2023	Average
Daily per capita Fats	48.0	46.3	54.6	52.9	56.8	51.7
Vegetal products	42.5	40.8	49.0	46.2	50.2	45.7
Animal products	5.5	5.6	5.6	6.6	6.6	6.0

Figure 9 shows that vegetal products were the major source of fats, accounting for 88.4%, while animal products contributed the remaining 11.6%.




Figure 9: Contribution (%) of main food groups to the total daily per capita fats

When vegetal products were disaggregated into four sub-groups to estimate their contribution to the vegetal products' daily per capita fat supply (Figure 10), most of the contribution came from

vegetable oils at 48%, followed by oil crops at 26%, cereals at 24%, and starchy roots, which contributed the least at 2%.




Figure 10: Contribution (%) of sub-groups of vegetal products to daily per capita fats of the vegetal products group

The contribution of various animal products was also analyzed and is reported in Table 14. Results show that meat contributed the most (56.8%) to daily per capita fats sourced from animal products, whereas animal fats and

milk each contributed 16.7%. In contrast, the contribution of fish and sea food was quite low at 9.7%, averaging less than one gram per year throughout the period under review.

Table 14: Contribution of types of animal products to daily per capita fats (grams) of the animal products group

	2019	2020	2021	2022	2023	Average	%
Meat	3.0	3.0	3.0	4.0	4.0	3.4	56.8
Offals	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Animal fats	1.0	1.0	1.0	1.0	1.0	1.0	16.7
Milk - Excluding Butter	1.0	1.0	1.0	1.0	1.0	1.0	16.7
Eggs	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish & sea food	0.5	0.6	0.6	0.6	0.6	0.6	9.7
Total	5.5	5.6	5.6	6.6	6.6	6	100

According to WHO (2018), recommended daily fat intake rates in grams per capita per day can be disaggregated as follows: (i) 44-77 grams per day for adults with a sedentary lifestyle; (ii) 55-90 grams per day for adults with a moderately active lifestyle; and (iii) 66-100 grams per day for adults with an active lifestyle. The average daily per capita fat supply in Zambia of 51.7 g falls within the recommended daily fats intake rate for adults with a sedentary lifestyle but is below that for adults with a moderate or active lifestyle.

3.5. Supply of Minerals and Vitamins per capita per day

The importance of minerals and vitamins in the diet cannot be overemphasized. A diet rich in minerals and vitamins helps maintain optimal health, prevents deficiencies, and reduces risk of chronic diseases such as anemia and cardiovascular disease. Therefore, this comprehensive FBS compilation includes an estimation of the supply of minerals and vitamins from all vegetal and animal products recorded in

the Zambia FBS for the review period from 2019 to 2023. Estimates for supply of minerals and vitamins per capita per day were generated and analyzed.

3.5.1. Supply of minerals per capita per day

In this section, the results for the per capita daily supply of minerals in Zambia during the review period are presented and analyzed. The six minerals for which conversion factors were available are Calcium, Iron, Magnesium, Phosphorus, Potassium and Zinc.

3.5.1.1. Supply of calcium per capita per day

Calcium is important for maintaining strong bones and teeth. An adequate supply of calcium in the diet is essential for optimal health,

preventing deficiencies, and reducing the risk of chronic diseases such as hypertension and colon cancer. The supply of calcium per capita per day is measured in grams (g) or milligrams (mg). The FBS results presented in this report measured calcium in mg.

The average daily supply of calcium per capita was about 324.4 mg for the entire review period (Table 15). The results also indicate that daily calcium supply steadily reduced from 341.2 mg in 2019 to 295.5 mg in 2022 but increased to 328.4 mg in 2023. Furthermore, the supply of calcium per capita per day from vegetal products was, on average, approximately eight times higher than that from animal products during the reporting period.

Table 15: Supply of calcium per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	297.0	306.0	297.3	262.3	284.7	289.4	89.2
Animal products	44.2	32.8	20.8	33.2	43.8	34.9	10.8
Grand total	341.2	338.8	318.1	295.5	328.4	324.4	100.0

The results in Table 16 show that the vegetal food products providing the most calcium were starchy roots (64.5%), followed by cereals (15%),

vegetables (10.2%), and oilcrops (8.3%). The other vegetal products collectively supplied only 3% of calcium from vegetal products.

Table 16: Supply of calcium per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	39.9	43.1	43.1	43.4	45.9	43.1	15.0
Starchy roots	197.4	202.3	194.4	156.3	176.7	185.4	64.5
Sugar & Sweeteners	0.9	0.9	0.9	0.9	0.8	0.9	0.3
Pulses	0.5	1.5	1.6	1.3	0.7	1.1	0.4
Oilcrops	22.8	22.7	22.9	25.3	25.5	23.8	8.3
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	29.7	29.5	29.2	29.0	28.9	29.3	10.2
Fruits (Excluding Wine)	3.6	3.3	3.3	3.7	3.8	3.5	1.2
Stimulants	0.1	0.2	0.1	0.1	0.1	0.1	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	295.1	303.6	295.6	260.1	282.4	287.4	100.0

The supply of calcium per capita per day from animal food products (Table 17) mainly came from milk, which accounted for 88.6%. Meat and eggs collectively provided just over 10%

of the daily calcium per capita, while offals and animal fats contributed only 0.6% and 0.1%, respectively, to the calcium supply.

Table 17: Supply of calcium per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	2.4	2.2	2.2	2.8	2.9	2.5	7.1
Offals	0.2	0.2	0.2	0.2	0.2	0.2	0.6
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Milk - Excluding Butter	40.0	29.0	17.0	29.2	39.7	31.0	88.6
Eggs	1.5	1.4	1.4	0.9	0.9	1.2	3.5
Total	44.2	32.8	20.8	33.2	43.8	34.9	100.0

The recommended calcium intake rates in milligrams per capita per day vary depending on the life stage: (i) infants (0-6 months), 200-260 mg/day; (ii) infants (7-12 months), 260-300 mg/day; (iii) children (1-3 years), 700 mg/day; (iv) children (4-8 years), 1,000 mg/day; (v) adolescents (9-18 years), 1,300 mg/day; (vi) adults (19-50 years), 1,000 mg/day; adults (51 years and older), 1,200 mg/day; pregnant women, 1,000-1,400 mg/day; and breastfeeding women, 1,000-1,300 mg/day (Institute of Medicine, 1997). The average daily supply per capita of calcium in Zambia during the review period, as reported in Table 15, was 324.4 mg/day and this was only sufficient for infants. For the rest of the population at different life stages, the daily supply per capita of calcium was more than two to three times lower than the recommended daily intake.

among other roles. The supply of iron per capita per day is measured in milligrams (mg). The FBS results presented in this report also measured iron in mg.

Table 18 displays the daily per capita supply of iron from the two main groups of food products: vegetal and animal products. During the review period, the average supply of iron per capita per day was 12.7mg. The results show that the daily iron supply per capita did not fluctuate significantly for both vegetal and animal products. On average, the supply of iron per capita per day from vegetal products was approximately 24 times greater than that from animal products during the reporting period.

3.5.1.2. Supply of iron per capita per day

Iron is an essential nutrient, and its supply is important for various functions such as maintaining healthy blood cells, oxygen transport, energy production, and providing immunity,

Table 18: Supply of iron per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	12.3	12.4	12.4	11.8	12.0	12.2	95.82
Animal products	0.5	0.5	0.5	0.6	0.6	0.5	4.18
Grand total	12.9	12.9	12.9	12.3	12.5	12.7	100.00

When the results were disaggregated by food products within the vegetal food group (Table 19), cereals emerged as the main source of iron supply per capita per day, accounting for 46.1%. Starchy roots also made a significant contribution

to iron supply from vegetal foods, providing about 36.8%. Other vegetal food products that made a meaningful contribution to daily iron supply per capita included vegetables (7.5%) and oilcrops (7.3%).

Table 19: Supply of iron per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	5.3	5.3	5.8	5.8	5.8	5.6	46.1
Starchy roots	5.0	5.0	4.6	3.8	4.0	4.5	36.8
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.4
Pulses	0.0	0.1	0.1	0.1	0.0	0.1	0.6
Oilcrops	0.8	0.8	0.8	0.9	1.0	0.9	7.3
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Vegetables	1.0	0.9	0.9	0.9	0.9	0.9	7.5
Fruits (Excluding Wine)	0.1	0.1	0.1	0.2	0.2	0.1	1.2
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	12.3	12.4	12.4	11.8	11.9	12.1	100.0

The supply of iron per capita per day from animal food products (Table 20) mainly came from meat, which accounted for 59.7%. Offals

and eggs correspondingly provided 21.4% and 14.4% of iron, while milk and animal fats together contributed about 4.5%.

Table 20: Supply of iron per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.3	0.3	0.3	0.4	0.4	0.3	59.7
Offals	0.1	0.1	0.1	0.1	0.1	0.1	21.4
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.4
Milk - Excluding Butter	0.0	0.0	0.0	0.0	0.0	0.0	4.1
Eggs	0.1	0.1	0.1	0.1	0.1	0.1	14.4
Total	0.5	0.5	0.5	0.6	0.6	0.5	100.0

According to the Institute of Medicine (2001), the recommended iron intake also varies by life stage: infants (0.27 to 11mg), children (7 to 10mg), male adolescents (11mg) and male adults (8mg), female adolescents (15mg) and adult women (18mg). The average supply per capita of iron per day (12.7mg) based on the FBS results for Zambia was sufficient to meet the requirements for infants, infants, children, male adolescents and male adults but not for female adolescents or adult women. These results are consistent with the Zambia Demographic Health Survey report of 2018 which reports that anemia, associated with iron deficiency, remains a major concern among women of reproductive age in Zambia, with 31.5% of women aged 15 to 49 years affected.

3.5.1.3. Supply of magnesium per capita per day

There are several bodily functions that are optimized when magnesium is available in

the diets in the right quantities. Some of these include muscle function and relaxation, nerve function and transmission of nerve impulses, bone health and density and blood sugar control. A deficiency of magnesium can therefore lead to health complications such as fatigue and weakness, poor sleep quality, cardiovascular disease and diabetes. The supply of magnesium per capita per day is measured in grams (g) or milligrams (mg). The FBS results presented in this report measured magnesium in mg.

Table 21 indicates that the supply of magnesium per capita per day averaged around 362.1mg over the entire review period from the two main food groups. The results also show that the daily magnesium supply did not vary significantly from the average daily supply per capita over the five years. The vegetal food group contributed the most magnesium (98.3%) during the reporting period.

Table 21: Supply of magnesium per capita per day (milligrams) by main food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	353.2	354.4	357.7	352.2	362.9	356.1	98.3
Animal products	6.5	5.5	5.1	6.3	6.9	6.0	1.7
Grand total	359.7	359.9	362.8	358.5	369.8	362.1	100.0

Table 22 shows that the vegetal food products supplying the most magnesium were cereals (56.9%), followed by starchy roots (25.6%), and oilcrops (11.5%). Other vegetal products collectively supplied only 6% of the magnesium from vegetal products.

Table 22: Supply of magnesium per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	190.9	191.9	207.5	208.4	209.2	201.6	56.9
Starchy roots	100.2	101.2	92.7	77.4	82.7	90.8	25.6
Sugar & Sweeteners	0.5	0.5	0.4	0.4	0.4	0.4	0.1
Pulses	14.3	13.3	11.1	12.0	16.3	13.4	3.8
Oilcrops	37.1	37.6	37.6	45.4	45.8	40.7	11.5
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	6.3	5.9	5.2	4.8	4.6	5.4	1.5
Fruits (Excluding Wine)	1.9	1.8	1.3	1.3	1.4	1.6	0.4
Stimulants	0.2	0.4	0.3	0.3	0.3	0.3	0.1
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	351.5	352.5	356.2	350.0	360.7	354.2	100.0

The supply of magnesium per capita per day from animal food products (Table 23) mainly came from meat (66.4%) and milk (24.8%).

Offals, eggs and animal fats contributed about 4.3%, 4.2% and 0.3% respectively to the daily per capita supply of magnesium.

Table 23: Supply of magnesium per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	3.9	3.6	3.6	4.4	4.5	4.0	66.4
Offals	0.2	0.2	0.3	0.3	0.3	0.3	4.3
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Milk - Excluding Butter	2.0	1.3	0.9	1.4	1.9	1.5	24.8
Eggs	0.3	0.3	0.3	0.2	0.2	0.3	4.2
Total	6.5	5.5	5.1	6.3	6.9	6.0	100.0

The recommended individual daily intake of magnesium varies by age and gender but generally ranges between 300 – 400mg per day (Institute of Medicine, 1997). The FBS results suggest that the daily magnesium requirements in Zambia were met during the review period based on the average supply per capita per day of 362.1mg.

3.5.1.4. Supply of phosphorus per capita per day

Phosphorus is an essential micronutrient, and its supply is important for various functions including bone health, energy production, DNA synthesis, cell membrane structure, kidney function, heart

health, protein synthesis and neurofunction. In this report, the daily supply of phosphorus in Zambia during the review period was analyzed on a per capita basis to assess whether the supply met the recommended requirements.

According to the results in Table 24, the average supply of phosphorus per capita per day was 848.6 mg. The data indicate that the daily average phosphorus supply per capita decreased by 6 mg, from 839.2 mg in 2019 to 833 mg in 2020, but subsequently increased steadily, reaching the highest supply level of 875 mg in 2023. Like other minerals, the daily phosphorus supply mainly came from vegetal food products (93.3%)

Table 24: Supply of phosphorus per capita per day (milligrams) by main type food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	777.5	780.4	797.8	790.4	811.6	791.5	93.3
Animal products	61.8	52.6	49.1	58.6	63.3	57.1	6.7
Grand total	839.2	833.0	846.9	849.0	875.0	848.6	100.0

The disaggregated results by food products within the vegetal food group (Table 25), show that cereals were the main source of phosphorus supply per capita per day (61.7%) during the

review period. The other key contributors to the vegetal daily phosphorus supply were starchy roots (20.8%) and oilcrops (11.4%).

Table 25: Supply of phosphorus per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	460.9	464.0	504.2	505.9	506.8	488.4	61.7
Starchy roots	181.1	183.3	168.3	140.0	149.7	164.5	20.8
Sugar & Sweeteners	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Pulses	32.2	29.9	24.6	26.6	36.6	30.0	3.8
Oilcrops	82.3	83.0	83.6	99.6	100.5	89.8	11.4
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	13.2	12.3	10.9	10.0	9.5	11.2	1.4
Fruits (Excluding Wine)	2.4	2.2	1.6	1.7	1.7	1.9	0.2
Stimulants	0.3	0.4	0.3	0.3	0.3	0.3	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcoholic beverages	4.5	4.5	3.8	5.5	5.6	4.8	0.6
Total	777.0	779.7	797.4	789.8	811.0	791.0	100.0

The supply of phosphorus per capita per day from animal food products (Table 26) mainly came from meat (61.1%) and milk (24.9%).

Eggs, offals and animal fats contributed about 7%, 6.6% and 0.3% respectively to the daily supply of phosphorus per capita.

Table 26: Supply of phosphorus per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	34.1	31.6	32.1	38.2	38.6	34.9	61.1
Offals	3.6	3.6	3.8	3.9	3.9	3.8	6.6
Animal fats	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Milk - Excluding Butter	18.8	12.7	8.5	13.3	17.7	14.2	24.9
Eggs	5.0	4.6	4.6	3.0	2.9	4.0	7.0
Total	61.8	52.6	49.2	58.6	63.3	57.1	100.0

The recommended phosphorus intake rates in milligrams per capita per day vary depending on the life stage: (i) infants (0-6 months), 100-140 mg/day; (ii) infants (7-12 months), 275-300 mg/day; (iii) children (1-3 years), 460-500 mg/day; (iv) children (4-8 years), 500-640 mg/day; (v) adolescents (9-18 years), 1,250 mg/day; (vi) adults (19-50 years), 1,000 mg/day; adults (51 years and older), 1,250 mg/day; pregnant women, 1,000-1,400 mg/day; and breastfeeding women, 1,200-1,400 mg/day (Institute of Medicine, 1997). Based on the results in Table 24, the average supply of phosphorus per capita per day of 848.6 mg was sufficient for infants and children but not for adolescents and adults.

3.5.1.5. Supply of potassium per capita per day

Potassium plays an important role in supporting several functions, such as maintaining fluid balance and blood pressure, regulating heart function and rhythm, and facilitating muscle contractions and relaxation. The supply of potassium is measured per capita per day in milligrams (mg). The FBS results presented in this report also measured potassium in mg.

Table 27 shows the daily per capita supply of potassium for both main food product groups (vegetal and animal products). During the review period, the average daily supply of potassium per

capita was 1,919.6 mg. The results indicate that the daily per capita potassium supply declined from 1,977.7 mg in 2019 to 1,811.5 mg in 2022, representing an 8% reduction. However, there was a subsequent increase of 6% in the daily

potassium supply per capita from 2022 to 2023. The supply of potassium per capita per day from vegetal products was, on average, approximately 22 times higher than that from animal products during the reporting period.

Table 27: Supply of potassium per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	1889.4	1899.0	1853.1	1727.0	1820.6	1837.8	95.7
Animal products	88.3	75.0	69.7	84.4	91.4	81.8	4.3
Grand total	1977.7	1974.0	1922.8	1811.5	1911.9	1919.6	100.0

Starchy roots, cereals and oilcrops were the main sources of daily supply of potassium per capita in the vegetal food products category,

collectively accounting for 87.7% (Table 28). Other notable sources were pulses (6.3%) and vegetables (4.6%).

Table 28: Supply of potassium per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	581.4	584.3	632.5	635.7	637.7	614.3	33.6
Starchy roots	837.1	861.0	805.8	653.6	710.1	773.5	42.3
Sugar & Sweeteners	1.3	1.3	1.3	1.3	1.1	1.3	0.1
Pulses	122.9	113.3	93.9	101.8	140.0	114.4	6.3
Oilcrops	206.3	204.4	209.9	229.8	230.6	216.2	11.8
Vegetable oils	0.1	0.1	0.1	0.1	0.1	0.1	0.0
Vegetables	102.9	94.8	81.7	73.1	68.9	84.3	4.6
Fruits (Excluding Wine)	26.9	25.4	17.2	17.5	18.2	21.1	1.2
Stimulants	1.4	3.5	2.9	2.8	2.6	2.6	0.1
Spices	0.1	0.2	0.1	0.2	0.1	0.1	0.0
Total	1880.4	1888.2	1845.5	1715.9	1809.5	1827.9	100.0

In the category of animal food products, the main sources of daily potassium supply (Table 28) were meat (67.5%) and milk (23.8%), while

offals, eggs and animal fats contributed only 8.7% collectively.

Table 29: Supply of potassium per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	54.4	50.3	51.0	59.8	60.5	55.2	67.5
Offals	4.0	3.9	4.2	4.3	4.3	4.1	5.1
Animal fats	0.3	0.3	0.4	0.4	0.4	0.4	0.4
Milk - Excluding Butter	26.3	17.4	11.2	17.9	24.3	19.4	23.8
Eggs	3.3	3.0	3.0	2.0	1.9	2.6	3.2
Total	88.3	75.0	69.7	84.4	91.4	81.8	100.0

The recommended dietary allowances for potassium by life stage are: (i) infants (0-6 months), 400-700 mg/day; (ii) infants (7-12 months), 700-1,000 mg/day; (iii) children (1-3 years), 3,000-3,800 mg/day; (iv) children (4-8 years), 3,800 mg/day; (v) adolescents (9-18 years), 3,800 mg/day; (vi) adults (19-50 years), 2,800-3,400 mg/day; adults (51 years and older), 2,800-3,400 mg/day; pregnant women, 4,700 mg/day; and breastfeeding women, 5,100 mg/day (Institute of Medicine, 2005). As previously mentioned, the average daily potassium supply per capita in Zambia was estimated to be 1,919.6 mg, which was only sufficient to meet recommended dietary allowances for infants and not the other life stage groups. This entails that the period from 2019 to 2023 was characterized by deficiencies in daily potassium supply per capita.

3.5.1.6. Supply of Zinc per capita per day

Like other mineral micronutrients, zinc plays a critical role in several bodily functions, making it a vital component of a healthy diet. Some of

Table 30: Supply of zinc per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	5.7	5.7	5.9	5.9	5.9	5.8	90.6
Animal products	0.6	0.6	0.6	0.6	0.6	0.6	9.4
Grand total	6.3	6.3	6.5	6.5	6.6	6.4	100.0

Cereals, starchy roots and oil crops were the main sources of daily zinc supply per capita in the vegetal food products category, collectively accounting for 97.2% (Table 31). The other

the functions supported by zinc include immune system support, wound healing, hormone regulation, digestive health, skin health and reproductive health. The supply of zinc per capita per day is measured in grams (g) or milligrams (mg). The FBS results presented in this report measured zinc in mg.

As shown in Table 30, the average supply of zinc per capita per day was about 6.4 mg for the entire review period from the two main food groups. The results also indicate that the daily zinc supply exhibited a modest upward trend from the base year (2019) to the last year in the series (2023). Like other minerals mentioned above, the vegetal food group provided much of the zinc (90.6%) during the reporting period.

seven vegetal products contributed a paltry 2.8% to daily supply of zinc per capita from vegetal products.

Table 31: Supply of zinc per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	3.6	3.6	3.9	3.9	4.0	3.8	65.4
Starchy roots	1.3	1.3	1.2	1.0	1.0	1.2	19.8
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Pulses	0.0	0.1	0.1	0.1	0.0	0.1	0.9
Oilcrops	0.6	0.6	0.6	0.8	0.8	0.7	12.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	0.1	0.1	0.1	0.1	0.1	0.1	1.4
Fruits (Excluding Wine)	0.0	0.0	0.0	0.0	0.0	0.0	0.3
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	5.6	5.7	5.9	5.9	5.9	5.8	100.0

For animal food products, the main source of daily zinc supply (Table 32) was meat (78.9%). The other four (4) animal food products collectively contributed about 21.1%.

Table 32: Supply of zinc per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.5	0.4	0.5	0.5	0.5	0.5	78.9
Offals	0.0	0.0	0.0	0.0	0.0	0.0	6.1
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.4
Milk - Excluding Butter	0.1	0.1	0.0	0.1	0.1	0.1	9.9
Eggs	0.0	0.0	0.0	0.0	0.0	0.0	4.7
Total	0.6	0.6	0.6	0.6	0.6	0.6	100.0

The recommended dietary allowances for zinc by life stage are: (i) infants (0-6 months), 2 mg/day; (ii) infants (7-12 months), 3 mg/day; (iii) children (1-3 years), 3 mg/day; (iv) children (4-8 years), 5 mg/day; (v) children (9-13 years), 8 mg/day; (vi) adolescent boys (14-18 years), 11 mg/day; (vii) adolescent girls (14-18 years), 9 mg/day; (viii) adult men, 11 mg/day; (ix) adult women, 8 mg/day; pregnant women, 11-12 mg/day; and breastfeeding women, 12-13 mg/day (Institute of Medicine, 2001). The average daily supply of zinc, as reported in Table 30, was adequate for infants and children less than eight years. However, the zinc daily intake requirements for children above nine years, adolescents and adults were not met.

3.5.2. Supply of vitamins per capita per day

The results for the per capita daily supply of vitamins in Zambia during the review period are presented and analyzed in section 3.5.2. The six vitamins analyzed are Riboflavin, Thiamin, Vitamin A, Vitamin C, Vitamin PP, and Folate (Vitamin B).

3.5.2.1. Supply of Riboflavin per capita per day

Riboflavin, also known as Vitamin B-2, is essential for various bodily functions and provides numerous health benefits such as energy production, vision health, immune

system support, cardiovascular health, skin, hair and mucous membrane health. The supply of Riboflavin per capita per day is measured in milligrams (mg). The FBS results presented in this report measure the daily supply of Riboflavin per capita in mg.

Table 33 shows the per capita daily supply of Riboflavin from the two main groups of food

products (vegetal and animal products). The average daily supply of Riboflavin per capita was 0.6 mg during the period under review. The results show that the daily Riboflavin supply per capita remains almost constant from 2019 to 2023. Vegetal products were the main source of Riboflavin, contributing around five times the amount from animal products.

Table 33: Supply of riboflavin per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	0.5	0.5	0.5	0.5	0.5	0.5	85.9
Animal products	0.1	0.1	0.1	0.1	0.1	0.1	14.1
Grand total	0.6	0.6	0.6	0.6	0.6	0.6	100.0

Disaggregated by food products within the vegetal food group (Table 34), the results show that cereals were the main source of Riboflavin supply per capita per day (47.2%) during the review period. Other key contributors to the daily

Riboflavin supply were starchy roots (23.7%), vegetables (12.8%) and oilcrops (8.1%). The remaining six vegetal products contributed only about 8% of the riboflavin supply per capita per day.

Table 34: Supply of riboflavin per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	0.2	0.2	0.2	0.2	0.2	0.2	47.2
Starchy roots	0.1	0.1	0.1	0.1	0.1	0.1	23.7
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.0	0.0	0.0	0.0	0.0	0.0	2.6
Oilcrops	0.0	0.0	0.0	0.0	0.0	0.0	8.1
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	0.1	0.1	0.1	0.1	0.1	0.1	12.8
Fruits (Excluding Wine)	0.0	0.0	0.0	0.0	0.0	0.0	5.5
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	0.5	0.5	0.5	0.5	0.5	0.5	100.0

For animal food products, the three main sources of daily riboflavin supply (Table 35) were milk (44.3%), meat (33.8%) and offals 12.6%. The

other two animal products (animal fats and eggs) contributed less than 10% to riboflavin supply per capita per day.

Table 35: Supply of riboflavin per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.03	0.03	0.03	0.03	0.03	0.03	33.8
Offals	0.01	0.01	0.01	0.01	0.01	0.01	12.6
Animal fats	0.00	0.00	0.00	0.00	0.00	0.00	0.2
Milk - Excluding Butter	0.05	0.03	0.02	0.03	0.05	0.04	44.3
Eggs	0.01	0.00	0.01	0.01	0.01	0.01	9.1
Total	0.10	0.07	0.07	0.09	0.10	0.08	100.0

The recommended dietary allowances for Riboflavin by life stage are: (i) infants (0-6 months), 0.3-0.4 mg/day; (ii) infants (7-12 months), 0.4-0.5 mg/day; (iii) children (1-3 years), 0.5 mg/day; (iv) children (4-8 years), 0.6 mg/day; (v) adolescents (9-18 years), 0.9-1.3 mg/day; (vi) adults (men), 1.3 mg/day; adults (women), 1.1 mg/day; pregnant women, 1.4 mg/day; and breastfeeding women, 1.6 mg/day (Institute of Medicine, 1998). Based on the FBS results for Zambia (2019 – 2023), the average daily supply of riboflavin was only sufficient for infants and children and not adolescents and all the adult life stage categories.

3.5.2.2. Supply of Thiamin per capita per day

Thiamin, also referred to as Vitamin B1, plays a crucial role in various bodily functions, including energy production, nerve function, heart health

muscle function, brain function, eye health, immune system support, fetal development and overall health. The supply of Thiamin per capita per day is measured in milligrams (mg). The FBS results presented in this report measured the daily supply of Riboflavin per capita in mg.

Table 36 shows the supply of Thiamin per capita per day from the two main groups of food products (vegetal and animal products). The average supply of Thiamin per capita per day was 1.3 mg during the period under review. The results show that the daily Thiamin supply per capita did not deviate significantly from the average during this period. Vegetal products were the main source of supply of Thiamin, contributing about 95.3% to the daily supply per capita.

Table 36: Supply of thiamin per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	1.2	1.2	1.2	1.2	1.2	1.2	95.3
Animal products	0.1	0.1	0.1	0.1	0.1	0.1	4.7
Grand total	1.2	1.2	1.3	1.3	1.3	1.3	100.0

Cereals, starchy roots and oil crops were the main sources of daily supply of thiamin per capita in the vegetal food products category, collectively accounting for 92.2% (Table 37). The

remaining 7.8% of daily supply of Thiamin per capita from vegetal products was contributed by the other seven vegetal products.

Table 37: Supply of thiamin per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	0.7	0.7	0.7	0.7	0.7	0.7	58.7
Starchy roots	0.2	0.2	0.2	0.2	0.2	0.2	18.7
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.0	0.0	0.0	0.0	0.0	0.0	3.2
Oilcrops	0.2	0.2	0.2	0.2	0.2	0.2	14.8
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	0.1	0.0	0.0	0.0	0.0	0.0	3.5
Fruits (Excluding Wine)	0.0	0.0	0.0	0.0	0.0	0.0	1.0
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	1.2	1.2	1.2	1.2	1.2	1.2	100.0

For animal food products, the main sources of daily Thiamin supply (Table 38) were meat (78.6%) and milk (11.9%). Collectively, offals, eggs and animal fats contributed about 9.5% to daily thiamin per capita per day.

Table 38: Supply of thiamin per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.050	0.045	0.044	0.047	0.047	0.046	78.6
Offals	0.003	0.003	0.003	0.003	0.003	0.003	4.6
Animal fats	0.000	0.000	0.000	0.000	0.000	0.000	0.3
Milk - Excluding Butter	0.009	0.007	0.004	0.007	0.009	0.007	11.9
Eggs	0.003	0.003	0.003	0.002	0.002	0.003	4.6
Total	0.066	0.057	0.054	0.058	0.061	0.059	100.0

According to the Institute of Medicine (1998), the thiamin recommended dietary allowances in milligrams per capita per day by life stages are as follows: (i) infants (0-6 months), 0.2 mg/day; (ii) infants (7-12 months), 0.3 mg/day; (iii) children (1-3 years), 0.5 mg/day; (iv) children (4-8 years), 0.6 mg/day; (v) adolescents (9-18 years), 0.9-1.2 mg/day; (vi) adults (men), 1.2 mg/day; adults (women), 1.1 mg/day; pregnant women, 1.4 mg/day; and breastfeeding women, 1.4 mg/day. The FBS results indicate that Thiamin supply per capita during the review period was, on average, within the recommended requirements for all life stage groups except for pregnant and breastfeeding women.

3.5.2.3. Supply of vitamin A RAE per capita per day

Ensuring that vitamin A is adequately supplied in diets is essential to prevention of vision-related complications, impaired immunity, skin problems and an increased risk of infections. The supply of vitamin A per capita per day is measured in micrograms (mcg). The FBS results presented in this report also measured vitamin A per capita in mcg.

Table 39 shows the supply of vitamin A per capita per day from the two main groups of food products (vegetal and animal products). During the review period, the average supply of vitamin

A per capita per day was 134.5 mcg. The results indicate that daily supply of vitamin A per capita steadily increased, except for the period between 2021 to 2022, when it dropped from 144 mcg to 124 mcg. On average, the supply of vitamin A

per capita per day from vegetal products was approximately 1.5 times greater than that from animal products during the reporting period.

Table 39: Supply of vitamin A RAE per capita per day (micrograms) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	72.2	79.0	91.5	68.6	89.8	80.2	59.6
Animal products	55.1	51.8	52.8	55.2	56.6	54.3	40.4
Grand total	127.3	130.8	144.3	123.7	146.4	134.5	100.0

Disaggregated by food products within the vegetal food group (Table 40), the results show that starchy roots were the main source of Vitamin A supply per capita per day (49.7%) during the review period. Other key contributors to the daily

Riboflavin supply from the vegetal sources were vegetables (26.5%) and cereals (19.4%). The remaining seven vegetal products contributed only about 4.4% to the per capita daily supply of Vitamin A.

Table 40: Supply of vitamin A RAE per capita per day (micrograms) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	14.7	14.7	16.0	16.0	16.0	15.5	19.4
Starchy roots	29.0	36.9	51.2	29.8	51.4	39.7	49.7
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Oilcrops	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Vegetable oils	2.1	2.3	2.3	2.2	2.6	2.3	2.9
Vegetables	24.4	22.9	20.7	19.2	18.5	21.1	26.5
Fruits (Excluding Wine)	1.4	1.4	0.6	0.7	0.7	0.9	1.2
Stimulants	0.1	0.1	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	71.8	78.5	91.1	68.2	89.4	79.8	100.0

The supply of Vitamin A per capita per day from animal food products (Table 41) mainly came from offals (68.3%), milk (16.9%) and eggs (10.6%).

Meat and animal fats collectively contributed a paltry 4.1% to the daily supply of Vitamin A per capita.

Table 41: Supply of Vitamin A RAE per capita per day (micrograms) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	2.2	2.1	2.1	3.0	3.1	2.5	3.9
Offals	41.7	41.6	44.2	44.9	44.8	43.4	68.3
Animal fats	0.1	0.1	0.1	0.2	0.2	0.2	0.2
Milk - Excluding Butter	14.1	10.2	5.7	10.0	13.6	10.7	16.9
Eggs	8.4	7.7	7.6	5.1	4.9	6.8	10.6
Total	66.7	61.7	59.8	63.2	66.6	63.6	100.0

The recommended daily intake of vitamin A in retinol activity equivalents (RAE) varies by age and gender. For all life stage groups, the recommended dietary allowance for vitamin A RAE ranges between 400 mcg and 900 mcg (Institute of Medicine, 2001). The average daily supply of vitamin A RAE per capita in Zambia, based on the FBS results, was estimated to be 134.5 mcg. This was below the recommended daily intake for vitamin A RAE at all life stages.

3.5.2.4. Supply of vitamin C per capita per day

Vitamin C is essential for various bodily functions and offers numerous health benefits, such as boosting the immune system, reducing cancer risks, promoting wound healing, supporting cardiovascular health, enhancing cognitive

function, lowering the risk of anemia, maintaining eye health, managing stress and contributing to overall well-being. The supply of vitamin C per capita per day is measured in milligrams (mg). The FBS results presented in this report measure daily supply of vitamin C per capita in mg.

Table 42 shows the supply of vitamin C per capita per day from main groups of food products (vegetal and animal products). The average supply of vitamin C per capita per day was 104.5 mg during the period under review. The results show that daily vitamin C supply per capita decreased by 12% from 2019 to 2022 but increased by 6% from 2022 to 2023. Vegetal products were the main source of supply of vitamin C, contributing about 99.6% while the contribution of animal products was negligible.

Table 42: Supply of Vitamin C per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	110.3	109.0	101.5	97.1	102.9	104.2	99.6
Animal products	0.4	0.3	0.3	0.4	0.4	0.4	0.4
Grand total	110.7	109.3	101.8	97.5	103.3	104.5	100.0

Vegetables were the main source of daily per capita Vitamin C supply within the vegetal food products category, contributing about 71.2%

(Table 43). Other significant contributors to per capita Vitamin C supply included starchy roots (15.6%), pulses (7.2%) and fruits (5.9%).

Table 43: Supply of Vitamin C per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	16.3	17.7	18.0	13.3	15.8	16.2	15.6
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	8.8	6.9	5.4	6.4	10.0	7.5	7.2
Oilcrops	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	75.7	75.0	73.9	73.1	72.7	74.1	71.2
Fruits (Excluding Wine)	9.3	9.2	4.1	4.1	4.2	6.2	5.9
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	110.2	108.9	101.5	97.0	102.8	104.1	100.0

For animal food products, the only sources of daily Vitamin C supply per capita (Table 44) were offals (46.1%), milk (36.9%) and meat (17.0%).

Table 44: Supply of Vitamin C per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.1	0.0	0.0	0.1	0.1	0.1	17.0
Offals	0.2	0.2	0.2	0.2	0.2	0.2	46.1
Animal fats	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Milk - Excluding Butter	0.2	0.1	0.1	0.1	0.2	0.1	36.9
Eggs	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	0.4	0.3	0.3	0.4	0.4	0.4	100.0

The daily intake of vitamin C varies by age, gender and other factors, but the recommended dietary allowances across different life stage groups range between 60 mg and 90 mg per day (Institute of Medicine, 2000). In accordance with the FBS results reported in Table 42, the average daily supply of vitamin C per capita in Zambia exceeded the required daily intake.

3.5.2.5. Supply of Vitamin PP per capita per day

Vitamin PP, also known as Niacin or Vitamin B3, helps support bodily functions such as energy production, skin health, cholesterol reduction, brain function, digestive health, immune system support, cancer prevention and overall health.

The supply of Vitamin PP per capita per day is measured in milligrams (mg). The FBS results presented in this report measured daily supply of Riboflavin per capita in mg.

Table 45 shows the supply of Vitamin PP per capita per day from two main groups of food products (vegetal and animal products). The average supply of Vitamin PP per capita per day was 10.6 mg during the period under review. The results show that the daily supply of Vitamin PP per capita reduced by 7.3% from the base year to 2020 but increased steadily from 2020 to 2023. Vegetal products were the main source of Vitamin PP, contributing about 92.5% to the daily supply per capita.

Table 45: Supply of Vitamin PP per capita per day (milligrams) by main type of food groups

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	8.2	7.6	10.1	11.3	11.8	9.8	92.5
Animal products	0.7	0.6	0.6	1.0	1.1	0.8	7.5
Grand total	8.9	8.2	10.7	12.3	12.9	10.6	100.0

According to results in Table 46, the main source of Vitamin PP in the vegetal products category was fruits, which contributed about 95.5%. The remaining 4.5% came from starchy roots (1.6%),

oilcrops (1.7%) and vegetables (1.1%). The other six vegetal products did not contribute to the per capita daily supply of vitamin PP.

Table 46: Supply of Vitamin PP per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Cereals (excl. beer)	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	0.1	0.1	0.2	0.1	0.2	0.2	1.6
Sugar & Sweeteners	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	0.2	0.2	0.2	0.2	0.2	0.2	1.7
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetables	0.2	0.1	0.1	0.1	0.1	0.1	1.1
Fruits (Excluding Wine)	7.7	7.1	9.6	10.9	11.4	9.4	95.5
Stimulants	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	8.2	7.6	10.1	11.3	11.8	9.8	100.0

For animal food products, the only sources of daily per capita Vitamin PP supply (Table 47) were meat (97.2%), milk (2.5%) and eggs (0.3%).

The other three animal products (offals, animal fats and eggs) were not sources of vitamin PP.

Table 47: Supply of Vitamin PP per capita per day (milligrams) by type of animal food products

	2019	2020	2021	2022	2023	Average	Percent
Meat	0.66	0.61	0.59	0.98	1.03	0.77	97.2
Offals	0.00	0.00	0.00	0.00	0.00	0.00	0.0
Animal fats	0.00	0.00	0.00	0.00	0.00	0.00	0.0
Milk - Excluding Butter	0.03	0.02	0.01	0.02	0.03	0.02	2.5
Eggs	0.00	0.00	0.00	0.00	0.00	0.00	0.3
Total	0.69	0.63	0.60	1.00	1.06	0.80	100.0

The Institute of Medicine (1998) recommended dietary allowances in milligrams per capita per day by life stage are as follows: (i) infants (0-6 months), 2 mg/day; (ii) infants (7-12 months), 4 mg/day; (iii) children (1-3 years), 6 mg/day; (iv) children (4-8 years), 8 mg/day; (v) adolescents (9-18 years), 12-16 mg/day; (vi) adults (men), 16

mg/day; adults (women), 14 mg/day; pregnant women, 18 mg/day; and breastfeeding women, 17 mg/day. The FBS results (Table 46) indicate that the average Vitamin PP supply per capita (10.6 mg) during the review period was sufficient for infants and children but inadequate for adolescents and adults.

3.5.2.6. Supply of Folate (Vit B-9) per capita per day

Folate, also known as Vitamin B9, helps support bodily functions such as fetal development, red blood cells production, brain function, heart health, immune system support, cancer prevention, digestive health and overall well-being. The supply of Folate per capita per day is measured in milligrams (mg). The FBS results presented in this report measure the daily supply of Folate per capita in mg.

Table 48 shows the daily per capita supply of Folate from two main groups of food products (vegetal and animal products). During the period under review, the average daily per capita supply of Folate was 6.9 mg. The results show that the daily per capita supply of Folate reduced by 28% from the base year to 2023. The vegetal food group was the sole source of daily per capita supply of Folate and this was mainly sourced from vegetables.

Table 48: Supply of Folate (Vit B-9) per capita per day (milligrams) by type of vegetal food products

	2019	2020	2021	2022	2023	Average	Percent
Vegetal products	8.2	7.6	6.8	6.2	5.9	6.9	100.0
Animal products	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grand total	8.2	7.6	6.8	6.2	5.9	6.9	100.0

The recommended dietary allowances for folate by life stage are as follows: (i) infants, 0.065-0.08 mg/day; (ii) children, 0.12-0.3 mg/day; (iii) adolescents, 0.4 mg/day; (iv) adults, 0.4 mg/day; (v) pregnant women, 0.6 mg/day; and (vi) breastfeeding women, 0.5 mg/day (Institute of Medicine, 1998). The FBS results indicate that the average folate supply per capita per day during the review period was more than adequate for the Zambian population at all life stages.

3.6. Self-Sufficiency Ratio (SSR)

The Self-Sufficiency Ratio (SSR) compares a country's agricultural production to its domestic utilization. It measures a country's ability, expressed as a percentage, to meet current food

demand and other related food requirements through its own production. An SSR of 100% or higher indicates that production is sufficient for domestic utilization.

Figure 11 shows the Self-Sufficiency Ratios for vegetal and animal products. For vegetal products, results indicate that the minimum SSR for Zambia was 101.7% (in 2019 and 2020) and the maximum SSR was 120.6% (in 2021). Results for animal products show that the minimum SSR for Zambia was 90.5% (2022) and the maximum SSR was 99.9% in 2023. This suggests that, during this period, production of vegetal products was adequate for domestic utilization, while production of animal products was slightly insufficient.




Figure 11: Self-sufficiency ratio for Vegetal and Animal products

Table 49 indicates that vegetal products such as cereals, starchy roots, sugar & sweeteners, pulses and oil crops had an average SSR of over 100% during the review period. This shows that these vegetal products were sufficiently supplied during this period. However, Zambia

did not achieve self-sufficiency in vegetable oils, vegetables, fruits, and alcoholic beverages, as their average SSRs were below 100% with vegetable oils recording an average SSR of less than 50%.

Table 49: Self Sufficiency Ratio (%) for selected Groups of Vegetal products

	2019	2020	2021	2022	2023	Average
Cereals (excl. beer)	84.5	136.2	132.5	97.1	111.4	112.3
Starchy roots	99.6	99.4	99.1	100.3	114.3	102.5
Sugar & Sweeteners	294.5	292.6	262.8	207.8	186.4	248.8
Pulses	115.8	115.9	140.3	120.3	112.8	121.0
Oilcrops	102.9	103.8	108.6	104.7	111.1	106.2
Vegetable oils	33.5	38.1	40.0	53.2	62.2	45.4
Vegetables	80.1	94.0	101.6	103.7	106.7	97.2
Fruits (Excluding Wine)	76.3	85.7	95.3	93.9	80.1	86.3
Alcoholic beverages	93.6	91.3	92.8	93.5	92.2	92.7

Figure 12 shows that rice and its products recorded the lowest average SSR at 47.7% among cereals, while maize, millet and sorghum, along with their products, recorded the highest average SSRs of 119.1%, 112.1% and 103.3%, respectively. Maize and its products consistently

maintained an SSR above 100% for all the years except for 2019, when an SSR of 87.8 % was recorded. In contrast, wheat, barley, rice and their products recorded SSRs below 100 % every year from 2019 to 2023.




Figure 12: Self-sufficiency ratio for selected cereal products

Table 50 displays the self-sufficiency ratios for the animal products group. Zambia achieved average SSRs exceeding 100% for milk (112.6%), eggs (108.7%) and offals (100.1%). However, meat, fish and sea food, and animal

fats consistently recorded SSRs below 100% each year, indicating that Zambia was not fully self-sufficient in these animal products during the period under review.

Table 50: Self Sufficiency Ratio (%) for selected Animal products Group

	2019	2020	2021	2022	2023	Average
Meat	92.5	91.6	92.9	76.3	75.4	85.7
Offals	100.0	99.6	99.7	100.1	101.1	100.1
Animal fats	91.2	89.5	93.0	87.6	84.9	89.2
Milk - Excluding Butter	82.0	97.0	161.1	102.7	120.5	112.6
Eggs	106.1	104.7	105.4	114.0	113.3	108.7
Fish & sea food	94.0	97.7	99.2	99.9	99.9	98.2

3.7. Import Dependency Ratio (IDR)

The IDR compares the magnitude of a country's imports to its domestic utilization. In this section, results on IDR are presented and interpreted. Figure 13 shows Zambia's Import Dependency Ratio (IDR) for vegetal and animal products from 2019 to 2023. The minimum IDR for vegetal products was 5.5% recorded in 2022 and 2023,

and the maximum was 8.3% in 2021. For animal products, the minimum and maximum IDR were 10.8% (2021) and 33.8% (2022) respectively. Overall, the IDR during the reporting period when animal and vegetal products were combined ranged between 6 and 8.4%. The main interpretation of the IDR results is that the country had a low dependency rating as far as imports were concerned, except for animal products in 2022 when the IDR was 33.8% (moderate dependency rating).



Figure 13: Import Dependency Ratio for Vegetal and Animal products Groups

Table 51 shows the IDR results for 13 vegetal products. Two vegetal products, spices and stimulants, had average IDRs above 90% (extremely high dependency rating) meaning that Zambia had near total dependency on imports of the two products during the review period. On average, vegetable oils had a high dependency

rating (63.3%) as far as import dependency was concerned. This means that Zambia significantly relied on imports of vegetable oils from 2019-2023. The other ten vegetal products had a low dependency rating suggesting that the country was self-sufficient in the production of these products.

Table 51: Import Dependency Ratio (%) for commodity Groups of Vegetal products

	2019	2020	2021	2022	2023	Average
Cereals (excl. beer)	5.3	8.3	8.2	4.6	5.9	6.5
Starchy roots	1.1	1.0	1.4	0.9	0.8	1.0
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	1.5	0.7	0.6	5.9	1.0	1.9
Pulses	0.0	5.5	0.0	0.0	0.0	1.1
Treenuts	0.0	0.0	0.0	15.2	0.0	3.0
Oilcrops	1.1	2.0	5.5	0.6	0.6	2.0
Vegetable oils	75.3	72.7	65.3	56.5	46.9	63.3
Vegetables	20.7	7.8	4.0	3.0	2.5	7.6
Fruits (Excluding Wine)	21.7	19.5	21.4	23.6	24.7	22.2
Stimulants	233.0	134.6	160.7	162.5	168.8	171.9
Spices	104.6	104.6	106.0	102.7	79.1	99.4
Alcoholic beverages	7.2	9.3	7.8	7.7	8.1	8.0

The IDRs for animal products reported in Table 52 show that only milk had some reliance on imports because of its average IDR of 31.3%. The moderate dependency rating for milk was mainly driven by the modest and significant increase in milk IDR in 2021 and 2022 respectively. Meat,

animal fats, and fish and sea food had average IDRs greater than zero, but they all fell within the low dependency rating. Products such as offals and eggs maintained an average IDR of zero throughout the reporting period.

Table 52: Import Dependency Ratio (%) for selected Animal products Group

	2019	2020	2021	2022	2023	Average
Meat	11.0	13.3	11.8	28.0	28.0	18.4
Offals	0.0	0.0	0.0	0.0	0.0	0.0
Animal fats	8.8	10.5	0.0	12.4	15.1	9.4
Milk - Excluding Butter	28.6	20.6	36.2	50.3	20.6	31.3
Eggs	0.0	0.0	0.0	0.0	0.0	0.0
Fish & sea food	6.0	2.4	1.1	0.4	0.4	2.1

It is important to note that a food product can have a SSR that is greater than 100% but at the same time have an IDR which is a bit high. An example in this report is the case of milk. In 2022, the SSR for milk was 102.7% but the IDR was 50.3% (high dependency on imports). Although this sounds contradictory, a look at how the two measures were constructed can help to explain why this scenario is feasible. Consider, for instance, the 2022 results reported in the standard tables in Annex 9. Milk and its products has exports of about 59,000 MT, imports of 51,000 MT, production of 104,000 MT, and stock variation of minus 6,000MT. Based on the formulas used to construct the SSR indicator (See Chapter 1), the high export value reduces the denominator relatively to the numerator, resulting in a SSR above 100%. Similarly, the IDR is also high because the numerator value (imports) is relatively high, while the high value of exports is reducing the denominator, leading to the computed IDR of 50.3%.

3.8. Food Loss Index (FLI)

One important application of the Food Loss Index (FLI) is that it is used to measure progress towards the United Nations' SDG Target 12.3. The SDG target aims to halve per capita global food waste at retail and consumer levels and reduce food losses throughout production and supply chains. The FLI indicates how much losses deviate from the baseline value equal of 100 in the base year. It focuses on the supply stages of food chains and tracks percentage changes in losses over time, excluding post-harvest losses on farms. This index enables policy makers to assess positive and negative

trends in food loss relatively to the baseline year and use this information to enhance the efficiency of food supply systems.

The methodology for computing the FLI was developed by the FAO³ and tailored for Zambia. In this report, 2019 was set as the base year, as it marks the beginning of the review period for the first Zambia's comprehensive FBS. The FLI is computed as the ratio of the Food Loss Percentage (FLP) in the current period to the FLP in the base period, multiplied by 100.

The standard methodology for estimating the FLI involves selecting the top two commodities from each of the five food groups based on production value. These groups include: (i) cereals and pulses; (ii) roots and tubers and oil-bearing crops; (iii) fruits and vegetables; (iv) animal products, and; (v) fish and fish products. During the country FBS review for the period 2019 – 2023, modifications were made due to challenges in data regarding food loss ratios. As a result, the selected basket of 10 key commodities for Zambia included commodities from only four food groups, excluding fish and fish products. Consequently, the cereals and pulses, and the roots and tubers and oil-bearing crops food groups included more than two commodities. The selected food products by group were as follows:

- i. Cereals and Pulses: Maize, Rice and Beans;
- ii. Roots and Tubers and Oil-Bearing crops: Groundnuts, cassava, potatoes and Sweet potatoes;
- iii. Fruits and Vegetables: Tomatoes and

³ The detailed methodology is in annex 1.

- mangoes; and
- iv. Animals Products: Raw milk of cattle.

There were no substantial fluctuations in the loss percentages, which ranged from 6.9% to 7.1%. In other words, the average losses along the supply chain for these key commodities remained stable, never falling below 6.9% or exceeding 7.1%. The three commodities with noticeable changes in food losses were rice, potatoes and sweet potatoes.

3.8.1. Food Loss Percentage and Food Loss Index

Table 53 presents the changes in FLP for the 10 selected commodities during the review period.

Table 53: Food loss percentages over time by commodity type

Commodity Group	Commodity	Loss percentages per year by commodity				
		2019	2020	2021	2022	2023
Cereals &Pulses	Maize (corn)	8.9	8.9	8.9	8.9	8.9
Cereals &Pulses	Rice	7.3	4.3	5	5	5
Fruits& Vegetables	Tomatoes	10	10	10	10	10
Fruits& Vegetables	Mangoes, guavas, mangosteens	10	10	10	10	10
Tubers, roots and oil-bearing crops	Groundnuts, excluding shelled	10	10	10	10	10
Tubers, roots and oil-bearing crops	Cassava, fresh	5	5	5	5	5
Tubers, roots and oil-bearing crops	Potatoes	16.5	8.2	17	18.8	21.3
Tubers, roots and oil-bearing crops	Sweet potatoes	8.7	5.1	6.5	7.8	6.4
Cereals &Pulses	Beans, dry	5	5	5	5	5
Animal products	Raw milk of cattle	5	5	5	5	5
Food Loss Percentage		7.1	6.9	7	7.1	7.1

Figure 14 illustrates that the FLI, using 2019 as the base year, decreased over time, with the largest decline occurring in 2020. The trend of FLI for Zambia is mainly explained by the level of losses of 3 commodities: potatoes, sweet potatoes and rice. The global situation of losses has improved in 2020 as compared to the base

year with a drop of the index by 3.3%. An upward trend is observed from 2021 to 2023 due to the increase of losses for the same 3 commodities, but the impact was not enough to bring the FLI to its base year level. Despite efforts in keeping losses below the base year level, the FLI fell short of achieving the SDG target 12.3, which aims to halve food losses along the supply chain.




Figure 14: Food Loss Index over time

3.9. Prevalence of Undernourishment (PoU)

The Prevalence of Undernourishment (PoU) is defined by the FAO as the percentage of the population whose daily caloric intake is below the Minimum Dietary Energy Requirement (MDER). The MDER is the amount of energy needed for a person to maintain a healthy weight, considering factors such as age, gender, weight, height and physical activity level. The PoU serves as an important indicator of food security and nutrition, measuring progress towards SDG Target 2.1, which aims to end hunger and ensure that all people, particularly the poor and those in vulnerable situations, including infants, have access to safe, nutritious and sufficient food year-round.

Using the methodology developed by the FAO⁴, the MDER, PoU and population undernourished were computed. The evolution of each of these three indicators is presented in turn.

3.9.1. Evolution of the Minimum Dietary Energy Requirement

Figure 15 presents the MDER in Zambia and how it evolved during the five-year period from 2019 – 2023. The lowest MDER during this period was in 2019 at 1,677.5 Kcal per capita per day, while the highest MDER was in 2021 at 1,681.4 Kcal per capita per day. The small variations of MDER are explained by the changes in the structure of the population and the birth rate over the period. The results indicate that the MDER did not change substantially during the reference period.




Figure 15: Evolution of MDER in Zambia

3.9.2. Evolution of the Prevalence of Undernourishment

The prevalence of undernourishment (PoU) in Zambia ranged between 27.3% and 29.8% (Figure 16). The PoU is negatively correlated with DES. This would mean that the larger the DES, the more it contributes to reducing the PoU. The highest PoU was recorded in 2022 corresponding to the lowest DES (2,310 Kcal/cap/day) over the period, while 2021 had the

lowest rate corresponding to the highest value of DES (2,384 Kcal/cap/day) over the period 2019-2023. PoU levels between 25% and 35% indicate a high prevalence, suggesting that a significant portion of the population may be at risk (FAO, 2020). These findings imply that Zambia was not on track to achieve the SDG target 2.1 during the period under review. Concerted efforts are needed to reverse this trend and attain lower levels of undernourishment, ideally below 5%.

⁴ The detailed methodology is in annex 2.




Figure 16: Evolution of PoU in Zambia (2019 – 2023)

3.9.3. Evolution of the Population Undernourished (in millions)

The population undernourished refers to the number of individuals within a defined population who do not have access to sufficient food to meet their minimum dietary energy needs. This is computed using the following formula:

$$\text{Pop undernourished} = \text{PoU} \times \text{Population}$$

Figure 17 shows a general rise in the population of undernourished individuals from 2019 to 2023, despite some fluctuations. The number of undernourished people varied between 5 million and 5.8 million during this period, figures that should greatly concern policy makers working to enhance the country's food security.




Figure 17: Evolution of population undernourished in Zambia (2019 – 2023)

3.10. Comparison of Selected Indicators Produced by the Country's FBS Process vs FAOSTAT Results

The Food and Agriculture Organization of the United Nations (FAO) publishes annual FBS results for 187 countries on its FAOSTAT website, with the most recent data covering the period

from 2010 to 2022. In addition, FAO calculates key indicators, which are included in the report "The State of Food Security and Nutrition in the World." In this section, comparison is made between results generated through the FBS compilation process conducted by the country (process undertaken to generate this report) and those generated by FAO. The section is divided into two sub-sections as follows: (i) Comparison of country generated results with FAO results

of DES, proteins and fats supply, and (ii) Comparison of country generated results with FAO results of prevalence of undernourishment.

3.10.1. Comparison of country generated results with FAO results of DES, protein and fats supply

Table 54 provides a comparison between FBS results generated by the country and FAO results of three indicators: (i) dietary energy supply per capita per day, (ii) protein supply per capita per day, and (iii) fats supply per capita per day. As

already stated above, the FBS results generated by FAO were only available up to 2022. Therefore, a four-year period from 2019-2022 was used to compare the two sources of FBS data.

The average DES generated through the country FBS process was 127.72 kcal per capita per day higher than that generated by the FAO. Similarly, the average protein supply per capita per day from the country FBS was 5.75 g greater than the FAO figures. In addition, the average fat supply per capita per day for the country results exceeded the FAO results by 5 g.

Table 54: Comparison of country generated results with FAO results of DES, proteins and fats supply

Source of results	2019	2020	2021	2022	Average
Zambia	2322	2317	2384	2310	2333.25
FAOSTAT	2243	2222.5	2198.6	2158	2205.53
Zambia	48	42	44	44	44.50
FAOSTAT	43	42	44	44	43.25
Zambia	48	46	55	53	50.50
FAOSTAT	44	44	47	47	45.50

The difference in the two sets of results could be attributed to two factors. First, the FAO results used population figures drawn from UNPD projections while the country results used official/national population data from ZamStats. The population estimates used by the country were lower than those used by FAO by an average

difference of 880,250 people (Table 55). Since population figures are used to compute the indicators on a per capita basis, this could explain why the FAO values of DES, protein and fat supply were lower than those generated by the country.

Table 55: Comparison of population estimates used by the country FBS process with FAOSTAT estimates

Year	Population ('000)		
	Country	FAOSTAT	Difference (FAOSTAT-country)
2019	17381.00	18380.48	999.48
2020	17885.00	18927.72	1042.72
2021	18401.00	19473.13	1072.13
2022	19611.00	20017.67	406.67
Average	18319.50	19199.75	880.25

The second reason for the difference in the three indicators generated by the two sources was due to the difference in data used to compute the food supply estimates to derive the indicators. To illustrate this point, production and food loss data of selected commodities used by the two sources of FBS results were compared. In the case of production data (Table 56), for example, the FAO used production figures which were consistently lower than data used by the country for commodities such as refined sugar and pig meat. The average production of refined sugar used by FAO was 408,000 tonnes lower than that for the country FBS. Pig meat average production data used by FAO was also less than data used by the country by 11,000 tonnes. However, there

were other commodities for which the FAO used production data that was higher than data used by the country. These commodities include bovine meat (FAO data was higher than country data by 136,000 tonnes on average) and eggs (FAO data was on average higher by 49,000 tonnes). There was yet another set of commodities for which production data used by the two sources of FBS data were basically the same. An example is beans for which the difference between FAO and country data was negligible or zero during the period 2020-2022. The only exception when production data for beans was very different between the two sources of FBS results was in 2019, a year when the FAOSTAT website did not capture production data for beans.

Table 56: Comparison of production data ('000 tonnes) of selected commodities: country vs FAO

Commodity	Source	2019	2020	2021	2022	Average
Refined sugar	Country	724	749	695	527	674
	FAOSTAT	236	278	249	298	265
	Difference (FAOSTAT-Country)	-487	-471	-446	-229	-408
Beans	Country	62	49	55	60	56
	FAOSTAT		51	55	60	55
	Difference (FAOSTAT-Country)		2	0	0	1
Pig meat	Country	43	38	37	38	39
	FAOSTAT	28	30	28	24	28
	Difference (FAOSTAT-Country)	-15	-8	-9	-14	-11
Bovine meat	Country	49	50	57	61	54
	FAOSTAT	191	199	188	181	190
	Difference (FAOSTAT-Country)	142	149	132	120	136
Eggs	Country	19	18	18	14	17
	FAOSTAT	66	66	66	66	66
	Difference (FAOSTAT-Country)	47	49	49	53	49

In terms of losses (Table 57), there were commodities where the average difference in loss data was negligible or completely zero (wheat and sweet potatoes). On the other hand, losses in commodities such as maize were significantly huge with the average difference in losses between the country data and FAO data

computed as 149,000 tonnes. There was also a case where the difference in loss data was primarily because of missing data on losses from one of the sources of FBS results. For example, the FAO did not report loss data for beans, but the country had data on losses in beans.

Table 57: Comparison of food loss data ('000 tonnes) of selected commodities: country vs FAO

Commodity	Source	2019	2020	2021	2022	Average
Wheat	Country	6	8	10	14	9
	FAOSTAT	9	10	10	12	10
	Difference (FAOSTAT-Country)	3	2		-2	1
Maize	Country	179	305	324	241	262
	FAOSTAT	162	102	109	81	113
	Difference (FAOSTAT-Country)	-17	-203	-215	-160	-149
Sweet potatoes	Country	10	7	14	10	10
	FAOSTAT	9	7	14	9	10
	Difference (FAOSTAT-Country)	-1		1	-1	
Beans	Country	3	3	3	3	3
	FAOSTAT					
	Difference (FAOSTAT-Country)	-3	-3	-3	-3	-3

Therefore, the difference in data such as production and food loss could have contributed to the disparity in FBS results between the two sources.

3.10.2. Comparison of country generated results with FAO results of Prevalence of Undernourishment

The country generated annual PoU results for the period 2019-2023. The FAO, on the other hand, did not publish annual PoU results during the period under review. The PoU results available from FAO were moving averages for the periods 2019 – 2021 and 2020 – 2022. To facilitate comparison between the country and FAO

results, adjustments were made to the country generated results by computing averages that aligned with the periods used for the FAO moving averages.


PoU results generated by FAO versus country generated results are reported in Table 58. For the period 2019-2021, the difference between the PoU generated by FAO and the country generated PoU was 2.2 percentage points. The difference reduced to 0.9 percentage points during the period 2020-2022. The difference in the PoU estimates could be attributed to (i) the different population estimates used by the two sources, and (ii) difference in DES generated by the 2 sources.

Table 58: Comparison of PoU (%) results: FAO vs Country

	FAO	Country
2019-2021	30.9	28.7
2020-2022	29.8	28.9

Despite the differences in PoU highlighted above, both the FAO and country generated PoU results fell within the PoU threshold of high prevalence of undernourishment (25-35%). This suggests that the process used to generate PoU results

by the country was robust enough to come up with similar conclusions like a source that is extensively used (FAOSTAT).



**CHAPTER 4: CONSTRAINTS,
LESSONS LEARNT AND
RECOMMENDATIONS**

4.1 Constraints

While compiling the Zambia FBS results for the period 2019 - 2023, a few constraints were encountered, which threatened the effective and timely delivery of a comprehensive FBS. These included:

- i. **Limitations in data availability** – The preparation of SUA basic data files required information from several sources. Generally, data for most commodities captured in household surveys and administrative systems by ZaMstats, MoA and MFL was readily available. However, some commodities that had limited or no data. For example, the production of fruits and vegetables is not included in the CFS. The only nationwide dataset available for reference was the longitudinal dataset from the Rural Agricultural Livelihoods Survey (RALS) conducted by the Indaba Agricultural Policy Institute (IAPRI) in collaboration with MoA and MFL. The challenge is that the only wave of RALS collected during the reference period of this FBS compilation was from 2019. In addition, the RALS focused exclusively on smallholder farmers, excluding, large-scale farms involved in fruits and vegetables production. To address this limitation, imputations were made using the 2019 RALS data, which may introduce some inaccuracies. Other SUA files with limited or missing data included seed quantities, laying chickens, disaggregated data on fish species, informal re-exports, nutritive factors, and information on industrial use of some products.
- ii. **Delays in responding to data requests** – In some cases where data was available, it was not shared in a timely manner. This was mainly because the people responsible for providing the requested data had other equally important assignments, which caused delays in compiling the information in a shareable format. In addition, concerns about data confidentiality significantly impacted the release of data, particularly in

industries with few players.

- iii. **Challenges in the timing of the national training workshop on FBS compilation** – The national training workshop on FBS compilation and the generation of preliminary FBS results was planned during the development of the roadmap in October 2023 to ensure that members appointed to the FBS_TWG had ample notice to attend. However, the training coincided with the commencement of the CFS, resulting in some members being unable to participate fully. In addition, the drought affecting the 2023/24 farming season caused some participants to miss sessions in order to attend meetings regarding the situation. Although mitigation measures were implemented to help those who missed part of the training catch up, the significant gaps in their attendance further delayed the generation of preliminary FBS results.

4.2. Lessons Learnt

Despite the constraints highlighted above, the comprehensive FBS compilation was successfully completed, yielding few lessons from the process, including the following:

- i. The establishment of the FBS_TTWG was an important step in the process, ensuring representation from sectors for the successful compilation of the SUA basic data. Members were assigned tasks, which they carried out to the best of their abilities. They shared expertise on compiling basic data, managing inconsistencies, and estimating or imputing missing values. With support from the international and national consultants, the Team effectively addressed various data challenges, ultimately enhancing the accuracy of the data submitted in the SUA basic data files.
- ii. The challenges of data inconsistencies, missing information and slow responses from data providers indicated to the FBS_TWG the necessity of starting the data collection process in good time.
- iii. The FBS provides insight into food security

and agricultural situation in the country. As already alluded to, Zambia has an established CBS that serves as a crucial forecasting tool for estimating deficits or surpluses in key commodities like maize. The compilation of the comprehensive FBS has expanded the number of indicators available for effective policy decision making. These indicators include food supply per capita per year, DES per capita, daily protein supply per capita, daily fats supply per capita and supply of minerals and vitamins. Other key indicators include SSR, IDR, FLI and PoU. The FLI and PoU are included to monitor progress towards important SDGs.

4.3. Conclusion and Recommendations

With technical and financial assistance from the AfDB, the MoA, MFL and ZamStats successfully compiled comprehensive FBS for the period 2019 – 2023. This unprecedented achievement has established a solid foundation for the country to generate key indicators beneficial to stakeholders in both the private and public sectors. This is especially crucial for promoting investments that enhance the food security, improve health outcomes for the Zambian population, guide the country toward self-sufficiency in key commodities, and achieve relevant SDG targets before 2030.

To ensure the sustainability of the FBS compilation process in Zambia and to guide policy, several recommendations are proposed:

- i. Members of the FBS_TWG who missed the training on the FBS Compilation Tool must undergo training to increase the number of staff familiar with the Tool. With minimal support, those who completed the full training can orient others.
- ii. The FBS_TWG should be expanded to include additional strategic partners that could assist in data collection, such as commodity associations and policy think tanks.
- iii. To gain support from policy makers, the CBS should not be completely abandoned due to its critical role in forecasting surplus or deficits of key commodities such as maize. Therefore, the comprehensive FBS and CBS should be conducted simultaneously, as both contribute valuable insights necessary for decision making in the short, medium and long term.
- iv. To address the missing data for the compilation of FBS, it is recommended that the CFS, PHS and other relevant surveys include modules to capture this data. Further, strengthening collaboration with organizations that collect data relevant to the FBS process is essential to mitigate delays in data access.
- v. The FBS results in this document indicate that Zambia's dietary energy supply performance was good compared to global trends during the reporting period, even though the country continues to face significant food insecurity. While it may seem counterintuitive to have a high dietary energy supply alongside high food insecurity, this situation is not uncommon. Zambia's dietary energy supply is mainly derived from cereals and starchy roots, which likely inflates the estimates of this indicator relative to global figures. Furthermore, dietary energy supply is only one component of food security. Other important factors include nutrient quality, food safety, access and affordability, stability and reliability, and cultural acceptability. Therefore, it is possible to experience both high DES and food insecurity at the same time. This disparity requires further investigation, particularly by researchers in the field.
- vi. Other important micronutrients, such as iodine and vitamin B12, were not included in the report because Zambia currently lacks the necessary related conversion factors. Once these factors become available, future FBS reports should incorporate results and analysis of relevant micronutrients that were omitted in this report.
- vii. Some food products, such as fish


(including kapenta) and seafood, have not been included in the estimates of daily micronutrients supply (iron, calcium and vitamins) due to the unavailability of relevant conversion factors for these computations. Therefore, it is recommended that once

these conversion factors are available, future FBS reports should include fish and seafood contributions to daily calcium and iron supply.

REFERENCES

1. Data4Diets: Building Blocks for Diet-related Food Security Analysis, Version 2.0. (2023). Tufts University, Boston, MA. <https://index.nutrition.tufts.edu/data4diets>. Accessed on 26 March 2024.
2. Food and Agricultural Organization/World Health Organization/United Nations University. (2007). Protein and amino acid requirements for human nutrition. Report of a Joint FAO/WHO/UNU Expert consultation. UN University, Geneva: 2007. <https://iris.who.int/handle/10665/43411>
3. Food and Agriculture Organization (FAO) of the United Nations. (2017). *The State of Food Security and Nutrition in the World 2017*. Building resilience for peace and food security. Rome, FAO.
4. Food and Agriculture Organization (FAO) of the United Nations. (2020). *The State of Food Security and Nutrition in the World 2020*. Transforming food systems for affordable healthy diets. Rome, FAO.
5. Food and Agriculture Organization (FAO) of the United Nations. (2022). The State of Food Security and Nutrition in the World. <https://www.fao.org/3/cc0639en/cc0639en.pdf>
6. Food and Agriculture Organization (FAO) of the United Nations. (2023). The State of Food Security and Nutrition in the World. <https://www.fao.org/3/cc3017en/cc3017en.pdf>
7. Food and Agriculture Organization (FAO) of the United Nations. (2024). *Food Balance Sheets 2010-2022*. Global, regional and country trends.
8. Guidelines for the compilation of Food Balance Sheets. October 2017. Available at: <http://gsars.org/en/guidelines-for-the-compilation-of-food-balance-sheets/>
9. African Development Bank Group. (2019). User Manual for the Compilation of Food Balance Sheets with FBS Compilation Tool.
10. Indaba Agricultural Policy Research Institute. (2012). Rural Agricultural Livelihoods Surveys. Lusaka, Zambia: IAPRI.
11. Indaba Agricultural Policy Research Institute. (2013). Rural Agricultural Livelihoods Surveys. Lusaka, Zambia: IAPRI.
12. Indaba Agricultural Policy Research Institute. (2019). Rural Agricultural Livelihoods Surveys. Lusaka, Zambia: IAPRI.
13. International Trade Centre (ITC). (2020). Trade Map.
14. Institute of Medicine. (1997). *Dietary Reference Intakes for Calcium, Phosphorus, Magnesium, Vitamin D, and Fluoride*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/5776>.
15. Institute of Medicine (1998). Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B, Folate, Vitamin B, Pantothenic Acid, Biotin, and Choline. Washington (DC): National Academies Press (US); 1998. PMID: 23193625.
16. Institute of Medicine (2000). Dietary Reference Intakes for Vitamin C, Vitamin E, Selenium, and Carotenoids. Washington (DC): National Academies Press (US); 2000. PMID: 25077263.
17. Institute of Medicine (2001). Dietary Reference Intakes for Vitamin A, Vitamin K, Arsenic, Boron, Chromium, Copper, Iodine, Iron, Manganese, Molybdenum, Nickel, Silicon, Vanadium, and Zinc. Washington (DC): National Academies Press (US); 2001. PMID: 25057538.
18. Institute of Medicine. (2005). *Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/10925>.
19. Institute of Medicine. 2006. Dietary Reference Intakes: *The Essential Guide to Nutrient Requirements*. Washington, DC: The National Academies Press. <https://doi.org/10.17226/11537>
20. Ministry of Agriculture and Zambia Statistics Agency. (Various years). Crop Forecast Survey. Lusaka: MoA and ZamStats.
21. Nyirenda, D.B., Musukwa, M., Mugode R.H., Shindano. J. (2009). *Zambia Food Composition*

- Tables*. 4th ed. Lusaka, Zambia: National Food and Nutrition Commission. Available at: <https://nfnc.org.zm/download/zambia-food-composition-tables-4th-edition/>
22. Our World in Data. (2024). Daily supply of calories per person. Retrieved from: <https://ourworldindata.org/grapher/daily-per-capita-caloric-supply>
 23. Roser, M., H. Ritchie, and P. Rosado (2013) - "Food Supply" Published online at OurWorldinData.org. Retrieved from: <https://ourworldindata.org/food-supply>
 24. Technical conversion factors for agricultural commodities. Available at: <http://www.fao.org/fileadmin/templates/ess/documents/methodology/tcf.pdf>
 25. United Republic of Tanzania. (2019). National Food Balance Sheets Report (2014-2017). Available at: <https://www.afdb.org/en/documents/tanzania-national-food-balance-sheets-report-2014-2017>
 26. World Health Organization. (2018). Fats and fatty acids in human nutrition: Report of an expert consultation. FAO Food and Nutrition Paper, 91.
 27. World Trade Organization (WTO). (2020). World Trade Report.
 28. Zambia Statistics Agency (ZamStats) [Zambia], Ministry of Health (MOH) [Zambia], and ICF. (2019). Zambia Demographic and Health Survey 2018: Key Indicators. Rockville, Maryland, USA: Central Statistical Office, Ministry of Health, and ICF.



shutterstock

ANNEXES

shutterstock

LarysaPol

shutterstock



Annex 1 – Methodology for estimating Food Loss Index (FLI)

This is a brief description of the methodology on how to estimate the Food Loss Index (FLI). The details can be accessed in FAO (2018). The FLI is a composite index for essential products in the production of a country. The aggregate index is used for national, global, and international monitoring of progress accomplished for achieving the Target 3 of SDG 12. In addition, countries can calculate, if needed basic data are available, FLIs to disaggregated level, by geographic area or by agro-ecological zone, or at different links of the value chain (farms, transport, markets, processors etc.). Then the FLI of all countries can be aggregated to obtain the Global Food Loss Index (GFLI).

The calculation of the Global Food Loss Index follows therefore following steps:

1. Choice of a base year;
2. Selection of the basket of goods and compilation of the weight of each good at the base year;
3. Estimated loss percentages for each product and Food Loss Percentage (FLP) in the country;
4. Comparison of FLPs over time and calculating the FLI;
5. Aggregation of FLIs to deduct GFLI.

Selection of the basket of goods

The selection of products is done taking into account national targets. Indeed, it is difficult to find loss estimates for all products consumed in all countries for timer the Global Index and facilitate international comparisons. Since dietary diversity and achieving food security are the key priorities targeted through the calculation of the FLI, the basket must contain a structured set of product headings covering many facets of a typical diet. These headings are the following: (1) Cereals & Pulses, (2) Fruits & Vegetables, (3) Roots & Tubers and Oil-Bearing crops, (4) Animals Products, and (5) Fish and Fish Products). 10 products are recommended to be selected in these different headings.

The international recommendation is to constitute the 5 groups and choose two products in each group. The method of selection of products, which is internationally followed, is to rank the value of the production of the products by country and by group and choose the two products which have the highest production value in the group. The selection process is based on the international dollar value of commodities in the base year.

At the national level, countries can use their own set of values or quantities and their prices, or use different criteria based on policies, provided that the main headings are covered. Once the basket of products is chosen, this basket remains fixed at the national/global levels to allow comparisons over time. In addition, FAO explains that:

- The headings correspond to basic food groups and dietary needs. Each country therefore should have at least one priority product in each heading.
- Product loss levels within headings should be broadly similar, within countries, while average losses between categories will be systematically different. For example, the variation of losses in fruits is higher than those in grains, but within grains losses may be similar.

Estimated percentages of losses of each commodity and FLP

Once the basket of commodities has been chosen, the next step is to calculate loss percentages. The losses are expressed as a percentage of the total of Production + Import. The choice of percentages instead of loss values are justified by the fact that the percentages are relatively stable over time as opposed to values. For each product, the percentage of loss L_{ijt} by country (i), commodity (j) and year (t) is either estimated or observed.

These percentages can be obtained through surveys of farmers by including modules in the survey on post-harvest losses and estimate percentages losses according to certain methodologies as proposed in the International Guidelines related to it. The Food Loss Percentage (FLP) therefore provides the average level of loss and can help countries to assess the level and extent of food losses of their country compared to others, or in an international context.

It is calculated using the following formula:

$$FLP_t = \frac{\sum_j L_{jt} * (q_{jt_0} * p_{jt_0})}{\sum_j (q_{jt_0} * p_{jt_0})}$$

Where:

L_{jt} = loss percentage (estimated or observed) for commodity j in year t;

t_0 = the base year;

q_{jt_0} = Production plus Imports for commodity j in the base year;

p_{jt_0} = International dollar price for commodity j in the base year.

Calculation of the Food Loss Index (FLI)

The country-level indices (FLI) are simply equal to the ratio of the Food Loss Percentage in the current period and the FLP in the base period multiplied by 100.

$$FLI_t = \frac{FLP_t}{FLP_{t_0}} \times 100$$

While that the FLP_t is the country's food loss percentage in year t, The related FLI_t shows how much losses move from the baseline value equal to 100 in the base year.

Annex 2 – Methodology for estimating Prevalence of Undernourishment (PoU)

The FAO prevalence of undernourishment (PoU) indicator monitors progress towards Millennium Development Goal target 1C of halving, between 1990 and 2015, the proportion of people suffering from hunger. Estimates of the number of undernourished (NoU) calculated by multiplying the PoU by the size of the reference population are used to monitor progress towards the World Food Summit goal of reducing by half the number of people suffering from undernourishment.

The PoU indicator is defined as the probability that a randomly selected individual from the reference population is found to consume less than his/her calorie requirement for an active and healthy life. It is written as:

$$PoU = \int_{x < MDER} f(x) dx$$

Where $f(x)$ is the probability density function of per capita calorie consumption.

The parameters needed for the calculation of the indicator are: the mean level of dietary energy consumption (DEC); a cut-off point defined as the Minimum Dietary Energy Requirement (MDER); the coefficient of variation (CV) as a parameter accounting for inequality in food consumption; and a skewness (SK) parameter accounting for asymmetry in the distribution. The DEC as well as the MDER are updated annually, with the former calculated from the FAO Food Balance Sheets. The MDER is calculated as a weighted average of energy requirements according to sex and age class and is updated each year from UN population ratio data. The inequality in food consumption parameters is derived from National Household Survey data when such data is available and reliable. Due to the limited number of available household surveys, the inequality in food access parameters is updated much less frequently over time than the DEC and MDER parameters.

To implement this methodology, it is necessary to: (i) choose a functional form for the distribution of food consumption $f(x)$; (ii) identify values for the three parameters, that is, for mean food consumption (DEC), its variability (CV) and its asymmetry (SK); and (iii) compute the MDER threshold. The probability density function used to infer the habitual levels of dietary energy consumption in a population, $f(x)$, refers to a typical level of daily energy consumption during a year. As such, $f(x)$ does not reflect the possible implications of insufficient food consumption levels that may prevail over shorter periods. Both the probability distribution $f(x)$ and the MDER threshold are associated with a representative individual of the population, of average age, sex, stature and physical activity level.

Functional Form

The FAO methodology for the calculation of the prevalence of undernourishment uses a probability framework in which the distribution of per capita calorie consumption of the representative individual is characterized. The use of such a framework is necessary, as data typically are not available on individual food consumption and requirements, but rather for household acquisition. Starting with the estimates of undernourishment produced for the Sixth World Food Survey in 1996, the distribution was assumed to be lognormal. This model is very convenient for the purposes of analysis, but has limited flexibility, especially in capturing the skewness of the distribution.

As part of the revisions made for the 2012 edition of The State of Food Insecurity in the World Report, the methodology moved away from the exclusive use of the two parameter lognormal distribution to adopt the more flexible three parameter skew-normal and skew- lognormal families [3]. In the case of the lognormal distribution, the skewness can be written as function of the CV as:

$$SK = (CV^2+3) * CV \quad (1)$$

This implies that the SK for the lognormal distribution is completely determined by the CV derived from household survey data. The flexibility gained from the additional parameter allows for independent characterization of the asymmetry of the distribution. The skew-normal distribution can be considered a generalization of the normal distribution that can account for departures from normality to a certain degree, corresponding to skewness values within the approximate range (-0.995, 0.995). The distribution cannot be evaluated at higher levels of asymmetry, and so ways to deal with higher degrees of skewness need to be found. One solution is to consider only the restricted range of the skewed-normal distribution in the calculation of the PoU. Another solution is to add another level of flexibility in which the functional form for the distribution itself is allowed to change, based on the level of asymmetry in the data. The identification of the appropriate combination of functional forms as well as the level of asymmetry at which to change functional forms motivates the investigations below.

The simplest way to handle skewness outside of the range of the skewed-normal distribution is to place a ceiling on the SK parameter (such as 0.99) and to use this limit for higher degrees of asymmetry. The implementation of this approach (referred to as **Function 1**) – in (a) the PoU is shown as a function of the SK parameter with the other parameters fixed (DEC equal to 2000, MDER equal to 1800, and CV equal to 0.35) and in (b) the density function is shown the with the same parameters fixed but with the SK equal to zero (corresponding to the normal distribution), 0.75, and 0.99 (the ceiling). High levels of asymmetry in the data may indicate that the skew-normal distribution is not the appropriate model, and alternative criteria for the selection of the functional form are described below.

As a first alternative to the application of the skewed-normal distribution described above, consider replacing the ceiling with a new value W, and evaluating the log-normal distribution for skewness values higher than W. If we denote the PoU evaluated using the lognormal distribution as PoULN, we can write this criterion for the choice for the distribution (**Function 2**) as:

$$PoU = PoULN (DEC, CV, SK, MDER), SK \geq W \quad (2a)$$

$$PoU = PoUSN (DEC, CV, SK, MDER), SK < W \quad (2b)$$

Although the two different functional forms for the distribution do allow for a wider range of levels of asymmetry to be captured, discontinuities in the PoU occur as the functional form transitions from one to the other. An intermediate distribution may help to link such a gap, and this is the motivation behind the criterion below for the choice of the functional form.

As a modification of the criterion described above, consider using the log-skewed-normal distribution² (denoted by PoULSN) as an intermediate between the transition of the functional form from the skewed-normal to the log-normal, as written below:

$$PoU = PoU_{LN} (DEC, CV, SK, MDER), SK \geq (CV^2 + 3) CV \quad (3a)$$

$$PoU = PoU_{LSN} (DEC, CV, SK, MDER), W < SK < (CV^2 + 3) CV \quad (3b)$$

$$PoU = PoU_{SN} (DEC, CV, SK, MDER), SK < W \quad (3b)$$

In the criterion written above (Function 3), the skewness implied theoretically by the lognormal is used both as a floor for the application of the lognormal and as a ceiling for the application of the log-skewed-normal. The fixed switch point W is used as a floor for the application of the log-skewed-normal and as a ceiling for the application of the skewed-normal.

Estimating and projecting mean food consumption

To compute per capita DEC in a country, FAO has traditionally relied on Food Balance Sheets, which are available for more than 180 countries. This choice was due mainly to the lack, in most countries, of suitable surveys conducted regularly. Through data on production, trade and utilization of food commodities, the total amount of dietary energy available for human consumption in a country for a one-year period is derived using food composition data, allowing computation of an estimate of per capita dietary energy supply.

During the revision for *The State of Food Insecurity in the World 2012* a parameter that captures food losses during distribution at the retail level was introduced in an attempt to obtain more accurate values of per capita consumption. Region-specific calorie losses were estimated from data provided in a recent FAO study and ranged from 2 percent of the quantity distributed for dry grains, to 10 percent for perishable products such as fresh fruits and vegetables.

Estimating the MDER threshold

To calculate the MDER threshold, FAO employs normative energy requirement standards from a joint FAO/WHO/United Nations University expert consultation in 2001. These standards are obtained by calculating the needs for basic metabolism – that is, the energy expended by the human body in a state of rest – and multiplying them by a factor that takes into account physical activity, referred to as the physical activity level (PAL) index.

As individual metabolic efficiency and physical activity levels vary within population groups of the same age and sex, energy requirements are expressed as ranges for such groups. To derive the MDER threshold, the minimum of each range for adults and adolescents is specified on the basis of the distribution of ideal body weights and the mid-point of the values of the PAL index associated with a sedentary lifestyle. The lowest body weight for a given height that is compatible with good health is estimated from the fifth percentile of the distribution of body mass indices in healthy populations.

Once the minimum requirement for each sex-age group has been established, the population-level MDER threshold is obtained as a weighted average, considering the relative frequency of individuals in each group as weights. The threshold is determined with reference to light physical activity, normally associated with a sedentary lifestyle. However, this does not negate the fact that the population also includes individuals engaged in moderate and intense physical activity. It is just one way of avoiding the overestimation of food inadequacy when only food consumption levels are observed that cannot be individually matched to the varying requirements.

A frequent misconception when assessing food inadequacy based on observed food consumption data is to refer to the mid-point in the overall range of requirements as a threshold for identifying inadequate energy consumption in the population. This would lead to significantly biased estimates: even in groups composed of only well-nourished people, roughly half of these individuals will have intake levels below mean requirements, as the group will include people engaged in low physical activity. Using the mean requirement as a threshold would certainly produce an overestimate, as

all adequately nourished individuals with less than average requirements would be misclassified as undernourished.

FAO updates the MDER thresholds every two years based on regular revisions of the population assessments of the United Nations Population Division and data on population heights from various sources, most notably the Monitoring and Evaluation to Assess and Use Results of Demographic and Health Surveys project coordinated by the United States Agency for International Development (USAID). This edition of The State of Food Insecurity in the World uses updated population estimates from the 2012 revision published by the United Nations Population Division in June 2013. When data on population heights are not available, reference is made either to data on heights from countries where similar ethnicities prevail, or to models that use partial information to estimate heights for various sex and age classes

Annex 3 - Terms of Reference of the FBS Thematic Technical Working Groups (FBS_TTWG)

The FBS_TTWG is responsible of the production of necessary basic data for FBS compilation within each respective sub-sector. The tasks of each FBS_TTWG are as follows:

- a. Producing on time the basic data which are necessary for the compilation of FBS;
- b. Making a follow up, so that the produced basic data is validated on time by the appropriate usual validation mechanism before the period set for the compilation of Food Balance Sheets;
- c. Checking the consistency of basic data and address any inconsistency that may be raised; and
- d. Submitting the Supply Utilization Account (SUA) basic data (including all metadata, the methodologies used for estimation of missing data) to the Focal Points.

The following qualifications are required for FBS_TTWG members:

- a. Have a good knowledge of own sector (crops, livestock, fisheries, etc.)
- b. Have basic knowledge of MS Office Package, particularly Excel and Word.

Annex 4 – Composition, membership and role of FBS Thematic Technical Working Group (FBS_TTWG)

No	Area	Name of Institution	Position	Role
FBS_TTWG1 (Crops)				
1	Crop Statistics	MoA	Senior Agricultural Economist	Focal Point
2	Crop Statistics	MoA	Economist	Member
3	Crop Statistics	MoA	Senior Statistical Officer	Member
4	Agriculture Statistics	ZamStats	Statistician	Member
FBS_TTWG2 (Livestock)				
5	Livestock Statistics	MFL	Principal Livestock Production Officer	Focal Point
6	Livestock statistics	MFL	Senior Economist	Member
7	Agriculture Statistics	ZamStats	Statistician	Member
FBS_TTWG3 (Fisheries)				
8	Fisheries statistics	MFL	Principal Statistician	Focal Point
9	Fisheries Statistics	MFL	Fisheries Statistician	Member
10	Agriculture Statistics	ZamStats	Statistician	Member
FBS_TTWG4 (Cross-Cutting)				
11	Trade Statistics	ZamStats	Statistician	Focal Point
12	National Account	ZamStats	Statistician	Member
13	Prices	ZamStats	Statistician	Member
14	Food Consumption	ZamStats	Principal Statistician	Member
15	Industrial production	ZamStats	Principal Statistician	Member
16	Tourism Statistics	Directorate of Immigration	Head Research and Planning	Member
17	Nutrition	MoA	Principal Food and Nutrition Officer	Member

Annex 5 - Terms of Reference of the FBS Core Team

The FBS Core Team is responsible for compiling SUA/FBS basic data received from FBS_TTWG and generating FBS results. The tasks of this Team are as follows:

- a. Compiling SUA/FBS basic data received from Thematic Technical Working Groups;
- b. Checking the consistency of collected SUA/FBS basic data, and notifying the concerned FBS_TTWG Focal Point of any inconsistency identified so that it can be appropriately addressed;
- c. Making a regular follow up so that the FBS_TTWG can submit the SUA/FBS basic data on time;
- d. Mapping trade statistics data from HS classification to CPC;
- e. Uploading the collected basic data into the Food Balance Sheets Compilation Tool;
- f. Generating Food Balance Sheets preliminary results;
- g. Checking and identifying any inconsistencies related to the generated FBS preliminary results and addressing them;
- h. Strengthening on regular basis the capacity of FBS_TTWG members on the methodology and process of Food Balance Sheets compilation;
- i. Preparing the Food Balance Sheets analysis report;
- j. Reporting on its work to the FBS Technical Working Group (FBS_TWG); and
- k. Securing and archiving the FBS database and results.

The following qualifications are required for any FBS Core Team member:

- a. Having a good knowledge of Microsoft Office Package, particularly Word, Excel, and Power Point;
- b. Having a good writing skills;
- c. Having a good knowledge of the National Agricultural Statistics System;
- d. Having ability to lead training workshops; and
- e. Having a good background in statistics and/or economics/agroeconomics.

Annex 6 – Composition, membership and role of FBS Core Team

No	Area	Name of Institution	Position	Role
1	Crops Statistics	MoA	Senior Agricultural Economist	FBS Focal Point and FBS Core Team Chair
2	Agriculture Statistics	ZamStats	Principal Statistician	FBS Focal Point and FBS Core Team Co-chair
3	Crops Statistics	MoA	Economist	Member
4	Trade and Agriculture Statistics	ZamStats	Statistician	Member
5	Fisheries and Livestock Statistics	MFL	Principal Statistician	Member

Annex 7 - Terms of Reference of the FBS Technical Working Group for Food Balance Sheets compilation (FBS_TWG)

The main role of the FBS_TWG is to coordinate the FBS work and technically validate the FBS results. The different tasks to be undertaken by the FBS_TWG are described as follows:

- a. Validating SUA/FBS basic data as well as Technical Conversion Factors (nutrient factors, extraction rates, seed rate, feed ratios, loss ratios, carcass weight, etc.);
- b. Discussing/reviewing and technical validating FBS preliminary results and related reports;
- c. Regularly monitoring the progress of FBS compilation and reporting to the National Stocks Monitoring Committee;
- d. Giving any technical guidance to the FBS Core Team, in order to improve the quality of FBS.

The members of FBS_TWG must meet the following qualifications:

- a. Good knowledge of the National Agricultural Statistics System;
- b. Good knowledge of Microsoft Office Package, particularly Word, Excel, and Power Point); and
- c. Basic knowledge in statistics.

Annex 8 – Composition, membership and role of FBS Technical Working Group (FBS_TWG)

No	Area	Name of Institution	Position	Role
FBS_TWG Chairs				
1	Crops Statistics	MoA	Head of Agricultural Statistics	Chair
2	Agriculture Statistics	ZamStats	Assistant Director/Head of Agricultural Statistics	Co-Chair
FBS CORE TEAM MEMBERS				
3	Crops Statistics	MoA	Senior Agricultural Economist	FBS Focal Point and FBS Core Team Chair
4	Agriculture Statistics	ZamStats	Principal Statistician	FBS Focal Point and FBS Core Team Co-chair
5	Crops Statistics	MoA	Economist	Member
6	Trade Statistics	ZamStats	Statistician	Member
7	Fisheries and Livestock Statistics	MFL	Principal Statistician	Member
FBS_TTWG focal points				
8	Crop Statistics	MoA	Economist	FBS_TTWG1 Focal Point
9	Fisheries Statistics	MFL	Research Officer	FBS_TTWG2 Focal Point
10	Livestock Statistics	MFL	Senior Economist	FBS_TTWG3 Focal Point
11	Trade Statistics	ZamStats	Statistician	FBS_TTWG4 Focal Point
OTHERS				
12	Nutrition	MoA	Principal Food and Nutrition Officer	Member
13	Industrial Production Statistics	ZamStats	Principal Statistician	Member
14	National Accounts Statistics	Zamstats	Statistician	Member
15	Food Consumption	ZamStats	Statistician	Member
16	Crop Statistics	MoA	Senior Statistical Officer	Member

Annex 9: Zambia FBS detailed results – Supply of calories, proteins and fats (2019 – 2023)

ZAMBIA FOOD BALANCE SHEETS 2019											Population ('000): 17 381				
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
1000 Metric Tons											Kg.	Kcal	grams	grams	
Grand total													2 322	48	48
Vegetal prod.													2 223	41	42
Animal prod.													99	6	6
Cereals (excl. beer)	2 242	140	145	-415	2 653	147	132	284	41	1	2 048	118	1 030	26	10
Wheat and products	151	52	74	-100	229	0	6	0	2	0	220	12.7	95	3	0
Barley and products	8	9	1	0	16	16	0	0	0	0	0	0.0	0	0	0
Maize and products	2 004	17	52	-314	2 283	111	120	284	35	1	1 732	99.7	899	22	10
Rye and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oats and products	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Millet and products	25	4	5	0	25	13	2	0	0	0	9	0.5	4	0	0
Sorghum and products	23	1	1	0	24	7	2	0	0	0	14	0.8	7	0	0
Rice & Prod (Milled Equivalent)	30	56	12	-2	76	0	2	0	3	0	71	4.1	25	1	0
Cereals, Others & Products	0	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Starchy roots	4 203	45	1	25	4 222	0	423	0	5	-1	3 794	218.3	564	5	1
Potatoes and products	53	25	0	-9	86	0	6	0	5	0	75	4.3	8	0	0
Cassava and products	4 037	20	0	34	4 022	0	407	0	0	-1	3 616	208.0	537	5	1
Sweet potatoes	113	0	0	0	113	0	10	0	0	0	103	5.9	19	0	0

ZAMBIA FOOD BALANCE SHEETS 2019						Population ('000): 17 381									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Yams	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Roots & Tubers, Other & Prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar crops	1 762	0	0	-1	1 763	1 763	0	0	0	0	0	0.0	0	0	0
Sugar cane	1 762	0	0	-1	1 763	1 763	0	0	0	0	0	0.0	0	0	0
Sugar Beets	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Sweeteners	992	5	278	382	337	12	0	0	0	0	325	18.7	173	0	0
Sugar non-centrifugal	193	0	193	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Prod. (raw equivalent)	798	5	84	382	337	12	0	0	0	0	325	18.7	173	0	0
Sweeteners, other & prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Honey	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses	80	0	11	0	69	0	3	0	6	0	60	3.5	31	2	0
Beans, Dry & Products	62	0	1	0	60	0	3	0	6	0	51	3.0	26	2	0
Peas, Dry & Products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses, Other and products	18	0	10	0	9	0	0	0	0	0	9	0.5	5	0	0
Treenuts	3	0	0	0	3	0	0	0	0	0	3	0.1	1	0	0
Nuts and products	3	0	0	0	3	0	0	0	0	0	3	0.1	1	0	0
Oilcrops	545	6	40	-19	529	232	29	0	39	5	225	12.9	147	7	11
Soyabbeans & Products	282	3	35	-22	272	193	6	0	20	0	54	3.1	32	3	1
Groundnuts (Shelled Eq)	131	2	3	3	126	9	13	0	19	0	85	4.9	49	2	4

ZAMBIA FOOD BALANCE SHEETS 2019						Population ('000): 17 381									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Sunflower seed	34	0	0	0	34	29	0	0	0	0	5	0.3	2	0	0
Rape and Mustardseed	93	0	1	0	92	0	10	0	0	5	78	4.5	61	2	6
Coconuts - Incl Copra	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesame seed	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernels	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olives (including preserved)	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops, Other	4	0	0	0	4	0	0	0	0	0	4	0.2	3	0	0
Vegetable oils	52	116	14	0	154	1	0	0	0	26	127	7.3	178	0	20
Soyabean Oil	36	26	1	0	60	0	0	0	0	0	60	3.5	84	0	9
Groundnut Oil	3	0	0	0	3	0	0	0	0	0	3	0.1	4	0	0
Sunflowerseed Oil	7	3	1	0	10	0	0	0	0	0	10	0.6	14	0	2
Rape and Mustard Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Cottonseed Oil	5	0	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Palmkernel Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palm Oil	1	76	7	0	70	1	0	0	0	26	43	2.5	62	0	7
Coconut Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesameseed Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olive & Residue Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Maize Germ Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops Oil, Other	1	10	5	0	6	0	0	0	0	0	6	0.4	8	0	1
Vegetables	411	106	4	0	513	0	41	0	0	0	472	27.1	21	1	0
Tomatoes and products	176	16	0	0	192	0	18	0	0	0	174	10.0	5	0	0

ZAMBIA FOOD BALANCE SHEETS 2019						Population ('000): 17 381									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Onions, Dry	39	3	0	0	42	0	4	0	0	0	38	2.2	2	0	0
Vegetables, Other & Prod.	195	87	4	0	279	0	19	0	0	0	259	14.9	14	1	0
Fruits (Excluding Wine)	189	54	3	-8	247	0	20	0	0	0	227	13.1	21	0	0
Oranges, Tang-Mand & Prod.	15	11	1	-10	35	0	1	0	0	0	33	1.9	2	0	0
Lemons, Limes and products	3	1	0	0	4	0	0	0	0	0	4	0.2	0	0	0
Grapefruit and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Citrus Fruit nes & prod	0	2	0	0	2	0	0	0	0	0	2	0.1	0	0	0
Bananas	18	5	0	0	23	0	2	0	0	0	20	1.2	4	0	0
Plantains	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Apples and products	0	8	1	0	7	0	0	0	0	0	7	0.4	1	0	0
Pineapples and products	4	6	0	0	10	0	0	0	0	0	10	0.6	1	0	0
Dates	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Grapes and products (excl wine)	0	9	0	0	9	0	1	0	0	0	8	0.5	1	0	0
Fruits, Other & Products	149	11	2	1	157	0	15	0	0	0	142	8.2	12	0	0
Stimulants	1	3	3	0	1	0	0	0	0	0	1	0.1	0	0	0
Coffee and products	1	1	2	0	0	0	0	0	0	0	0	0.0	0	0	0
Cocoa Beans and products	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Tea (including mate)	0	1	0	0	1	0	0	0	0	0	1	0.1	0	0	0
Spices	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Pepper	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pimento	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2019						Population ('000): 17 381									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Cloves	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Spices, other	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Alcoholic beverages	803	61	7	0	858	0	0	0	0	4	854	49.1	54	0	0
Wine	0	3	0	0	3	0	0	0	0	0	3	0.2	0	0	0
Barley Beer	234	49	0	0	283	0	0	0	0	0	283	16.3	19	0	0
Beverages, fermented	564	4	0	0	568	0	0	0	0	0	568	32.7	35	0	0
Beverages, alcoholic	5	2	7	0	0	0	0	0	0	0	0	0.0	0	0	0
Alcohol, non food	0	4	0	0	4	0	0	0	0	4	0	0.0	0	0	0
Meat	138	16	5	0	149	0	0	0	0	1	148	8.5	49	3	3
Meat & Products, Bovine	49	1	0	0	50	0	0	0	0	0	50	2.9	15	1	1
Meat & Prod, Sheep & Goat	15	0	0	0	15	0	0	0	0	0	15	0.9	3	0	0
Meat & Products, Pig	43	1	0	0	45	0	0	0	0	1	44	2.5	21	1	2
Meat & Products, Poultry	30	14	5	0	39	0	0	0	0	0	39	2.2	10	1	0
Meat & Products, Other Anim.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Offals	13	0	0	0	13	0	0	0	0	0	13	0.8	2	0	0
Offals, Edible	13	0	0	0	13	0	0	0	0	0	13	0.8	2	0	0
Animal fats	5	1	0	0	6	0	0	0	0	0	5	0.3	7	0	1
Fats, Animals, Raw	5	0	0	0	6	0	0	0	0	0	5	0.3	7	0	1
Cream	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2019						Population ('000): 17 381									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Milk - Excluding Butter	88	31	15	-4	107	0	4	0	0	0	103	5.9	22	1	1
Milk & Prod (Excluding Butter)	88	31	15	-4	107	0	4	0	0	0	103	5.9	22	1	1
Eggs	19	0	1	0	18	0	0	0	0	0	18	1.0	4	0	0
Eggs and products	19	0	1	0	18	0	0	0	0	0	18	1.0	4	0	0
Fish & sea food	130	8	0	0	138	0	0	0	0	0	138	8	15	2	1
Freshwater fish	130	8	0	0	138	0	0	0	0	0	138	7.9	15	2	1
Miscellaneous	0	17	1	0	16	0	0	0	0	0	16	0.9	2	0	0
Infant food	0	1	0	0	1	0	0	0	0	0	1	0.1	1	0	0
Miscellaneous	0	16	1	0	15	0	0	0	0	0	15	0.8	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
1000 Metric Tons											Kg.	Kcal	grams	grams	
Grand total													2 317	48	46
Vegetal prod.													2 228	41	41
Animal prod.													89	6	6
Cereals (excl. beer)	3 691	224	210	995	2 709	137	113	284	42	4	2 129	119	1 040	26	11
Wheat and products	192	72	35	-10	239	0	8	0	2	2	227	12.7	96	3	0
Barley and products	11	4	3	0	12	11	0	0	0	0	0	0.0	0	0	0
Maize and products	3 387	45	153	978	2 302	94	100	284	37	2	1 784	99.8	901	22	11
Rye and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oats and products	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Millet and products	45	9	9	0	45	26	2	0	1	0	17	1.0	8	0	0
Sorghum and products	20	0	0	0	20	6	2	0	1	0	11	0.6	6	0	0
Rice & Prod (Milled Equivalent)	35	91	8	27	91	0	2	0	2	0	87	4.9	29	1	0
Cereals, Others & Products	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Starchy roots	4 340	44	2	15	4 367	0	424	0	8	0	3 935	220.0	568	5	1
Potatoes and products	80	16	1	-15	110	0	9	0	8	0	93	5.2	10	0	0
Cassava and products	4 115	29	1	30	4 112	0	408	0	0	0	3 704	207.1	534	5	1
Sweet potatoes	145	0	0	0	145	0	7	0	0	0	137	7.7	24	0	0
Yams	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Roots & Tubers, Other & Prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Sugar crops	1 524	0	0	-1	1 525	1 525	0	0	0	0	0	0.0	0	0	0
Sugar cane	1524	0	0	-1	1525	1525	0	0	0	0	0	0.0	0	0	0
Sugar Beets	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Sweeteners	1 039	2	257	430	355	16	0	0	0	10	328	18.4	177	0	0
Sugar non-centrifugal	208	0	195	0	12	0	0	0	0	10	2	0.1	1	0	0
Sugar & Prod. (raw equivalent)	831	2	61	430	343	16	0	0	0	0	326	18.3	176	0	0
Sweeteners, other & prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Honey	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses	79	4	14	1	68	0	3	0	5	0	60	3.3	30	2	0
Beans, Dry & Products	49	1	1	1	49	0	3	0	5	0	41	2.3	20	1	0
Peas, Dry & Products	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Pulses, Other and products	30	0	13	0	17	0	0	0	0	0	17	0.9	9	1	0
Treenuts	3	0	0	0	3	0	0	0	0	0	3	0.2	1	0	0
Nuts and products	3	0	0	0	3	0	0	0	0	0	3	0.2	1	0	0
Oilcrops	582	11	63	-30	560	260	30	0	34	5	231	12.9	145	7	10
Soyabbeans & Products	297	8	58	-33	281	202	6	0	19	0	54	3.0	31	3	1
Groundnuts (Shelled Eq)	127	2	2	4	123	10	13	0	15	0	86	4.8	48	2	4
Sunflower seed	50	0	0	0	50	43	0	0	0	0	7	0.4	3	0	0
Rape and Mustardseed	95	0	2	0	94	0	11	0	0	5	78	4.4	59	2	5

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Coconuts - Incl Copra	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesame seed	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernels	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olives (including preserved)	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops, Other	12	0	0	0	12	6	0	0	0	0	6	0.3	4	0	0
Vegetable oils	58	110	16	0	152	2	0	0	0	21	129	7.2	174	0	19
Soyabean Oil	37	39	1	0	75	0	0	0	0	0	75	4.2	101	0	11
Groundnut Oil	3	0	0	0	3	0	0	0	0	0	3	0.1	3	0	0
Sunflowerseed Oil	11	1	1	0	11	0	0	0	0	0	11	0.6	15	0	2
Rape and Mustard Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Cottonseed Oil	2	0	2	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernel Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	1	0	0
Palm Oil	2	61	8	0	55	1	0	0	0	21	33	1.8	45	0	5
Coconut Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesameseed Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olive & Residue Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Maize Germ Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops Oil, Other	3	9	4	0	8	0	0	0	0	0	7	0.4	9	0	1
Vegetables	421	35	8	0	447	0	42	0	0	0	404	22.6	19	1	0
Tomatoes and products	181	23	6	0	198	0	18	0	0	0	179	10.0	5	0	0
Onions, Dry	39	4	0	0	43	0	4	0	0	0	39	2.2	2	0	0
Vegetables, Other & Prod.	200	8	2	0	206	0	20	0	0	0	186	10.4	12	1	0

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Fruits (Excluding Wine)	204	46	14	-2	238	0	21	0	0	0	217	12.1	19	0	0
Oranges, Tang-Mand & Prod.	14	5	1	-5	23	0	1	0	0	0	21	1.2	1	0	0
Lemons, Limes and products	3	1	0	0	4	0	0	0	0	0	4	0.2	0	0	0
Grapefruit and products	2	0	2	0	0	0	0	0	0	0	0	0.0	0	0	0
Citrus Fruit nes & prod	0	3	0	0	3	0	0	0	0	0	3	0.2	0	0	0
Bananas	18	5	0	0	23	0	2	0	0	0	21	1.2	4	0	0
Plantains	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Apples and products	0	10	1	0	10	0	0	0	0	0	10	0.5	1	0	0
Pineapples and products	4	6	0	0	10	0	0	0	0	0	9	0.5	1	0	0
Dates	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Grapes and products (excl wine)	0	3	0	0	3	0	1	0	0	0	2	0.1	0	0	0
Fruits, Other & Products	163	12	10	3	162	0	15	0	0	0	146	8.2	12	0	0
Stimulants	2	4	3	0	3	0	0	0	0	0	3	0.2	0	0	0
Coffee and products	2	2	2	0	2	0	0	0	0	0	2	0.1	0	0	0
Cocoa Beans and products	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Tea (including mate)	0	1	0	0	1	0	0	0	0	0	1	0.1	0	0	0
Spices	1	2	1	0	2	0	0	0	0	0	2	0.1	1	0	0
Pepper	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pimento	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Cloves	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Spices, other	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Alcoholic beverages	773	79	5	0	846	0	0	0	0	5	841	47.0	52	0	0
Wine	0	29	0	0	29	0	0	0	0	0	29	1.6	3	0	0
Barley Beer	234	43	0	0	277	0	0	0	0	0	277	15.5	18	0	0
Beverages, fermented	535	0	0	0	535	0	0	0	0	0	535	29.9	31	0	0
Beverages, alcoholic	4	1	5	0	0	0	0	0	0	0	0	0.0	0	0	0
Alcohol, non food	0	5	0	0	5	0	0	0	0	5	0	0.0	0	0	0
Meat	131	19	7	0	143	0	0	0	0	0	143	8.0	46	3	3
Meat & Products, Bovine	50	5	1	0	54	0	0	0	0	0	53	3.0	16	1	1
Meat & Prod, Sheep & Goat	15	0	0	0	15	0	0	0	0	0	15	0.8	3	0	0
Meat & Products, Pig	38	1	0	0	38	0	0	0	0	0	38	2.2	18	1	2
Meat & Products, Poultry	28	13	5	0	36	0	0	0	0	0	36	2.0	9	1	0
Meat & Products, Other Anim.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Offals	13	0	0	0	13	0	0	0	0	0	13	0.7	2	0	0
Offals, Edible	13	0	0	0	13	0	0	0	0	0	13	0.7	2	0	0
Animal fats	5	1	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Fats, Animals, Raw	5	1	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Cream	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Milk - Excluding Butter	84	18	19	-4	87	0	4	0	0	0	83	4.6	16	1	1
Milk & Prod (Excluding Butter)	84	18	19	-4	87	0	4	0	0	0	83	4.6	16	1	1

ZAMBIA FOOD BALANCE SHEETS 2020						Population ('000): 17 885									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Eggs	18	0	1	0	17	0	0	0	0	0	17	0.9	4	0	0
Eggs and products	18	0	1	0	17	0	0	0	0	0	17	0.9	4	0	0
Fish & sea food	141	3	0	0	144	0	0	0	0	0	144	8	15	2	1
Freshwater fish	141	3	0	0	144	0	0	0	0	0	144	8.0	15	2	1
Miscellaneous	0	17	2	0	15	0	0	0	0	0	15	0.8	2	0	0
Infant food	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Miscellaneous	0	15	2	0	14	0	0	0	0	0	14	0.8	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
1000 Metric Tons												Kg.	Kcal	grams	grams
Grand total													2 384	49	55
Vegetal prod.													2 302	43	49
Animal prod.													82	6	6
Cereals (excl. beer)	3 954	245	783	432	2 984	132	128	284	45	4	2 391	130	1 133	27	11
Wheat and products	206	86	55	-30	267	0	10	0	3	1	253	13.7	104	3	0
Barley and products	9	5	3	0	11	10	0	0	0	0	1	0.0	0	0	0
Maize and products	3 620	36	692	423	2 541	105	109	284	38	3	2 002	108.8	982	23	11
Rye and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oats and products	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Millet and products	35	13	26	0	22	11	3	0	1	0	7	0.4	3	0	0
Sorghum and products	18	0	0	0	18	5	3	0	0	0	10	0.5	5	0	0
Rice & Prod (Milled Equivalent)	66	102	6	40	122	0	3	0	3	0	116	6.3	38	1	0
Cereals, Others & Products	0	0	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Starchy roots	4 076	59	9	15	4 112	0	402	0	6	0	3 704	201.3	521	5	1
Potatoes and products	62	23	5	-30	110	0	8	0	6	0	96	5.2	10	0	0
Cassava and products	3 799	36	2	44	3 789	0	380	0	0	0	3 409	185.2	477	5	1
Sweet potatoes	214	0	0	0	213	0	14	0	0	0	199	10.8	34	0	0
Yams	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Roots & Tubers, Other & Prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Sugar crops	1 131	0	0	-1	1 132	1 132	0	0	0	0	0	0.0	0	0	0
Sugar cane	1 131	0	0	-1	1 132	1 132	0	0	0	0	0	0.0	0	0	0
Sugar Beets	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Sweeteners	928	2	256	321	353	48	0	0	0	0	305	16.6	163	0	0
Sugar non-centrifugal	124	0	124	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Prod. (raw equivalent)	803	2	131	321	353	48	0	0	0	0	305	16.6	163	0	0
Sweeteners, other & prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Honey	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses	83	0	24	1	59	0	3	0	5	0	51	2.8	26	2	0
Beans, Dry & Products	55	0	13	1	41	0	3	0	5	0	33	1.8	16	1	0
Peas, Dry & Products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses, Other and products	29	0	11	0	18	0	0	0	0	0	18	1.0	10	1	0
Treenuts	3	0	0	0	3	0	0	0	0	0	3	0.1	1	0	0
Nuts and products	3	0	0	0	3	0	0	0	0	0	3	0.1	1	0	0
Oilcrops	770	39	212	-112	709	376	37	0	47	1	249	13.5	152	8	12
Soyabbeans & Products	411	38	180	-112	381	287	9	0	28	0	56	3.1	31	3	1
Groundnuts (Shelled Eq)	174	1	21	-1	154	14	17	0	19	0	104	5.6	57	2	5
Sunflower seed	80	0	10	0	70	69	0	0	0	0	1	0.0	0	0	0
Rape and Mustardseed	98	0	0	0	98	0	10	0	0	1	87	4.8	64	3	6

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Coconuts - Incl Copra	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesame seed	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernels	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olives (including preserved)	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops, Other	7	0	0	0	7	6	0	0	0	0	1	0.0	0	0	0
Vegetable oils	78	127	10	0	195	0	0	0	0	34	161	8.7	211	0	25
Soyabean Oil	52	27	1	0	79	0	0	0	0	0	79	4.3	103	0	12
Groundnut Oil	4	0	0	0	4	0	0	0	0	0	4	0.2	5	0	1
Sunflowerseed Oil	17	1	0	0	17	0	0	0	0	0	17	0.9	23	0	3
Rape and Mustard Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Cottonseed Oil	3	0	3	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernel Oil	0	1	0	0	1	0	0	0	0	0	1	0.0	1	0	0
Palm Oil	0	89	4	0	85	0	0	0	0	32	53	2.9	71	0	8
Coconut Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesameseed Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olive & Residue Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Maize Germ Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops Oil, Other	2	9	2	0	9	0	0	0	0	2	7	0.4	8	0	1
Vegetables	436	17	25	0	429	0	44	0	0	1	384	20.9	18	1	0
Tomatoes and products	187	8	21	0	173	0	19	0	0	1	154	8.4	4	0	0
Onions, Dry	42	2	0	0	45	0	4	0	0	0	40	2.2	2	0	0
Vegetables, Other & Prod.	207	7	4	-1	211	0	21	0	0	0	190	10.3	12	1	0

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Fruits (Excluding Wine)	213	48	38	-1	224	0	21	0	0	0	203	11.0	20	0	0
Oranges, Tang-Mand & Prod.	11	7	1	-1	17	0	1	0	0	0	16	0.8	1	0	0
Lemons, Limes and products	3	2	0	0	5	0	0	0	0	0	5	0.3	0	0	0
Grapefruit and products	3	0	3	0	0	0	0	0	0	0	0	0.0	0	0	0
Citrus Fruit nes & prod	0	3	0	0	3	0	0	0	0	0	3	0.2	0	0	0
Bananas	17	7	0	0	24	0	2	0	0	0	22	1.2	4	0	0
Plantains	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Apples and products	0	11	0	0	11	0	0	0	0	0	11	0.6	1	0	0
Pineapples and products	4	6	0	0	11	0	0	0	0	0	10	0.5	1	0	0
Dates	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Grapes and products (excl wine)	0	3	0	0	3	0	1	0	0	0	3	0.1	0	0	0
Fruits, Other & Products	175	8	33	0	150	0	16	0	0	0	134	7.3	13	0	0
Stimulants	4	3	5	0	2	0	0	0	0	0	2	0.1	0	0	0
Coffee and products	4	2	4	0	1	0	0	0	0	0	1	0.1	0	0	0
Cocoa Beans and products	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Tea (including mate)	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Spices	5	2	6	0	2	0	0	0	0	0	2	0.1	1	0	0
Pepper	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pimento	5	0	5	0	0	0	0	0	0	0	0	0.0	0	0	0
Cloves	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Spices, other	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Alcoholic beverages	813	68	5	0	876	0	0	0	0	6	871	47.3	53	0	0
Wine	0	2	0	0	2	0	0	0	0	0	2	0.1	0	0	0
Barley Beer	286	58	0	0	344	0	0	0	0	0	344	18.7	22	0	0
Beverages, fermented	524	1	0	0	525	0	0	0	0	0	525	28.5	31	0	0
Beverages, alcoholic	3	1	5	0	0	0	0	0	0	0	0	0.0	0	0	0
Alcohol, non food	0	6	0	0	6	0	0	0	0	6	0	0.0	0	0	0
Meat	138	18	7	0	149	0	0	0	0	1	148	8.1	45	3	3
Meat & Products, Bovine	57	3	1	0	59	0	0	0	0	0	59	3.2	16	1	1
Meat & Prod, Sheep & Goat	16	0	0	0	16	0	0	0	0	0	16	0.8	3	0	0
Meat & Products, Pig	37	2	1	0	38	0	0	0	0	0	38	2.1	18	1	2
Meat & Products, Poultry	29	13	6	0	36	0	0	0	0	0	36	2.0	8	1	0
Meat & Products, Other Anim.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Offals	14	0	0	0	14	0	0	0	0	0	14	0.8	2	0	0
Offals, Edible	14	0	0	0	14	0	0	0	0	0	14	0.8	2	0	0
Animal fats	5	0	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Fats, Animals, Raw	5	0	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Cream	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Milk - Excluding Butter	96	22	63	-5	60	0	5	0	0	0	55	3.0	9	0	1
Milk & Prod (Excluding Butter)	96	22	63	-5	60	0	5	0	0	0	55	3.0	9	0	1

ZAMBIA FOOD BALANCE SHEETS 2021						Population ('000): 18 401									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Eggs	18	0	1	0	17	0	0	0	0	0	17	0.9	4	0	0
Eggs and products	18	0	1	0	17	0	0	0	0	0	17	0.9	4	0	0
Fish & sea food	159	2	1	0	160	0	0	0	0	0	160	9	16	3	1
Freshwater fish	159	2	1	0	160	0	0	0	0	0	160	8.7	16	3	1
Miscellaneous	0	16	2	0	14	0	0	0	0	0	14	0.8	2	0	0
Infant food	0	1	0	0	1	0	0	0	0	0	1	0.1	1	0	0
Miscellaneous	0	15	2	0	13	0	0	0	0	0	13	0.7	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
1000 Metric Tons												Kg.	Kcal	grams	grams
Grand total													2 310	51	53
Vegetal prod.													2 215	43	46
Animal prod.													95	8	7
Cereals (excl. beer)	3 063	146	627	-572	3 155	168	100	298	39	3	2 547	130	1 132	27	11
Wheat and products	235	62	64	-75	308	0	14	0	3	2	289	14.7	111	3	0
Barley and products	20	9	9	0	20	19	0	0	0	0	1	0.0	0	0	0
Maize and products	2 706	16	543	-498	2 677	131	80	298	34	1	2 133	108.8	981	23	11
Rye and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oats and products	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Millet and products	24	0	0	0	24	13	2	0	0	0	9	0.4	4	0	0
Sorghum and products	15	0	0	0	15	4	2	0	0	0	8	0.4	4	0	0
Rice & Prod (Milled Equivalent)	62	57	10	1	108	0	1	0	1	0	105	5.4	33	1	0
Cereals, Others & Products	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Starchy roots	3 683	34	2	41	3 673	0	356	0	7	0	3 310	168.8	436	4	1
Potatoes and products	52	4	1	-19	75	0	5	0	7	0	62	3.2	6	0	0
Cassava and products	3 498	30	0	61	3 467	0	341	0	0	0	3 126	159.4	411	4	1
Sweet potatoes	132	0	0	0	132	0	10	0	0	0	122	6.2	19	0	0
Yams	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Roots & Tubers, Other & Prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Sugar crops	846	0	0	0	846	846	0	0	0	0	0	0.0	0	0	0
Sugar cane	846	0	0	0	846	846	0	0	0	0	0	0.0	0	0	0
Sugar Beets	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Sweeteners	749	21	249	160	360	26	0	0	0	7	327	16.7	163	0	0
Sugar non-centrifugal	143	0	133	0	10	0	0	0	0	7	3	0.1	1	0	0
Sugar & Prod. (raw equivalent)	604	21	114	160	350	26	0	0	0	0	325	16.6	162	0	0
Sweeteners, other & prod.	0	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Honey	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses	84	0	14	0	70	0	3	0	6	0	61	3.1	28	2	0
Beans, Dry & Products	60	0	9	0	51	0	3	0	6	0	42	2.1	18	1	0
Peas, Dry & Products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses, Other and products	24	0	5	0	19	0	0	0	0	0	19	1.0	10	1	0
Treenuts	4	1	1	0	4	0	0	0	0	0	3	0.2	1	0	0
Nuts and products	4	1	1	0	4	0	0	0	0	0	3	0.2	1	0	0
Oilcrops	871	5	26	18	832	437	39	0	57	0	299	15.2	169	9	13
Soyabbeans & Products	475	2	18	20	439	333	10	0	36	0	60	3.1	31	3	1
Groundnuts (Shelled Eq)	190	0	5	-3	188	15	19	0	21	0	133	6.8	68	3	6
Sunflower seed	83	0	1	0	82	71	0	0	0	0	11	0.6	5	0	0
Rape and Mustardseed	105	0	0	0	105	0	10	0	0	0	94	4.8	65	3	6

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Coconuts - Incl Copra	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesame seed	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernels	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olives (including preserved)	0	2	1	0	1	1	0	0	0	0	0	0.0	0	0	0
Oilcrops, Other	17	0	1	0	17	17	0	0	0	0	0	0.0	0	0	0
Vegetable oils	90	95	16	0	169	0	0	0	0	18	151	7.7	187	0	21
Soyabean Oil	60	33	0	0	93	0	0	0	0	0	93	4.7	115	0	13
Groundnut Oil	4	0	0	0	4	0	0	0	0	0	4	0.2	5	0	1
Sunflowerseed Oil	18	0	3	0	15	0	0	0	0	0	15	0.8	19	0	2
Rape and Mustard Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Cottonseed Oil	2	0	0	0	2	0	0	0	0	0	2	0.1	2	0	0
Palmkernel Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	1	0	0
Palm Oil	0	52	6	0	46	0	0	0	0	18	29	1.5	36	0	4
Coconut Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesameseed Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olive & Residue Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Maize Germ Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops Oil, Other	6	10	7	0	9	0	0	0	0	0	9	0.4	9	0	1
Vegetables	470	14	32	-2	453	0	47	0	0	2	405	20.6	18	1	0
Tomatoes and products	199	7	26	1	179	0	20	0	0	2	157	8.0	4	0	0
Onions, Dry	47	1	0	0	48	0	5	0	0	0	43	2.2	2	0	0
Vegetables, Other & Prod.	225	6	6	-3	227	0	22	0	0	0	205	10.5	12	1	0

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Fruits (Excluding Wine)	233	58	44	0	248	0	23	0	0	0	225	11.5	21	0	0
Oranges, Tang-Mand & Prod.	11	8	1	0	19	0	2	0	0	0	17	0.9	1	0	0
Lemons, Limes and products	3	1	0	0	5	0	0	0	0	0	4	0.2	0	0	0
Grapefruit and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Citrus Fruit nes & prod	0	4	0	0	4	0	0	0	0	0	4	0.2	0	0	0
Bananas	16	10	0	0	26	0	3	0	0	0	23	1.2	4	0	0
Plantains	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Apples and products	0	16	4	0	12	0	0	0	0	0	12	0.6	1	0	0
Pineapples and products	34	4	26	0	12	0	0	0	0	0	11	0.6	1	0	0
Dates	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Grapes and products (excl wine)	0	3	0	0	3	0	1	0	0	0	2	0.1	0	0	0
Fruits, Other & Products	168	12	13	0	167	0	17	0	0	0	150	7.7	14	0	0
Stimulants	5	3	6	0	2	0	0	0	0	0	2	0.1	0	0	0
Coffee and products	5	2	5	0	1	0	0	0	0	0	1	0.1	0	0	0
Cocoa Beans and products	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Tea (including mate)	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Spices	6	2	6	0	2	0	0	0	0	0	2	0.1	1	0	0
Pepper	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pimento	6	0	6	0	0	0	0	0	0	0	0	0.0	0	0	0
Cloves	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Spices, other	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Alcoholic beverages	905	74	11	0	968	0	0	0	0	3	965	49.2	56	0	0
Wine	0	8	0	0	8	0	0	0	0	0	8	0.4	1	0	0
Barley Beer	261	57	8	0	310	0	0	0	0	0	310	15.8	19	0	0
Beverages, fermented	643	3	0	0	646	0	0	0	0	0	646	32.9	36	0	0
Beverages, alcoholic	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Alcohol, non food	0	5	2	0	3	0	0	0	0	3	0	0.0	0	0	0
Meat	143	52	8	0	187	0	0	0	0	1	186	9.5	52	4	4
Meat & Products, Bovine	61	2	1	0	61	0	0	0	0	0	61	3.1	17	1	1
Meat & Prod, Sheep & Goat	17	0	0	0	17	0	0	0	0	0	17	0.9	4	0	0
Meat & Products, Pig	38	1	1	0	38	0	0	0	0	0	38	1.9	16	1	2
Meat & Products, Poultry	27	49	6	0	71	0	0	0	0	1	70	3.6	15	2	1
Meat & Products, Other Anim.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Offals	15	0	0	0	15	0	0	0	0	0	15	0.8	2	0	0
Offals, Edible	15	0	0	0	15	0	0	0	0	0	15	0.8	2	0	0
Animal fats	5	1	0	0	6	0	0	0	0	0	6	0.3	6	0	1
Fats, Animals, Raw	5	1	0	0	6	0	0	0	0	0	6	0.3	6	0	1
Cream	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Milk - Excluding Butter	104	51	59	-6	101	0	5	0	0	0	96	4.9	15	1	1
Milk & Prod (Excluding Butter)	104	51	59	-6	101	0	5	0	0	0	96	4.9	15	1	1

ZAMBIA FOOD BALANCE SHEETS 2022						Population ('000): 19 611									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Eggs	14	0	2	0	12	0	0	0	0	0	12	0.6	3	0	0
Eggs and products	14	0	2	0	12	0	0	0	0	0	12	0.6	3	0	0
Fish & sea food	176	1	1	0	176	0	0	0	0	0	176	9	17	3	1
Freshwater fish	176	1	1	0	176	0	0	0	0	0	176	9.0	17	3	1
Miscellaneous	0	31	3	0	28	0	0	0	0	0	28	1.4	3	0	0
Infant food	0	1	0	0	1	0	0	0	0	0	1	0.1	1	0	0
Miscellaneous	0	29	3	0	27	0	0	0	0	0	27	1.4	2	0	0

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
1000 Metric Tons											Kg.	Kcal	grams	grams	
Grand total													2 366	52	57
Vegetal prod.													2 258	44	50
Animal prod.													108	9	7
Cereals (excl. beer)	3 676	196	206	365	3 300	189	119	313	49	7	2 623	130	1 136	28	11
Wheat and products	277	85	72	-24	314	0	14	0	3	2	295	14.7	110	3	0
Barley and products	20	10	7	0	23	22	0	0	0	0	1	0.0	0	0	0
Maize and products	3 262	21	105	395	2 783	140	98	313	43	5	2184	108.6	981	24	11
Rye and products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oats and products	0	1	0	0	1	0	0	0	0	0	1	0.1	0	0	0
Millet and products	47	0	0	0	47	26	3	0	0	0	17	0.9	7	0	0
Sorghum and products	7	0	1	0	6	1	3	0	0	0	2	0.1	1	0	0
Rice & Prod (Milled Equivalent)	63	78	21	-5	126	0	2	0	2	0	121	6.0	37	1	0
Cereals, Others & Products	0	0	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Starchy roots	4 750	34	5	624	4 155	0	467	0	7	0	3 681	182.9	473	4	1
Potatoes and products	65	6	2	-11	81	0	7	0	7	0	67	3.3	6	0	0
Cassava and products	4 450	28	3	636	3 840	0	445	0	0	0	3 395	168.7	433	4	1
Sweet potatoes	235	0	0	0	235	0	15	0	0	0	220	10.9	34	0	0
Yams	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Roots & Tubers, Other & Prod.	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Sugar crops	1 525	0	0	0	1 525	1 525	0	0	0	0	0	0.0	0	0	0
Sugar cane	1 525	0	0	0	1 525	1 525	0	0	0	0	0	0.0	0	0	0
Sugar Beets	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Sweeteners	567	3	266	0	304	7	0	0	0	0	297	14.8	125	0	0
Sugar non-centrifugal	167	0	167	0	0	0	0	0	0	0	0	0.0	0	0	0
Sugar & Prod. (raw equivalent)	398	3	97	0	304	7	0	0	0	0	297	14.8	125	0	0
Sweeteners, other & prod.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Honey	1	0	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses	103	0	13	-1	91	0	4	0	8	0	78	3.9	34	2	0
Beans, Dry & Products	88	0	10	-1	80	0	4	0	8	0	67	3.3	29	2	0
Peas, Dry & Products	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Pulses, Other and products	14	0	3	0	11	0	0	0	0	0	11	0.6	5	0	0
Treenuts	4	0	1	0	4	0	0	0	0	0	3	0.2	1	0	0
Nuts and products	4	0	1	0	4	0	0	0	0	0	3	0.2	1	0	0
Oilcrops	1 209	7	103	24	1 088	644	50	0	85	0	308	15.3	169	9	13
Soyabbeans & Products	760	1	93	0	669	532	16	0	60	0	62	3.1	31	3	1
Groundnuts (Shelled Eq)	235	0	7	25	205	19	24	0	26	0	136	6.8	68	3	6
Sunflower seed	92	0	0	0	91	79	0	0	0	0	12	0.6	5	0	0
Rape and Mustardseed	108	0	0	0	108	0	11	0	0	0	97	4.8	65	3	6

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Coconuts - Incl Copra	0	1	0	0	1	0	0	0	0	0	1	0.1	0	0	0
Sesame seed	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palmkernels	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olives (including preserved)	0	3	2	0	1	1	0	0	0	0	0	0.0	0	0	0
Oilcrops, Other	14	1	2	0	13	13	0	0	0	0	0	0.0	0	0	0
Vegetable oils	129	98	19	0	208	0	0	0	0	27	181	9.0	217	0	25
Soyabean Oil	96	17	7	0	105	0	0	0	0	0	105	5.2	127	0	14
Groundnut Oil	5	0	0	0	5	0	0	0	0	0	5	0.3	6	0	1
Sunflowerseed Oil	20	1	2	0	18	0	0	0	0	0	18	0.9	22	0	3
Rape and Mustard Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Cottonseed Oil	4	0	0	0	4	0	0	0	0	0	4	0.2	5	0	1
Palmkernel Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Palm Oil	0	69	6	0	63	0	0	0	0	25	38	1.9	47	0	5
Coconut Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Sesameseed Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Olive & Residue Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Maize Germ Oil	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Oilcrops Oil, Other	5	11	4	0	12	0	0	0	0	2	10	0.5	10	0	1
Vegetables	486	12	43	-2	456	0	48	0	0	2	406	20.2	18	1	0
Tomatoes and products	204	7	37	1	173	0	20	0	0	2	151	7.5	4	0	0
Onions, Dry	49	0	0	0	49	0	5	0	0	0	44	2.2	2	0	0
Vegetables, Other & Prod.	233	5	6	-3	234	0	22	0	0	0	212	10.5	12	1	0

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Fruits (Excluding Wine)	218	67	13	0	272	0	23	0	0	0	249	12.4	23	0	0
Oranges, Tang-Mand & Prod.	13	12	1	0	23	0	1	0	0	0	22	1.1	2	0	0
Lemons, Limes and products	4	1	0	0	5	0	0	0	0	0	4	0.2	0	0	0
Grapefruit and products	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Citrus Fruit nes & prod	0	5	0	0	5	0	0	0	0	0	5	0.2	0	0	0
Bananas	18	8	0	0	26	0	3	0	0	0	24	1.2	4	0	0
Plantains	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Apples and products	0	18	0	0	17	0	0	0	0	0	17	0.9	1	0	0
Pineapples and products	11	5	4	0	12	0	0	0	0	0	12	0.6	1	0	0
Dates	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Grapes and products (excl wine)	0	8	2	0	6	0	1	0	0	0	5	0.2	0	0	0
Fruits, Other & Products	173	10	6	0	177	0	17	0	0	0	159	7.9	15	0	0
Stimulants	6	3	7	0	2	0	0	0	0	0	2	0.1	0	0	0
Coffee and products	6	1	6	0	1	0	0	0	0	0	1	0.1	0	0	0
Cocoa Beans and products	0	1	1	0	0	0	0	0	0	0	0	0.0	0	0	0
Tea (including mate)	0	1	0	0	1	0	0	0	0	0	1	0.0	0	0	0
Spices	12	2	11	0	3	0	0	0	0	0	3	0.1	1	0	0
Pepper	2	0	2	0	0	0	0	0	0	0	0	0.0	0	0	0
Pimento	9	0	9	0	0	0	0	0	0	0	0	0.0	0	0	0
Cloves	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Spices, other	1	2	0	0	3	0	0	0	0	0	3	0.1	1	0	0

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Alcoholic beverages	993	87	3	0	1 077	0	0	0	0	3	1 074	53.4	59	0	0
Wine	0	3	0	0	3	0	0	0	0	0	3	0.1	0	0	0
Barley Beer	267	75	0	0	342	0	0	0	0	0	342	17.0	20	0	0
Beverages, fermented	726	1	0	0	726	0	0	0	0	0	726	36.1	38	0	0
Beverages, alcoholic	0	2	0	0	2	0	0	0	0	0	2	0.1	1	0	0
Alcohol, non food	0	5	2	0	4	0	0	0	0	4	0	0.0	0	0	0
Meat	146	54	7	0	194	0	0	0	0	1	193	9.6	59	5	4
Meat & Products, Bovine	62	2	2	0	63	0	0	0	0	1	62	3.1	17	1	1
Meat & Prod, Sheep & Goat	17	0	0	0	17	0	0	0	0	0	17	0.9	4	0	0
Meat & Products, Pig	38	1	1	0	38	0	0	0	0	0	38	1.9	16	1	2
Meat & Products, Poultry	28	51	4	0	75	0	0	0	0	0	75	3.7	22	3	1
Meat & Products, Other Anim.	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Offals	16	0	0	0	15	0	0	0	0	0	15	0.8	2	0	0
Offals, Edible	16	0	0	0	15	0	0	0	0	0	15	0.8	2	0	0
Animal fats	5	1	0	0	6	0	0	0	0	0	6	0.3	6	0	1
Fats, Animals, Raw	5	1	0	0	6	0	0	0	0	0	6	0.3	6	0	1
Cream	0	0	0	0	0	0	0	0	0	0	0	0.0	0	0	0
Milk - Excluding Butter	164	28	65	-9	136	0	7	0	0	0	130	6.4	21	1	1
Milk & Prod (Excluding Butter)	164	28	65	-9	136	0	7	0	0	0	130	6.4	21	1	1

ZAMBIA FOOD BALANCE SHEETS 2023						Population ('000): 20 123									
Products	DOMESTIC SUPPLY (1000 MT)					DOMESTIC UTILIZATION (1000 MT)						PER CAPITA SUPPLY			
	Prod.	Imports	Exports	Stock changes	Total D.S	Processed	Loss	Feed	Seed	Other Uses	Food	PER YEAR FOOD	PER DAY		
													Calories	Proteins	Fats
Eggs	14	0	2	0	12	0	0	0	0	0	12	0.6	3	0	0
Eggs and products	14	0	2	0	12	0	0	0	0	0	12	0.6	3	0	0
Fish & sea food	178	1	1	0	179	0	0	0	0	0	179	9	17	3	1
Freshwater fish	178	1	1	0	179	0	0	0	0	0	179	8.9	17	3	1
Miscellaneous	0	20	3	0	18	0	0	0	0	0	18	0.9	2	0	0
Infant food	0	1	0	0	1	0	0	0	0	0	1	0.1	1	0	0
Miscellaneous	0	19	3	0	16	0	0	0	0	0	16	0.8	1	0	0

Annex 10: Zambia FBS detailed results – Supply of minerals and vitamins (2019 – 2023)

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohydrate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Grand total	341.2	422.5	33.8	12.9	359.7	839.2	1 977.7	0.6	1.2	1 985.3	127.3	110.7	6.3	8.9	8.2
Vegetal prod.	297.0	420.9	33.8	12.3	353.2	777.5	1 889.4	0.5	1.2	1 918.6	72.2	110.3	5.7	8.2	8.2
Animal prod.	44.2	1.5	0.0	0.5	6.5	61.8	88.3	0.1	0.1	66.7	55.1	0.4	0.6	0.7	0.0
Cereals (excl. beer)	39.9	197.6	15.8	5.3	190.9	460.9	581.4	0.2	0.7	27.0	14.7	0.0	3.6	0.0	0.0
Wheat and products	6.2	18.0	1.2	0.5	12.5	39.1	48.2	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0
Barley and products	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize and products	29.4	174.7	14.2	4.7	174.0	409.2	519.4	0.2	0.6	27.0	14.7	0.0	3.1	0.0	0.0
Rye and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oats and products	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Millet and products	3.3	0.8	0.1	0.0	1.4	3.3	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sorghum and products	0.4	1.4	0.1	0.1	1.9	4.7	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rice & Prod (Milled Equivalent)	0.5	2.7	0.1	0.0	1.1	4.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cereals, Others & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	197.4	163.6	14.2	5.0	100.2	181.1	837.1	0.1	0.2	8.2	29.0	16.3	1.3	0.1	0.0
Potatoes and products	0.7	1.4	0.1	0.1	1.8	4.3	37.7	0.0	0.0	0.1	0.0	1.5	0.0	0.0	0.0
Cassava and products	176.1	158.0	13.9	4.8	95.2	170.6	752.2	0.1	0.2	3.3	1.6	11.8	1.2	0.0	0.0
Sweet potatoes	20.5	4.2	0.1	0.1	3.1	6.1	47.2	0.0	0.0	4.9	27.3	3.0	0.0	0.1	0.0
Yams	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohydrate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Roots & Tubers, Other & Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar cane	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar Beets	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	0.9	44.7	0.0	0.0	0.5	0.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar non-centrifugal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Prod. (raw equivalent)	0.9	43.3	0.0	0.0	0.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sweeteners, other & prod.	0.0	1.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Honey	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.5	3.9	1.6	0.0	14.3	32.2	122.9	0.0	0.0	0.2	0.1	8.8	0.0	0.0	0.0
Beans, Dry & Products	0.0	3.6	1.5	0.0	13.4	30.2	115.6	0.0	0.0	0.2	0.1	8.8	0.0	0.0	0.0
Peas, Dry & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	0.5	0.3	0.1	0.0	0.9	1.9	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Treenuts	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nuts and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	22.8	2.8	1.2	0.8	37.1	82.3	206.3	0.0	0.2	0.3	0.1	0.1	0.6	0.2	0.0
Soyabeans & Products	16.8	1.7	0.4	0.6	19.1	43.8	145.8	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0
Groundnuts (Shelled Eq)	5.4	1.1	0.7	0.2	16.0	34.4	57.1	0.0	0.1	0.1	0.0	0.0	0.3	0.0	0.0
Sunflower seed	0.6	0.1	0.1	0.0	2.0	4.1	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Rape and Mustardseed	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconuts - Incl Copra	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesame seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernels	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olives (including preserved)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.2	2.1	0.0	0.0	0.0	0.0
Soyabean Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Groundnut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sunflowerseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustard Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cottonseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernel Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palm Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesameseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olive & Residue Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize Germ Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops Oil, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.2	2.1	0.0	0.0	0.0	0.0
Vegetables	29.7	3.1	1.0	1.0	6.3	13.2	102.9	0.1	0.1	1 853.8	24.4	75.7	0.1	0.2	8.2
Tomatoes and products	1.3	0.8	0.3	0.1	2.8	6.0	56.1	0.0	0.0	21.9	9.5	4.8	0.0	0.2	3.8
Onions, Dry	1.3	0.4	0.2	0.0	0.7	1.9	9.7	0.0	0.0	0.3	0.1	0.5	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Vegetables, Other & Prod.	27.1	1.9	0.5	0.8	2.8	5.3	37.1	0.0	0.0	1831.6	14.8	70.4	0.1	0.0	4.4
Fruits (Excluding Wine)	3.6	4.4	0.2	0.1	1.9	2.4	26.9	0.0	0.0	26.4	1.4	9.3	0.0	7.7	0.0
Oranges, Tang-Mand & Prod.	1.0	0.3	0.0	0.0	0.2	0.4	3.4	0.0	0.0	0.2	0.1	1.6	0.0	0.8	0.0
Lemons, Limes and products	0.1	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	1.7	0.0	0.2	0.0
Grapefruit and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Citrus Fruit nes & prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bananas	0.2	0.7	0.0	0.0	0.6	0.5	6.8	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0
Plantains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apples and products	0.0	0.2	0.0	0.0	0.0	0.1	1.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
Pineapples and products	0.2	0.1	0.0	0.0	0.1	0.1	1.2	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0
Dates	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grapes and products (excl wine)	0.2	0.2	0.0	0.0	0.1	0.2	2.1	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0
Fruits, Other & Products	1.9	2.9	0.1	0.1	0.8	1.0	11.9	0.0	0.0	24.7	0.8	5.4	0.0	6.4	0.0
Stimulants	0.1	0.0	0.0	0.0	0.2	0.3	1.4	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Coffee and products	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocoa Beans and products	0.0	0.0	0.0	0.0	0.1	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tea (including mate)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pepper	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimento	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Cloves	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohydrate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Spices, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcoholic beverages	1.0	0.7	0.0	0.0	1.7	4.5	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wine	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barley Beer	1.0	0.6	0.0	0.0	1.6	4.4	7.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, fermented	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, alcoholic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcohol, non food	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meat	2.4	0.0	0.0	0.3	3.9	34.1	54.4	0.0	0.1	2.2	2.2	0.1	0.5	0.7	0.0
Meat & Products, Bovine	0.5	0.0	0.0	0.1	1.2	11.0	18.0	0.0	0.0	0.6	0.6	0.0	0.2	0.0	0.0
Meat & Prod, Sheep & Goat	0.3	0.0	0.0	0.1	0.5	4.3	6.4	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Meat & Products, Pig	0.7	0.0	0.0	0.1	1.0	9.9	16.9	0.0	0.0	0.2	0.2	0.0	0.1	0.0	0.0
Meat & Products, Poultry	0.9	0.0	0.0	0.1	1.2	9.0	13.1	0.0	0.0	1.3	1.3	0.1	0.1	0.6	0.0
Meat & Products, Other Anim.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Offals	0.2	0.0	0.0	0.1	0.2	3.6	4.0	0.0	0.0	41.7	41.6	0.2	0.0	0.0	0.0
Offals, Edible	0.2	0.0	0.0	0.1	0.2	3.6	4.0	0.0	0.0	41.7	41.6	0.2	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Fats, Animals, Raw	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Butter, Ghee	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cream	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, body oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2019		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Fish, liver oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Milk - Excluding Butter	40.0	1.5	0.0	0.0	2.0	18.8	26.3	0.0	0.0	14.1	7.4	0.2	0.1	0.0	0.0
Milk & Prod (Excluding Butter)	40.0	1.5	0.0	0.0	2.0	18.8	26.3	0.0	0.0	14.1	7.4	0.2	0.1	0.0	0.0
Eggs	1.5	0.0	0.0	0.1	0.3	5.0	3.3	0.0	0.0	8.4	3.7	0.0	0.0	0.0	0.0
Eggs and products	1.5	0.0	0.0	0.1	0.3	5.0	3.3	0.0	0.0	8.4	3.7	0.0	0.0	0.0	0.0
Miscellaneous	0.9	0.1	0.0	0.0	0.1	0.5	0.8	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Infant food	0.9	0.1	0.0	0.0	0.1	0.5	0.8	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Miscellaneous	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Grand total	339	423	34	13	360	833	1974	0.59	1	1977	131	109	6	8	8
Vegetal prod.	306.0	422.1	33.7	12.4	354.4	780.4	1899.0	0.5	1.2	1914.8	79.0	109.0	5.7	7.6	7.6
Animal prod.	32.8	1.1	0.0	0.5	5.5	52.6	75.0	0.1	0.1	61.7	51.8	0.3	0.6	0.6	0.0
Cereals (excl. beer)	43.1	198.3	15.8	5.3	191.9	464.0	584.3	0.2	0.7	27.0	14.7	0.0	3.6	0.0	0.0
Wheat and products	6.4	18.0	1.2	0.5	12.5	39.9	48.4	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0
Barley and products	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize and products	29.4	174.7	14.2	4.7	174.0	409.2	519.4	0.2	0.6	27.0	14.7	0.0	3.1	0.0	0.0
Rye and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oats and products	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Millet and products	6.2	1.5	0.2	0.1	2.6	6.2	7.7	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Sorghum and products	0.3	1.1	0.1	0.1	1.5	3.9	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rice & Prod (Milled Equivalent)	0.6	2.9	0.1	0.0	1.1	4.6	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cereals, Others & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	202.3	164.3	14.1	5.0	101.2	183.3	861.0	0.1	0.2	9.7	36.9	17.7	1.3	0.1	0.0
Potatoes and products	1.0	1.9	0.2	0.1	2.6	6.0	53.4	0.0	0.0	0.1	0.0	2.1	0.0	0.0	0.0
Cassava and products	174.8	156.9	13.8	4.7	94.6	169.4	746.7	0.1	0.2	3.3	1.6	11.7	1.2	0.0	0.0
Sweet potatoes	26.5	5.5	0.1	0.2	4.0	7.9	60.9	0.0	0.0	6.3	35.3	3.8	0.1	0.1	0.0
Yams	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Roots & Tubers, Other & Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar cane	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar Beets	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	0.9	45.1	0.0	0.0	0.5	0.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar non-centrifugal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Prod. (raw equivalent)	0.9	43.5	0.0	0.0	0.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sweeteners, other & prod.	0.0	1.6	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Honey	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	1.5	3.7	1.4	0.1	13.3	29.9	113.3	0.0	0.0	0.2	0.1	6.9	0.1	0.0	0.0
Beans, Dry & Products	0.0	2.8	1.1	0.0	10.4	23.5	89.7	0.0	0.0	0.1	0.1	6.9	0.0	0.0	0.0
Peas, Dry & Products	0.1	0.2	0.1	0.0	0.3	1.1	3.3	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	1.4	0.7	0.2	0.1	2.6	5.3	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Treenuts	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nuts and products	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	22.7	2.8	1.2	0.8	37.6	83.0	204.4	0.0	0.2	0.3	0.1	0.1	0.6	0.2	0.0
Soyabeans & Products	16.5	1.6	0.4	0.6	18.8	42.9	143.1	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0
Groundnuts (Shelled Eq)	5.4	1.0	0.7	0.2	15.7	33.9	56.2	0.0	0.1	0.1	0.0	0.0	0.3	0.0	0.0
Sunflower seed	0.9	0.1	0.1	0.0	3.0	6.1	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustardseed	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Coconuts - Incl Copra	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesame seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernels	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olives (including preserved)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.5	2.3	0.0	0.0	0.0	0.0
Soyabean Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Groundnut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sunflowerseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustard Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cottonseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernel Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palm Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesameseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olive & Residue Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize Germ Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops Oil, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.5	2.3	0.0	0.0	0.0	0.0
Vegetables	29.5	3.0	1.0	0.9	5.9	12.3	94.8	0.1	0.0	1850.3	22.9	75.0	0.1	0.1	7.6
Tomatoes and products	1.1	0.7	0.3	0.1	2.4	5.2	48.1	0.0	0.0	18.8	8.2	4.1	0.0	0.1	3.2
Onions, Dry	1.3	0.4	0.2	0.0	0.7	1.9	9.7	0.0	0.0	0.3	0.1	0.5	0.0	0.0	0.0
Vegetables, Other & Prod.	27.1	1.9	0.5	0.8	2.8	5.3	37.0	0.0	0.0	1831.3	14.6	70.4	0.1	0.0	4.4

ZAMBIA- Supply of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Fruits (Excluding Wine)	3.3	4.1	0.2	0.1	1.8	2.2	25.4	0.0	0.0	24.2	1.4	9.2	0.0	7.1	0.0
Oranges, Tang-Mand & Prod.	0.9	0.3	0.0	0.0	0.2	0.4	3.2	0.0	0.0	0.2	0.1	1.6	0.0	0.8	0.0
Lemons, Limes and products	0.1	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	1.7	0.0	0.2	0.0
Grapefruit and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Citrus Fruit nes & prod	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bananas	0.2	0.7	0.0	0.0	0.6	0.5	6.8	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0
Plantains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apples and products	0.1	0.2	0.0	0.0	0.1	0.1	1.2	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
Pineapples and products	0.2	0.1	0.0	0.0	0.1	0.1	1.1	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0
Dates	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grapes and products (excl wine)	0.1	0.1	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fruits, Other & Products	1.8	2.7	0.1	0.1	0.8	1.0	11.8	0.0	0.0	22.7	0.8	5.3	0.0	5.9	0.0
Stimulants	0.2	0.1	0.0	0.0	0.4	0.4	3.5	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Coffee and products	0.1	0.0	0.0	0.0	0.3	0.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocoa Beans and products	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tea (including mate)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pepper	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimento	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cloves	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Alcoholic beverages	1.3	0.6	0.0	0.0	1.8	4.5	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wine	0.4	0.1	0.0	0.0	0.5	0.9	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barley Beer	0.8	0.5	0.0	0.0	1.3	3.6	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, fermented	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, alcoholic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcohol, non food	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meat	2.2	0.0	0.0	0.3	3.6	31.6	50.3	0.0	0.0	2.1	2.1	0.0	0.4	0.6	0.0
Meat & Products, Bovine	0.5	0.0	0.0	0.1	1.2	10.9	17.9	0.0	0.0	0.6	0.6	0.0	0.2	0.0	0.0
Meat & Prod, Sheep & Goat	0.2	0.0	0.0	0.1	0.5	4.2	6.3	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Meat & Products, Pig	0.6	0.0	0.0	0.0	0.9	8.4	14.4	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0
Meat & Products, Poultry	0.8	0.0	0.0	0.1	1.1	8.1	11.7	0.0	0.0	1.2	1.2	0.0	0.1	0.5	0.0
Meat & Products, Other Anim.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Offals	0.2	0.0	0.0	0.1	0.2	3.6	3.9	0.0	0.0	41.6	41.2	0.2	0.0	0.0	0.0
Offals, Edible	0.2	0.0	0.0	0.1	0.2	3.6	3.9	0.0	0.0	41.6	41.2	0.2	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Fats, Animals, Raw	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Butter, Ghee	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cream	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, body oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, liver oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2020		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Milk - Excluding Butter	29.0	1.1	0.0	0.0	1.3	12.7	17.4	0.0	0.0	10.2	5.0	0.1	0.1	0.0	0.0
Milk & Prod (Excluding Butter)	29.0	1.1	0.0	0.0	1.3	12.7	17.4	0.0	0.0	10.2	5.0	0.1	0.1	0.0	0.0
Eggs	1.4	0.0	0.0	0.1	0.3	4.6	3.0	0.0	0.0	7.7	3.4	0.0	0.0	0.0	0.0
Eggs and products	1.4	0.0	0.0	0.1	0.3	4.6	3.0	0.0	0.0	7.7	3.4	0.0	0.0	0.0	0.0
													0.009	0.000	0.000
Miscellaneous	1.1	0.1	0.0	0.0	0.1	0.6	1.0	0.0	0.0	0.5	0.5	0.1	0.0	0.0	0.0
Infant food	1.1	0.1	0.0	0.0	0.1	0.6	1.0	0.0	0.0	0.5	0.5	0.1	0.0	0.0	0.0
Miscellaneous	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Grand total	318	424	33	13	363	847	1923	1	1	1981	144	102	6	11	7
Vegetal prod.	297.3	423.5	33.3	12.4	357.7	797.8	1853.1	0.5	1.2	1921.3	91.5	101.5	5.9	10.1	6.8
Animal prod.	20.8	0.6	0.0	0.5	5.1	49.1	69.7	0.1	0.1	59.8	52.8	0.3	0.6	0.6	0.0
Cereals (excl. beer)	43.1	216.4	17.1	5.8	207.5	504.2	632.5	0.2	0.7	29.4	16.0	0.0	3.9	0.0	0.0
Wheat and products	7.1	19.5	1.3	0.6	13.4	43.7	52.2	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.0
Barley and products	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize and products	32.0	190.1	15.5	5.1	189.3	445.3	565.3	0.2	0.6	29.3	16.0	0.0	3.4	0.0	0.0
Rye and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oats and products	0.1	0.1	0.0	0.0	0.3	1.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Millet and products	2.6	0.7	0.1	0.0	1.1	2.6	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sorghum and products	0.3	1.0	0.1	0.0	1.3	3.3	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rice & Prod (Milled Equivalent)	0.9	5.0	0.1	0.1	2.0	8.1	6.8	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Cereals, Others & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	194.4	149.6	12.7	4.6	92.7	168.3	805.8	0.1	0.2	11.9	51.2	18.0	1.2	0.2	0.0
Potatoes and products	1.0	1.9	0.2	0.1	2.6	6.0	53.5	0.0	0.0	0.1	0.0	2.1	0.0	0.0	0.0
Cassava and products	156.0	140.0	12.3	4.2	84.4	151.1	666.3	0.1	0.2	2.9	1.5	10.5	1.1	0.0	0.0
Sweet potatoes	37.4	7.7	0.1	0.2	5.7	11.1	86.0	0.0	0.0	8.9	49.8	5.4	0.1	0.2	0.0
Yams	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Roots & Tubers, Other & Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar cane	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar Beets	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	0.9	43.7	0.0	0.0	0.4	0.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar non-centrifugal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Prod. (raw equivalent)	0.8	41.3	0.0	0.0	0.4	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sweeteners, other & prod.	0.1	2.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Honey	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	1.6	3.1	1.2	0.1	11.1	24.6	93.9	0.0	0.0	0.2	0.1	5.4	0.1	0.0	0.0
Beans, Dry & Products	0.0	2.2	0.9	0.0	8.1	18.4	70.3	0.0	0.0	0.1	0.0	5.4	0.0	0.0	0.0
Peas, Dry & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	1.6	0.9	0.3	0.1	3.0	6.2	23.6	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0
Treenuts	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nuts and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	22.9	2.9	1.2	0.8	37.6	83.6	209.9	0.0	0.2	0.3	0.1	0.1	0.6	0.2	0.0
Soyabeans & Products	16.5	1.6	0.4	0.6	18.8	43.0	143.2	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0
Groundnuts (Shelled Eq)	6.3	1.2	0.9	0.3	18.5	39.8	66.0	0.0	0.1	0.1	0.0	0.0	0.3	0.0	0.0
Sunflower seed	0.1	0.0	0.0	0.0	0.4	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustardseed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Coconuts - Incl Copra	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesame seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernels	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olives (including preserved)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.5	2.3	0.0	0.0	0.0	0.0
Soyabean Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Groundnut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sunflowerseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustard Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cottonseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernel Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palm Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesameseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olive & Residue Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize Germ Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops Oil, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.5	2.3	0.0	0.0	0.0	0.0
Vegetables	29.2	2.8	0.9	0.9	5.2	10.9	81.7	0.1	0.0	1844.9	20.7	73.9	0.1	0.1	6.8
Tomatoes and products	0.8	0.5	0.2	0.1	1.7	3.8	35.1	0.0	0.0	13.7	6.0	3.0	0.0	0.1	2.3
Onions, Dry	1.3	0.4	0.2	0.0	0.7	1.9	9.7	0.0	0.0	0.3	0.1	0.5	0.0	0.0	0.0
Vegetables, Other & Prod.	27.1	1.9	0.5	0.8	2.8	5.2	36.9	0.0	0.0	1831.0	14.6	70.4	0.1	0.0	4.4

ZAMBIA- Supply of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Fruits (Excluding Wine)	3.3	4.4	0.2	0.1	1.3	1.6	17.2	0.0	0.0	31.7	0.6	4.1	0.0	9.6	0.0
Oranges, Tang-Mand & Prod.	0.9	0.3	0.0	0.0	0.2	0.4	3.3	0.0	0.0	0.2	0.1	1.6	0.0	0.8	0.0
Lemons, Limes and products	0.1	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	1.7	0.0	0.2	0.0
Grapefruit and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Citrus Fruit nes & prod	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bananas	0.2	0.7	0.0	0.0	0.6	0.5	6.8	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0
Plantains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apples and products	0.1	0.2	0.0	0.0	0.1	0.1	1.3	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
Pineapples and products	0.2	0.1	0.0	0.0	0.1	0.1	1.1	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0
Dates	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grapes and products (excl wine)	0.1	0.1	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fruits, Other & Products	1.8	3.0	0.2	0.1	0.2	0.4	3.5	0.0	0.0	30.2	0.1	0.2	0.0	8.3	0.0
Stimulants	0.1	0.0	0.0	0.0	0.3	0.3	2.9	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Coffee and products	0.1	0.0	0.0	0.0	0.2	0.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocoa Beans and products	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tea (including mate)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pepper	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimento	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Cloves	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Alcoholic beverages	0.9	0.6	0.0	0.0	1.4	3.8	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wine	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barley Beer	0.8	0.5	0.0	0.0	1.4	3.7	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, fermented	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, alcoholic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcohol, non food	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meat	2.2	0.0	0.0	0.3	3.6	32.1	51.0	0.0	0.0	2.1	2.1	0.0	0.5	0.6	0.0
Meat & Products, Bovine	0.6	0.0	0.0	0.1	1.3	11.9	19.5	0.0	0.0	0.7	0.7	0.0	0.2	0.0	0.0
Meat & Prod, Sheep & Goat	0.3	0.0	0.0	0.1	0.5	4.3	6.3	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Meat & Products, Pig	0.6	0.0	0.0	0.0	0.8	8.1	13.8	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0
Meat & Products, Poultry	0.8	0.0	0.0	0.1	1.0	7.8	11.4	0.0	0.0	1.1	1.1	0.0	0.1	0.5	0.0
Meat & Products, Other Anim.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Offals	0.2	0.0	0.0	0.1	0.3	3.8	4.2	0.0	0.0	44.2	44.0	0.2	0.0	0.0	0.0
Offals, Edible	0.2	0.0	0.0	0.1	0.3	3.8	4.2	0.0	0.0	44.2	44.0	0.2	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Fats, Animals, Raw	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Butter, Ghee	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cream	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, body oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, liver oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2021		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Milk - Excluding Butter	17.0	0.6	0.0	0.0	0.9	8.5	11.2	0.0	0.0	5.7	3.2	0.1	0.0	0.0	0.0
Milk & Prod (Excluding Butter)	17.0	0.6	0.0	0.0	0.9	8.5	11.2	0.0	0.0	5.7	3.2	0.1	0.0	0.0	0.0
Eggs	1.4	0.0	0.0	0.1	0.3	4.5	3.0	0.0	0.0	7.6	3.4	0.0	0.0	0.0	0.0
Eggs and products	1.4	0.0	0.0	0.1	0.3	4.5	3.0	0.0	0.0	7.6	3.4	0.0	0.0	0.0	0.0
Miscellaneous	0.8	0.1	0.0	0.0	0.1	0.4	0.7	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Infant food	0.8	0.1	0.0	0.0	0.1	0.4	0.7	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Miscellaneous	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Grand total	295	404	32	12	359	849	1811	1	1	1982	124	97	6	12	6
Vegetal prod.	262.3	403.2	31.9	11.8	352.2	790.4	1727.0	0.5	1.2	1918.5	68.6	97.1	5.9	11.3	6.2
Animal prod.	33.2	1.1	0.0	0.6	6.3	58.6	84.4	0.1	0.1	63.2	55.2	0.4	0.6	1.0	0.0
Cereals (excl. beer)	43.4	218.1	17.2	5.8	208.4	505.9	635.7	0.2	0.7	29.4	16.0	0.0	3.9	0.0	0.0
Wheat and products	7.4	20.9	1.4	0.6	14.5	45.9	56.0	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.0
Barley and products	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize and products	32.0	190.1	15.5	5.1	189.3	445.4	565.4	0.2	0.6	29.3	16.0	0.0	3.4	0.0	0.0
Rye and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oats and products	0.0	0.0	0.0	0.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Millet and products	2.9	0.7	0.1	0.0	1.2	2.9	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sorghum and products	0.2	0.7	0.1	0.0	1.0	2.4	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rice & Prod (Milled Equivalent)	0.9	5.6	0.1	0.1	2.2	8.9	7.5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Cereals, Others & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	156.3	126.0	10.8	3.8	77.4	140.0	653.6	0.1	0.2	7.7	29.8	13.3	1.0	0.1	0.0
Potatoes and products	0.6	1.1	0.1	0.1	1.5	3.6	31.1	0.0	0.0	0.1	0.0	1.2	0.0	0.0	0.0
Cassava and products	134.2	120.5	10.6	3.6	72.6	130.0	573.1	0.1	0.2	2.5	1.2	9.0	0.9	0.0	0.0
Sweet potatoes	21.5	4.4	0.1	0.1	3.3	6.4	49.4	0.0	0.0	5.1	28.6	3.1	0.0	0.1	0.0
Yams	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Roots & Tubers, Other & Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar cane	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar Beets	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	0.9	44.0	0.0	0.0	0.4	0.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar non-centrifugal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Prod. (raw equivalent)	0.8	41.8	0.0	0.0	0.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sweeteners, other & prod.	0.1	2.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Honey	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	1.3	3.3	1.3	0.1	12.0	26.6	101.8	0.0	0.0	0.2	0.1	6.4	0.1	0.0	0.0
Beans, Dry & Products	0.0	2.6	1.1	0.0	9.6	21.8	83.2	0.0	0.0	0.1	0.1	6.4	0.0	0.0	0.0
Peas, Dry & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	1.3	0.7	0.2	0.1	2.3	4.8	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Treenuts	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nuts and products	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	25.3	3.3	1.5	0.9	45.4	99.6	229.8	0.0	0.2	0.3	0.1	0.1	0.8	0.2	0.0
Soyabeans & Products	16.5	1.6	0.4	0.6	18.8	42.9	143.1	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0
Groundnuts (Shelled Eq)	7.6	1.5	1.0	0.3	22.2	48.0	79.5	0.0	0.1	0.1	0.0	0.0	0.4	0.0	0.0
Sunflower seed	1.3	0.1	0.1	0.1	4.3	8.7	7.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Rape and Mustardseed	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Coconuts - Incl Copra	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesame seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernels	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olives (including preserved)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.4	2.2	0.0	0.0	0.0	0.0
Soyabean Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Groundnut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sunflowerseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustard Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cottonseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernel Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palm Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesameseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olive & Residue Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize Germ Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops Oil, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.4	2.2	0.0	0.0	0.0	0.0
Vegetables	29.0	2.7	0.8	0.9	4.8	10.0	73.1	0.1	0.0	1841.6	19.2	73.1	0.1	0.1	6.2
Tomatoes and products	0.6	0.4	0.2	0.1	1.3	2.9	26.5	0.0	0.0	10.3	4.5	2.2	0.0	0.1	1.8
Onions, Dry	1.3	0.4	0.2	0.0	0.7	1.9	9.7	0.0	0.0	0.3	0.1	0.5	0.0	0.0	0.0
Vegetables, Other & Prod.	27.1	1.9	0.5	0.8	2.8	5.3	36.9	0.0	0.0	1831.1	14.6	70.4	0.1	0.0	4.4

ZAMBIA- Supply of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Fruits (Excluding Wine)	3.7	4.9	0.2	0.2	1.3	1.7	17.5	0.0	0.0	36.5	0.7	4.1	0.0	10.9	0.0
Oranges, Tang-Mand & Prod.	1.0	0.4	0.0	0.0	0.2	0.5	3.4	0.0	0.0	0.2	0.1	1.6	0.0	0.8	0.0
Lemons, Limes and products	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	1.6	0.0	0.2	0.0
Grapefruit and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Citrus Fruit nes & prod	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bananas	0.2	0.7	0.0	0.0	0.6	0.5	6.8	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0
Plantains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apples and products	0.1	0.2	0.0	0.0	0.1	0.1	1.4	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
Pineapples and products	0.2	0.1	0.0	0.0	0.1	0.1	1.2	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0
Dates	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grapes and products (excl wine)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fruits, Other & Products	2.1	3.5	0.2	0.1	0.3	0.4	3.7	0.0	0.0	34.9	0.1	0.2	0.0	9.6	0.0
Stimulants	0.1	0.0	0.0	0.0	0.3	0.3	2.8	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Coffee and products	0.1	0.0	0.0	0.0	0.2	0.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocoa Beans and products	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tea (including mate)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pepper	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimento	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Cloves	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices, other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Alcoholic beverages	1.3	0.8	0.0	0.0	2.0	5.5	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wine	0.1	0.0	0.0	0.0	0.1	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barley Beer	1.2	0.8	0.0	0.0	1.9	5.3	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, fermented	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, alcoholic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcohol, non food	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meat	2.8	0.0	0.0	0.4	4.4	38.2	59.8	0.0	0.0	3.0	3.0	0.1	0.5	1.0	0.0
Meat & Products, Bovine	0.6	0.0	0.0	0.1	1.3	11.9	19.6	0.0	0.0	0.7	0.7	0.0	0.2	0.0	0.0
Meat & Prod, Sheep & Goat	0.3	0.0	0.0	0.1	0.5	4.4	6.5	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Meat & Products, Pig	0.5	0.0	0.0	0.0	0.8	7.6	13.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0
Meat & Products, Poultry	1.5	0.0	0.0	0.1	1.9	14.3	20.7	0.0	0.0	2.0	2.0	0.1	0.1	0.9	0.0
Meat & Products, Other Anim.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Offals	0.2	0.0	0.0	0.1	0.3	3.9	4.3	0.0	0.0	44.9	44.7	0.2	0.0	0.0	0.0
Offals, Edible	0.2	0.0	0.0	0.1	0.3	3.9	4.3	0.0	0.0	44.9	44.7	0.2	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0
Fats, Animals, Raw	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Butter, Ghee	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cream	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, body oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, liver oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2022		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Milk - Excluding Butter	29.2	1.1	0.0	0.0	1.4	13.3	17.9	0.0	0.0	10.0	5.0	0.1	0.1	0.0	0.0
Milk & Prod (Excluding Butter)	29.2	1.1	0.0	0.0	1.4	13.3	17.9	0.0	0.0	10.0	5.0	0.1	0.1	0.0	0.0
Eggs	0.9	0.0	0.0	0.0	0.2	3.0	2.0	0.0	0.0	5.1	2.3	0.0	0.0	0.0	0.0
Eggs and products	0.9	0.0	0.0	0.0	0.2	3.0	2.0	0.0	0.0	5.1	2.3	0.0	0.0	0.0	0.0
Miscellaneous	0.8	0.1	0.0	0.0	0.1	0.5	0.7	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Infant food	0.8	0.1	0.0	0.0	0.1	0.5	0.7	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Miscellaneous	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Grand total	328	410	33	13	370	875	1912	1	1	1989	146	103	7	13	6
Vegetal prod.	284.7	408.4	32.8	12.0	362.9	811.6	1820.6	0.5	1.2	1922.8	89.8	102.9	5.9	11.8	5.9
Animal prod.	43.8	1.5	0.0	0.6	6.9	63.3	91.4	0.1	0.1	66.6	56.6	0.4	0.6	1.1	0.0
Cereals (excl. beer)	45.9	218.9	17.2	5.8	209.2	506.8	637.7	0.2	0.7	29.4	16.0	0.0	4.0	0.0	0.0
Wheat and products	7.0	20.7	1.4	0.6	14.6	44.7	55.9	0.0	0.1	0.0	0.0	0.0	0.4	0.0	0.0
Barley and products	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize and products	32.0	190.1	15.5	5.1	189.3	445.4	565.4	0.2	0.6	29.3	16.0	0.0	3.4	0.0	0.0
Rye and products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oats and products	0.0	0.0	0.0	0.0	0.1	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Millet and products	5.7	1.4	0.2	0.1	2.4	5.7	7.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Sorghum and products	0.0	0.2	0.0	0.0	0.2	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rice & Prod (Milled Equivalent)	1.0	6.3	0.1	0.1	2.5	10.1	8.4	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Cereals, Others & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Starchy roots	176.7	134.7	11.2	4.0	82.7	149.7	710.1	0.1	0.2	11.5	51.4	15.8	1.0	0.2	0.0
Potatoes and products	0.6	1.2	0.1	0.1	1.6	3.8	32.6	0.0	0.0	0.1	0.0	1.3	0.0	0.0	0.0
Cassava and products	138.4	125.7	11.0	3.7	75.4	134.8	590.9	0.1	0.2	2.5	1.2	9.1	0.9	0.0	0.0
Sweet potatoes	37.7	7.8	0.1	0.2	5.7	11.2	86.6	0.0	0.0	9.0	50.1	5.5	0.1	0.2	0.0
Yams	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Roots & Tubers, Other & Prod.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Sugar crops	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar cane	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar Beets	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Sweeteners	0.8	38.3	0.0	0.0	0.4	0.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar non-centrifugal	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sugar & Prod. (raw equivalent)	0.7	36.7	0.0	0.0	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sweeteners, other & prod.	0.0	1.6	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Honey	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses	0.7	4.4	1.8	0.0	16.3	36.6	140.0	0.0	0.0	0.2	0.1	10.0	0.0	0.0	0.0
Beans, Dry & Products	0.0	4.1	1.7	0.0	15.1	34.1	130.4	0.0	0.0	0.2	0.1	10.0	0.0	0.0	0.0
Peas, Dry & Products	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pulses, Other and products	0.7	0.4	0.1	0.0	1.2	2.5	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Treenuts	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Nuts and products	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops	25.5	3.3	1.5	1.0	45.8	100.5	230.6	0.0	0.2	0.3	0.1	0.1	0.8	0.2	0.0
Soyabeans & Products	16.5	1.6	0.4	0.6	18.8	42.9	143.1	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0
Groundnuts (Shelled Eq)	7.6	1.5	1.0	0.3	22.2	47.9	79.4	0.0	0.1	0.1	0.0	0.0	0.4	0.0	0.0
Sunflower seed	1.4	0.2	0.1	0.1	4.7	9.5	7.7	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Rape and Mustardseed	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconuts - Incl Copra	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Syppy of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Sesame seed	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernels	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olives (including preserved)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Vegetable oils	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.8	2.6	0.0	0.0	0.0	0.0
Soyabean Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Groundnut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sunflowerseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Rape and Mustard Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cottonseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palmkernel Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Palm Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coconut Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Sesameseed Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Olive & Residue Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Maize Germ Oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Oilcrops Oil, Other	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	2.8	2.6	0.0	0.0	0.0	0.0
Vegetables	28.9	2.6	0.8	0.9	4.6	9.5	68.9	0.1	0.0	1839.9	18.5	72.7	0.1	0.1	5.9
Tomatoes and products	0.5	0.3	0.1	0.1	1.1	2.4	22.2	0.0	0.0	8.6	3.7	1.9	0.0	0.1	1.5
Onions, Dry	1.3	0.4	0.2	0.0	0.7	1.9	9.7	0.0	0.0	0.3	0.1	0.5	0.0	0.0	0.0
Vegetables, Other & Prod.	27.1	1.9	0.5	0.8	2.8	5.3	36.9	0.0	0.0	1831.1	14.6	70.4	0.1	0.0	4.4

ZAMBIA- Supply of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Fruits (Excluding Wine)	3.8	5.2	0.2	0.2	1.4	1.7	18.2	0.0	0.0	38.1	0.7	4.2	0.0	11.4	0.0
Oranges, Tang-Mand & Prod.	1.0	0.4	0.0	0.0	0.2	0.5	3.5	0.0	0.0	0.2	0.1	1.7	0.0	0.8	0.0
Lemons, Limes and products	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.0	0.0	0.0	1.6	0.0	0.2	0.0
Grapefruit and products	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Citrus Fruit nes & prod	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Bananas	0.2	0.7	0.0	0.0	0.6	0.5	6.8	0.0	0.0	1.0	0.3	0.3	0.0	0.0	0.0
Plantains	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Apples and products	0.1	0.3	0.0	0.0	0.1	0.2	1.8	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0
Pineapples and products	0.2	0.1	0.0	0.0	0.1	0.1	1.2	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0
Dates	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Grapes and products (excl wine)	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fruits, Other & Products	2.2	3.7	0.2	0.1	0.3	0.4	3.8	0.0	0.0	36.6	0.1	0.2	0.0	10.1	0.0
Stimulants	0.1	0.0	0.0	0.0	0.3	0.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Coffee and products	0.1	0.0	0.0	0.0	0.2	0.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cocoa Beans and products	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Tea (including mate)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Pepper	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Pimento	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Cloves	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Spices, other	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Alcoholic beverages	1.3	0.8	0.0	0.0	2.1	5.6	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wine	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Barley Beer	1.3	0.8	0.0	0.0	2.0	5.5	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, fermented	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Beverages, alcoholic	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Alcohol, non food	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Meat	2.9	0.0	0.0	0.4	4.5	38.6	60.5	0.0	0.0	3.1	3.1	0.1	0.5	1.0	0.0
Meat & Products, Bovine	0.6	0.0	0.0	0.1	1.3	11.8	19.4	0.0	0.0	0.7	0.7	0.0	0.2	0.0	0.0
Meat & Prod, Sheep & Goat	0.3	0.0	0.0	0.1	0.5	4.4	6.5	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.0
Meat & Products, Pig	0.5	0.0	0.0	0.0	0.8	7.4	12.8	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0
Meat & Products, Poultry	1.5	0.0	0.0	0.2	2.0	15.0	21.8	0.0	0.0	2.2	2.2	0.1	0.1	0.9	0.0
Meat & Products, Other Anim.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Offals	0.2	0.0	0.0	0.1	0.3	3.9	4.3	0.0	0.0	44.8	44.7	0.2	0.0	0.0	0.0
Offals, Edible	0.2	0.0	0.0	0.1	0.3	3.9	4.3	0.0	0.0	44.8	44.7	0.2	0.0	0.0	0.0
Animal fats	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0
Fats, Animals, Raw	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
Butter, Ghee	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Cream	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, body oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Fish, liver oil	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

ZAMBIA- Supply of Vitamins and minerals													2023		
Products	Calcium	Carbohy- drate	Dietary fibre	Iron	Magnesium	Phosphorus	Potassium	Riboflavin	Thiamin	Vitamin A RE	Vitamin A RAE	Vitamin C	Zinc	Vitamin PP	Folate (Vit B-9)
	milligrams	grams	grams	milligrams	milligrams	milligrams	milligrams	milligrams	milligrams	mcg	mcg	milligrams	milligrams	milligrams	milligrams
Milk - Excluding Butter	39.7	1.5	0.0	0.0	1.9	17.7	24.3	0.0	0.0	13.6	6.5	0.2	0.1	0.0	0.0
Milk & Prod (Excluding Butter)	39.7	1.5	0.0	0.0	1.9	17.7	24.3	0.0	0.0	13.6	6.5	0.2	0.1	0.0	0.0
Eggs	0.9	0.0	0.0	0.0	0.2	2.9	1.9	0.0	0.0	4.9	2.2	0.0	0.0	0.0	0.0
Eggs and products	0.9	0.0	0.0	0.0	0.2	2.9	1.9	0.0	0.0	4.9	2.2	0.0	0.0	0.0	0.0
Miscellaneous	0.9	0.1	0.0	0.0	0.1	0.5	0.8	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Infant food	0.9	0.1	0.0	0.0	0.1	0.5	0.8	0.0	0.0	0.4	0.4	0.1	0.0	0.0	0.0
Miscellaneous	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0



REPUBLIC OF ZAMBIA
Ministry of Agriculture and
Ministry of Fisheries and Livestock



AFRICAN DEVELOPMENT BANK GROUP
GROUPE DE LA BANQUE AFRICAINE
DE DEVELOPPEMENT